(51) International Patent Classification:
C12Q 1/68 (2006.01)

(21) International Application Number:
PCT/US2006/015160

(22) International Filing Date: 21 April 2006 (21.04.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/674,118   21 April 2005 (21.04.2005)   US
60/705,631   3 August 2005 (03.08.2005)   US
60/732,539   1 November 2005 (01.11.2005)   US
60/773,124   13 February 2006 (13.02.2006)   US

(71) Applicant *(for all designated States except US)*: ISIS PHARMACEUTICALS, INC. [US/US]; 1896 Rutherford Rd., Carlsbad, California 92008 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: SAMPATH, Rangarajan [US/US]; 12223 Mannix Road, San Diego, California 92129 (US). HALL, Thomas, A. [US/US]; 5239 Wohlford St., Oceanside, California 92056 (US). ESHOO, Mark, W. [US/US]; 615 Glenmont Dr., Solana Beach, California 92075 (US).

(74) Agents: CASIMIR, David et al.; Medlen & Carroll, 101 Howard Street, Suite 350, San Francisco, CA 94105 (US).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:
— *without international search report and to be republished upon receipt of that report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

(57) Abstract: The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.

COMPOSITIONS FOR USE IN IDENTIFICATION OF BACTERIA

STATEMENT OF GOVERNMENT SUPPORT

[01]   This invention was made with United States Government support under CDC contract RO1 CI000099-01. The United States Government has certain rights in the invention.

FIELD OF THE INVENTION

[02]   The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.

BACKGROUND OF THE INVENTION

[03]   A problem in determining the cause of a natural infectious outbreak or a bioterrorist attack is the sheer variety of organisms that can cause human disease. There are over 1400 organisms infectious to humans; many of these have the potential to emerge suddenly in a natural epidemic or to be used in a malicious attack by bioterrorists (Taylor et al. Philos. Trans. R. Soc. London B. Biol. Sci., 2001, 356, 983-989). This number does not include numerous strain variants, bioengineered versions, or pathogens that infect plants or animals.

[04]   Much of the new technology being developed for detection of biological weapons incorporates a polymerase chain reaction (PCR) step based upon the use of highly specific primers and probes designed to selectively detect certain pathogenic organisms. Although this approach is appropriate for the most obvious bioterrorist organisms, like smallpox and anthrax, experience has shown that it is very difficult to predict which of hundreds of possible pathogenic organisms might be employed in a terrorist attack. Likewise, naturally emerging human disease that has caused devastating consequence in public health has come from unexpected families of bacteria, viruses, fungi, or protozoa. Plants and animals also have their natural burden of infectious disease agents and there are equally important biosafety and security concerns for agriculture.

[05]   A major conundrum in public health protection, biodefense, and agricultural safety and security is that these disciplines need to be able to rapidly identify and characterize infectious agents, while there is no existing technology with the breadth of function to meet this need. Currently used methods for identification of bacteria rely upon culturing the bacterium to effect isolation from other

1

organisms and to obtain sufficient quantities of nucleic acid followed by sequencing of the nucleic acid, both processes which are time and labor intensive.

[06]   Mass spectrometry provides detailed information about the molecules being analyzed, including high mass accuracy. It is also a process that can be easily automated. DNA chips with specific probes can only determine the presence or absence of specifically anticipated organisms. Because there are hundreds of thousands of species of benign bacteria, some very similar in sequence to threat organisms, even arrays with 10,000 probes lack the breadth needed to identify a particular organism.

[07]   The present invention provides oligonucleotide primers and compositions and kits containing the oligonucleotide primers, which define bacterial bioagent identifying amplicons and, upon amplification, produce corresponding amplification products whose molecular masses provide the means to identify bacteria, for example, at and below the species taxonomic level.

SUMMARY OF THE INVENTION

[08]   The present invention provides compositions, kits and methods for rapid identification and quantification of bacteria by molecular mass and base composition analysis.

[09]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456.

[10]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[11]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[12]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 288.

[13]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1269.

[14]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 288 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1269.

[15]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 698.

[16]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1420.

[17]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 698 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1420.

[18]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 217.

[19]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1167

[20]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 217 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1167.

[21]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 399.

[22]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1041.

[23]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 399 and an

oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1041.

[24]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 430.

[25]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1321.

[26]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 430 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1321.

[27]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 174.

[28]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 853.

[29]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 174 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 853.

[30]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 172.

[31]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1360.

[32]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 172 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1360.

4

[33]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261.

[34]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 456 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1261 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.

[35]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681.

[36]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[37]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[38]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 315.

[39]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1379.

[40]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 315 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1379.

[41]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 346.

[42]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 955.

[43]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 346 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 955.

[44]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 504.

[45]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1409.

[46]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 504 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1409.

[47]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 323.

[48]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1068.

[49]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 323 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1068.

[50]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 479.

[51]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 938.

[52]   Another embodiment is an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 479 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 938.

[53]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022.

[54]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 681 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1022 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 315:1379, 346:955, 504:1409, 323:1068, 479:938.

[55]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583.

[56]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923.

[57]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923.

[58]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 454.

[59]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1418.

[60]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 454 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1418.

[61]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 250.

[62]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 902.

[63]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 250 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 902.

[64]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 384.

[65]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 878.

[66]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 384 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 878.

[67]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 694.

[68]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1215.

[69]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 694 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1215.

[70]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 194.

[71]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1173.

[72]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 194 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1173.

[73]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 375.

[74]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 890.

[75]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 375 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 890.

[76]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 656.

[77]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1224.

[78]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 656 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1224.

[79]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 618.

[80]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1157.

[81]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 618 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1157.

[82]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 302.

[83]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 852.

[84]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 302 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 852.

[85]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 199.

[86]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 889.

[87]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 199 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 889.

[88]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 596.

[89]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1169.

[90]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 596 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1169.

[91]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 150.

[92]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1242.

[93]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 150 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1242.

[94]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166.

[95]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1069.

[96]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1069.

[97]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166.

[98]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1168.

[99]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 166 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1168.

[100]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 583 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 923 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 454:1418, 250:902, 384:878, 694:1215, 194:1173, 375:890, 656:1224, 618:1157, 302:852, 199:889, 596:1169, 150:1242, 166:1069 and 166:1168.

[101]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437.

[102]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1137.

[103]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1137.

[104]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 530.

[105]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 891.

[106]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 530 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 891.

[107]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 474.

[108]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 869.

[109]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 474 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 869.

[110]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 268.

[111]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1284.

[112]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 268 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1284.

[113]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 418.

[114]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1301.

[115]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 418 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1301.

[116]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 318.

[117]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1300.

[118]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 318 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1300.

[119]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 440.

[120]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1076.

[121]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 440 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1076.

[122]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 219.

[123]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1013.

[124]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 219 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1013.

[125]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 437 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence

identity with SEQ ID NO: 1137 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 530:891, 474:869, 268:1284, 418:1301, 318:1300, 440:1076 and 219:1013.

[126]　　　One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 325.

[127]　　　Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1163.

[128]　　　Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 325 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1163.

[129]　　　One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 278.

[130]　　　Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1039.

[131]　　　Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 278 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1039.

[132]　　　One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 465.

[133]　　　Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1037.

[134]　　　Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 465 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1037.

[135]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 148.

[136]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1172.

[137]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 148 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1172.

[138]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 190.

[139]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1254.

[140]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 190 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1254.

[141]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 266.

[142]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1094.

[143]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 266 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1094.

[144]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least
70% sequence identity with SEQ ID NO: 508.

[145]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at
least 70% sequence identity with SEQ ID NO: 1297.

[146]   Another embodiment is a kit comprising an oligonucleotide primer pair including an
oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID
NO: 508 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence
identity with SEQ ID NO: 1297.

[147]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least
70% sequence identity with SEQ ID NO: 259.

[148]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at
least 70% sequence identity with SEQ ID NO: 1060.

[149]   Another embodiment is a kit comprising an oligonucleotide primer pair including an
oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID
NO: 259 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence
identity with SEQ ID NO: 1060.

[150]   Another embodiment is a kit comprising an oligonucleotide primer pair including an
oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID
NO: 325 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence
identity with SEQ ID NO: 1163 and further comprising one or more primer pairs wherein each member of
said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence
identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs:
278:1039: 465:1037, 148:1172, 190:1254, 266:1094, 508:1297 and 259:1060.

[151]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least
70% sequence identity with SEQ ID NO: 376.

[152]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at
least 70% sequence identity with SEQ ID NO: 1265.

[153]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 376 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1265.

[154]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 267.

[155]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1341.

[156]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 267 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1341.

[157]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 705.

[158]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1056.

[159]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 705 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1056.

[160]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 710.

[161]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1259.

[162]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID

NO: 710 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1259.

[163]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 374.

[164]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1111.

[165]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 374 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1111.

[166]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 545.

[167]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 978.

[168]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 545 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 978.

[169]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 249.

[170]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1095.

[171]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 249 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1095.

[172]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 195.

[173]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1376.

[174]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 195 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1376.

[175]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 311.

[176]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1014.

[177]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 311 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1014.

[178]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 365.

[179]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1052.

[180]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 365 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1052.

[181]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 527.

[182]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1071.

[183]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 527 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1071.

[184]   One embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 490.

[185]   Another embodiment is an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1182.

[186]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 490 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1182.

[187]   Another embodiment is a kit comprising an oligonucleotide primer pair including an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 376 and an oligonucleotide primer 14 to 35 nucleobases in length having at least 70% sequence identity with SEQ ID NO: 1265 and further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 267:1341, 705:1056, 710:1259, 374:1111, 545:978, 249:1095, 195:1376, 311:1014, 365:1052, 527:1071 and 490:1182.

[188]   In some embodiments, either or both of the primers of a primer pair composition contain at least one modified nucleobase such as 5-propynyluracil or 5-propynylcytosine for example.

[189]   In some embodiments, either or both of the primers of the primer pair comprises at least one universal nucleobase such as inosine for example.

[190]   In some embodiments, either or both of the primers of the primer pair comprises at least one non-templated T residue on the 5'-end.

[191]   In some embodiments, either or both of the primers of the primer pair comprises at least one non-template tag.

[192]   In some embodiments, either or both of the primers of the primer pair comprises at least one molecular mass modifying tag.

[193]   In some embodiments, the present invention provides primers and compositions comprising pairs of primers, and kits containing the same, and methods for use in identification of bacteria. The primers are designed to produce amplification products of DNA encoding genes that have conserved and variable regions across different subgroups and genotypes of bacteria.

[194]   Some embodiments are kits that contain one or more of the primer pair compositions. In some embodiments, each member of the one or more primer pairs of the kit is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from any of the primer pairs listed in Table 2.

[195]   Some embodiments of the kits contain at least one calibration polynucleotide for use in quantitiation of bacteria in a given sample, and also for use as a positive control for amplification.

[196]   Some embodiments of the kits contain at least one anion exchange functional group linked to a magnetic bead.

[197]   In some embodiments, the present invention also provides methods for identification of bacteria. Nucleic acid from the bacterium is amplified using the primers described above to obtain an amplification product. The molecular mass of the amplification product is measured. Optionally, the base composition of the amplification product is determined from the molecular mass. The molecular mass or base composition is compared with a plurality of molecular masses or base compositions of known analogous bacterial identifying amplicons, wherein a match between the molecular mass or base composition and a member of the plurality of molecular masses or base compositions identifies the bacterium. In some embodiments, the molecular mass is measured by mass spectrometry in a modality such as electrospray ionization (ESI) time of flight (TOF) mass spectrometry or ESI Fourier transform ion cyclotron resonance (FTICR) mass spectrometry, for example. Other mass spectrometry techniques can also be used to measure the molecular mass of bacterial bioagent identifying amplicons.

[198]   In some embodiments, the present invention is also directed to a method for determining the
presence or absence of a bacterium in a sample. Nucleic acid from the sample is amplified using the
composition described above to obtain an amplification product. The molecular mass of the amplification
product is determined. Optionally, the base composition of the amplification product is determined from
the molecular mass. The molecular mass or base composition of the amplification product is compared
with the known molecular masses or base compositions of one or more known analogous bacterial
bioagent identifying amplicons, wherein a match between the molecular mass or base composition of the
amplification product and the molecular mass or base composition of one or more known bacterial
bioagent identifying amplicons indicates the presence of the bacterium in the sample. In some
embodiments, the molecular mass is measured by mass spectrometry.

[199]   In some embodiments, the present invention also provides methods for determination of the
quantity of an unknown bacterium in a sample. The sample is contacted with the composition described
above and a known quantity of a calibration polynucleotide comprising a calibration sequence. Nucleic
acid from the unknown bacterium in the sample is concurrently amplified with the composition described
above and nucleic acid from the calibration polynucleotide in the sample is concurrently amplified with
the composition described above to obtain a first amplification product comprising a bacterial bioagent
identifying amplicon and a second amplification product comprising a calibration amplicon. The
molecular masses and abundances for the bacterial bioagent identifying amplicon and the calibration
amplicon are determined. The bacterial bioagent identifying amplicon is distinguished from the
calibration amplicon based on molecular mass and comparison of bacterial bioagent identifying amplicon
abundance and calibration amplicon abundance indicates the quantity of bacterium in the sample. In some
embodiments, the base composition of the bacterial bioagent identifying amplicon is determined.

[200]   In some embodiments, the present invention provides methods for detecting or quantifying
bacteria by combining a nucleic acid amplification process with a mass determination process. In some
embodiments, such methods identify or otherwise analyze the bacterium by comparing mass information
from an amplification product with a calibration or control product. Such methods can be carried out in a
highly multiplexed and/or parallel manner allowing for the analysis of as many as 300 samples per 24
hours on a single mass measurement platform. The accuracy of the mass determination methods in some
embodiments of the present invention permits allows for the ability to discriminate between different
bacteria such as, for example, various genotypes and drug resistant strains of *Staphylococcus aureus.*

BRIEF DESCRIPTION OF THE DRAWINGS

[201]   The foregoing summary of the invention, as well as the following detailed description of the invention, is better understood when read in conjunction with the accompanying drawings which are included by way of example and not by way of limitation.

[202]   **Figure 1:** process diagram illustrating a representative primer pair selection process.

[203]   **Figure 2:** process diagram illustrating an embodiment of the calibration method.

[204]   **Figure 3:** common pathogenic bacteria and primer pair coverage. The primer pair number in the upper right hand corner of each polygon indicates that the primer pair can produce a bioagent identifying amplicon for all species within that polygon.

[205]   **Figure 4:** a representative 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with primer pair number 14 (a precursor of primer pair number 348 which targets 16S rRNA). The diagram indicates that the experimentally determined base compositions of the clinical samples (labeled NHRC samples) closely match the base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base compositions of other organisms.

[206]   **Figure 5:** a representative mass spectrum of amplification products indicating the presence of bioagent identifying amplicons of *Streptococcus pyogenes*, *Neisseria* meningitidis, and *Haemophilus influenzae* obtained from amplification of nucleic acid from a clinical sample with primer pair number 349 which targets 23S rRNA. Experimentally determined molecular masses and base compositions for the sense strand of each amplification product are shown.

[207]   **Figure 6:** a representative mass spectrum of amplification products representing a bioagent identifying amplicon of *Streptococcus pyogenes*, and a calibration amplicon obtained from amplification of nucleic acid from a clinical sample with primer pair number 356 which targets rplB. The experimentally determined molecular mass and base composition for the sense strand of the *Streptococcus pyogenes* amplification product is shown.

[208]   **Figure 7:** a representative mass spectrum of an amplified nucleic acid mixture which contained the Ames strain of *Bacillus anthracis*, a known quantity of combination calibration polynucleotide (SEQ ID NO: 1464), and primer pair number 350 which targets the capC gene on

the virulence plasmid pX02 of *Bacillus anthracis*. Calibration amplicons produced in the amplification reaction are visible in the mass spectrum as indicated and abundance data (peak height) are used to calculate the quantity of the Ames strain of *Bacillus anthracis*.

DEFINITIONS

[209]   As used herein, the term "abundance" refers to an amount. The amount may be described in terms of concentration which are common in molecular biology such as "copy number," "pfu or plate-forming unit" which are well known to those with ordinary skill. Concentration may be relative to a known standard or may be absolute.

[210]   As used herein, the term "amplifiable nucleic acid" is used in reference to nucleic acids that may be amplified by any amplification method. It is contemplated that "amplifiable nucleic acid" also comprises "sample template."

[211]   As used herein the term "amplification" refers to a special case of nucleic acid replication involving template specificity. It is to be contrasted with non-specific template replication (i.e., replication that is template-dependent but not dependent on a specific template). Template specificity is here distinguished from fidelity of replication (i.e., synthesis of the proper polynucleotide sequence) and nucleotide (ribo- or deoxyribo-) specificity. Template specificity is frequently described in terms of "target" specificity. Target sequences are "targets" in the sense that they are sought to be sorted out from other nucleic acid. Amplification techniques have been designed primarily for this sorting out. Template specificity is achieved in most amplification techniques by the choice of enzyme. Amplification enzymes are enzymes that, under conditions they are used, will process only specific sequences of nucleic acid in a heterogeneous mixture of nucleic acid. For example, in the case of Qß replicase, MDV-1 RNA is the specific template for the replicase (D.L. Kacian et al., Proc. Natl. Acad. Sci. USA 69:3038 [1972]). Other nucleic acid will not be replicated by this amplification enzyme. Similarly, in the case of T7 RNA polymerase, this amplification enzyme has a stringent specificity for its own promoters (Chamberlin et al., Nature 228:227 [1970]). In the case of T4 DNA ligase, the enzyme will not ligate the two oligonucleotides or polynucleotides, where there is a mismatch between the oligonucleotide or polynucleotide substrate and the template at the ligation junction (D.Y. Wu and R. B. Wallace, Genomics 4:560 [1989]). Finally, Taq and Pfu polymerases, by virtue of their ability to function at high temperature, are found to display high specificity for the sequences bounded and thus defined by the primers; the high temperature results in thermodynamic conditions that favor primer hybridization with the target sequences and not hybridization with non-target sequences (H.A. Erlich (ed.), PCR Technology, Stockton Press [1989]).

[212]   As used herein, the term "amplification reagents" refers to those reagents (deoxyribonucleotide triphosphates, buffer, etc.), needed for amplification, excluding primers, nucleic acid template, and the amplification enzyme. Typically, amplification reagents along with other reaction components are placed and contained in a reaction vessel (test tube, microwell, etc.).

[213]   As used herein, the term "analogous" when used in context of comparison of bioagent identifying amplicons indicates that the bioagent identifying amplicons being compared are produced with the same pair of primers. For example, bioagent identifying amplicon "A" and bioagent identifying amplicon "B", produced with the same pair of primers are analogous with respect to each other. Bioagent identifying amplicon "C", produced with a different pair of primers is not analogous to either bioagent identifying amplicon "A" or bioagent identifying amplicon "B".

[214]   As used herein, the term "anion exchange functional group" refers to a positively charged functional group capable of binding an anion through an electrostatic interaction. The most well known anion exchange functional groups are the amines, including primary, secondary, tertiary and quaternary amines.

[215]   The term "bacteria" or "bacterium" refers to any member of the groups of eubacteria and archaebacteria.

[216]   As used herein, a "base composition" is the exact number of each nucleobase (for example, A, T, C and G) in a segment of nucleic acid. For example, amplification of nucleic acid of *Staphylococcus aureus* strain carrying the lukS-PV gene with primer pair number 2095 (SEQ ID NOs: 456:1261) produces an amplification product 117 nucleobases in length from nucleic acid of the lukS-PV gene that has a base composition of A35 G17 C19 T46 (by convention - with reference to the sense strand of the amplification product). Because the molecular masses of each of the four natural nucleotides and chemical modifications thereof are known (if applicable), a measured molecular mass can be deconvoluted to a list of possible base compositions. Identification of a base composition of a sense strand which is complementary to the corresponding antisense strand in terms of base composition provides a confirmation of the true base composition of an unknown amplification product. For example, the base composition of the antisense strand of the 139 nucleobase amplification product described above is A46 G19 C17 T35.

[217]   As used herein, a "base composition probability cloud" is a representation of the diversity in base composition resulting from a variation in sequence that occurs among different isolates of a given

species. The "base composition probability cloud" represents the base composition constraints for each species and is typically visualized using a pseudo four-dimensional plot.

[218]   In the context of this invention, a "bioagent" is any organism, cell, or virus, living or dead, or a nucleic acid derived from such an organism, cell or virus. Examples of bioagents include, but are not limited, to cells, (including but not limited to human clinical samples, bacterial cells and other pathogens), viruses, fungi, protists, parasites, and pathogenicity markers (including but not limited to: pathogenicity islands, antibiotic resistance genes, virulence factors, toxin genes and other bioregulating compounds). Samples may be alive or dead or in a vegetative state (for example, vegetative bacteria or spores) and may be encapsulated or bioengineered. In the context of this invention, a "pathogen" is a bioagent which causes a disease or disorder.

[219]   As used herein, a "bioagent division" is defined as group of bioagents above the species level and includes but is not limited to, orders, families, classes, clades, genera or other such groupings of bioagents above the species level.

[220]   As used herein, the term "bioagent identifying amplicon" refers to a polynucleotide that is amplified from a bioagent in an amplification reaction and which 1) provides sufficient variability to distinguish among bioagents from whose nucleic acid the bioagent identifying amplicon is produced and 2) whose molecular mass is amenable to a rapid and convenient molecular mass determination modality such as mass spectrometry, for example.

[221]   As used herein, the term "biological product" refers to any product originating from an organism. Biological products are often products of processes of biotechnology. Examples of biological products include, but are not limited to: cultured cell lines, cellular components, antibodies, proteins and other cell-derived biomolecules, growth media, growth harvest fluids, natural products and bio-pharmaceutical products.

[222]   The terms "biowarfare agent" and "bioweapon" are synonymous and refer to a bacterium, virus, fungus or protozoan that could be deployed as a weapon to cause bodily harm to individuals. Military or terrorist groups may be implicated in deployment of biowarfare agents.

[223]   In context of this invention, the term "broad range survey primer pair" refers to a primer pair designed to produce bioagent identifying amplicons across different broad groupings of bioagents. For example, the ribosomal RNA-targeted primer pairs are broad range survey primer pairs which have the capability of producing bacterial bioagent identifying amplicons for essentially all known bacteria. With

respect to broad range primer pairs employed for identification of bacteria, a broad range survey primer pair for bacteria such as 16S rRNA primer pair number 346 (SEQ ID NOs: 202:1110) for example, will produce an bacterial bioagent identifying amplicon for essentially all known bacteria.

[224]   The term "calibration amplicon" refers to a nucleic acid segment representing an amplification product obtained by amplification of a calibration sequence with a pair of primers designed to produce a bioagent identifying amplicon.

[225]   The term "calibration sequence" refers to a polynucleotide sequence to which a given pair of primers hybridizes for the purpose of producing an internal (i.e: included in the reaction) calibration standard amplification product for use in determining the quantity of a bioagent in a sample. The calibration sequence may be expressly added to an amplification reaction, or may already be present in the sample prior to analysis.

[226]   The term "clade primer pair" refers to a primer pair designed to produce bioagent identifying amplicons for species belonging to a clade group. A clade primer pair may also be considered as a "speciating" primer pair which is useful for distinguishing among closely related species.

[227]   The term "codon" refers to a set of three adjoined nucleotides (triplet) that codes for an amino acid or a termination signal.

[228]   In context of this invention, the term "codon base composition analysis," refers to determination of the base composition of an individual codon by obtaining a bioagent identifying amplicon that includes the codon. The bioagent identifying amplicon will at least include regions of the target nucleic acid sequence to which the primers hybridize for generation of the bioagent identifying amplicon as well as the codon being analyzed, located between the two primer hybridization regions.

[229]   As used herein, the terms "complementary" or "complementarity" are used in reference to polynucleotides (i.e., a sequence of nucleotides such as an oligonucleotide or a target nucleic acid) related by the base-pairing rules. For example, for the sequence "5'-A-G-T-3'," is complementary to the sequence "3'-T-C-A-5'." Complementarity may be "partial," in which only some of the nucleic acids' bases are matched according to the base pairing rules. Or, there may be "complete" or "total" complementarity between the nucleic acids. The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of hybridization between nucleic acid strands. This is of particular importance in amplification reactions, as well as detection methods that depend upon binding between nucleic acids. Either term may also be used in reference to individual nucleotides, especially within the

context of polynucleotides. For example, a particular nucleotide within an oligonucleotide may be noted for its complementarity, or lack thereof, to a nucleotide within another nucleic acid strand, in contrast or comparison to the complementarity between the rest of the oligonucleotide and the nucleic acid strand.

[230]   The term "complement of a nucleic acid sequence" as used herein refers to an oligonucleotide which, when aligned with the nucleic acid sequence such that the 5' end of one sequence is paired with the 3' end of the other, is in "antiparallel association." Certain bases not commonly found in natural nucleic acids may be included in the nucleic acids of the present invention and include, for example, inosine and 7-deazaguanine. Complementarity need not be perfect; stable duplexes may contain mismatched base pairs or unmatched bases. Those skilled in the art of nucleic acid technology can determine duplex stability empirically considering a number of variables including, for example, the length of the oligonucleotide, base composition and sequence of the oligonucleotide, ionic strength and incidence of mismatched base pairs. Where a first oligonucleotide is complementary to a region of a target nucleic acid and a second oligonucleotide has complementary to the same region (or a portion of this region) a "region of overlap" exists along the target nucleic acid. The degree of overlap will vary depending upon the extent of the complementarity.

[231]   In context of this invention, the term "division-wide primer pair" refers to a primer pair designed to produce bioagent identifying amplicons within sections of a broader spectrum of bioagents For example, primer pair number 352 (SEQ ID NOs: 687:1411), a division-wide primer pair, is designed to produce bacterial bioagent identifying amplicons for members of the Bacillus group of bacteria which comprises, for example, members of the genera *Streptococci, Enterococci,* and *Staphylococci.* Other division-wide primer pairs may be used to produce bacterial bioagent identifying amplicons for other groups of bacterial bioagents.

[232]   As used herein, the term "concurrently amplifying" used with respect to more than one amplification reaction refers to the act of simultaneously amplifying more than one nucleic acid in a single reaction mixture.

[233]   As used herein, the term "drill-down primer pair" refers to a primer pair designed to produce bioagent identifying amplicons for identification of sub-species characteristics or confirmation of a species assignment. For example, primer pair number 2146 (SEQ ID NOs: 437:1137), a drill-down *Staphylococcus aureus* genotyping primer pair, is designed to produce *Staphylococcus aureus* genotyping amplicons. Other drill-down primer pairs may be used to produce bioagent identifying amplicons for *Staphylococcus aureus* and other bacterial species.

[234]   The term "duplex" refers to the state of nucleic acids in which the base portions of the nucleotides on one strand are bound through hydrogen bonding the their complementary bases arrayed on a second strand. The condition of being in a duplex form reflects on the state of the bases of a nucleic acid. By virtue of base pairing, the strands of nucleic acid also generally assume the tertiary structure of a double helix, having a major and a minor groove. The assumption of the helical form is implicit in the act of becoming duplexed.

[235]   As used herein, the term "etiology" refers to the causes or origins, of diseases or abnormal physiological conditions.

[236]   The term "gene" refers to a DNA sequence that comprises control and coding sequences necessary for the production of an RNA having a non-coding function (e.g., a ribosomal or transfer RNA), a polypeptide or a precursor. The RNA or polypeptide can be encoded by a full length coding sequence or by any portion of the coding sequence so long as the desired activity or function is retained.

[237]   The terms "homology," "homologous" and "sequence identity" refer to a degree of identity. There may be partial homology or complete homology. A partially homologous sequence is one that is less than 100% identical to another sequence. Determination of sequence identity is described in the following example: a primer 20 nucleobases in length which is otherwise identical to another 20 nucleobase primer but having two non-identical residues has 18 of 20 identical residues (18/20 = 0.9 or 90% sequence identity). In another example, a primer 15 nucleobases in length having all residues identical to a 15 nucleobase segment of a primer 20 nucleobases in length would have 15/20 = 0.75 or 75% sequence identity with the 20 nucleobase primer. In context of the present invention, sequence identity is meant to be properly determined when the query sequence and the subject sequence are both described and aligned in the 5' to 3' direction. Sequence alignment algorithms such as BLAST, will return results in two different alignment orientations. In the Plus/Plus orientation, both the query sequence and the subject sequence are aligned in the 5' to 3' direction. On the other hand, in the Plus/Minus orientation, the query sequence is in the 5' to 3' direction while the subject sequence is in the 3' to 5' direction. It should be understood that with respect to the primers of the present invention, sequence identity is properly determined when the alignment is designated as Plus/Plus. Sequence identity may also encompass alternate or modified nucleobases that perform in a functionally similar manner to the regular nucleobases adenine, thymine, guanine and cytosine with respect to hybridization and primer extension in amplification reactions. In a non-limiting example, if the 5-propynyl pyrimidines propyne C and/or propyne T replace one or more C or T residues in one primer which is otherwise identical to another primer in sequence and length, the two primers will have 100% sequence identity with each other. In another non-limiting example, Inosine (I) may be used as a replacement for G or T and effectively

hybridize to C, A or U (uracil). Thus, if inosine replaces one or more C, A or U residues in one primer which is otherwise identical to another primer in sequence and length, the two primers will have 100% sequence identity with each other. Other such modified or universal bases may exist which would perform in a functionally similar manner for hybridization and amplification reactions and will be understood to fall within this definition of sequence identity.

[238]   As used herein, "housekeeping gene" refers to a gene encoding a protein or RNA involved in basic functions required for survival and reproduction of a bioagent. Housekeeping genes include, but are not limited to genes encoding RNA or proteins involved in translation, replication, recombination and repair, transcription, nucleotide metabolism, amino acid metabolism, lipid metabolism, energy generation, uptake, secretion and the like.

[239]   As used herein, the term "hybridization" is used in reference to the pairing of complementary nucleic acids. Hybridization and the strength of hybridization (i.e., the strength of the association between the nucleic acids) is influenced by such factors as the degree of complementary between the nucleic acids, stringency of the conditions involved, and the T_m of the formed hybrid. "Hybridization" methods involve the annealing of one nucleic acid to another, complementary nucleic acid, i.e., a nucleic acid having a complementary nucleotide sequence. The ability of two polymers of nucleic acid containing complementary sequences to find each other and anneal through base pairing interaction is a well-recognized phenomenon. The initial observations of the "hybridization" process by Marmur and Lane, Proc. Natl. Acad. Sci. USA 46:453 (1960) and Doty et al., Proc. Natl. Acad. Sci. USA 46:461 (1960) have been followed by the refinement of this process into an essential tool of modem biology.

[240]   The term "in silico" refers to processes taking place via computer calculations. For example, electronic PCR (ePCR) is a process analogous to ordinary PCR except that it is carried out using nucleic acid sequences and primer pair sequences stored on a computer formatted medium.

[241]   As used herein, "intelligent primers" are primers that are designed to bind to highly conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and, upon amplification, yield amplification products which ideally provide enough variability to distinguish individual bioagents, and which are amenable to molecular mass analysis. By the term "highly conserved," it is meant that the sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity among all, or at least 70%, at least 80%, at least 90%, at least 95%, or at least 99% of species or strains.

[242]   The "ligase chain reaction" (LCR; sometimes referred to as "Ligase Amplification Reaction" (LAR) described by Barany, Proc. Natl. Acad. Sci., 88:189 (1991); Barany, PCR Methods and Applic., 1:5 (1991); and Wu and Wallace, Genomics 4:560 (1989) has developed into a well-recognized alternative method for amplifying nucleic acids. In LCR, four oligonucleotides, two adjacent oligonucleotides which uniquely hybridize to one strand of target DNA, and a complementary set of adjacent oligonucleotides, that hybridize to the opposite strand are mixed and DNA ligase is added to the mixture. Provided that there is complete complementarity at the junction, ligase will covalently link each set of hybridized molecules. Importantly, in LCR, two probes are ligated together only when they base-pair with sequences in the target sample, without gaps or mismatches. Repeated cycles of denaturation, hybridization and ligation amplify a short segment of DNA. LCR has also been used in combination with PCR to achieve enhanced detection of single-base changes. However, because the four oligonucleotides used in this assay can pair to form two short ligatable fragments, there is the potential for the generation of target-independent background signal. The use of LCR for mutant screening is limited to the examination of specific nucleic acid positions.

[243]   The term "locked nucleic acid" or "LNA" refers to a nucleic acid analogue containing one or more 2'-O, 4'-C-methylene-β-D-ribofuranosyl nucleotide monomers in an RNA mimicking sugar conformation. LNA oligonucleotides display unprecedented hybridization affinity toward complementary single-stranded RNA and complementary single- or double-stranded DNA. LNA oligonucleotides induce A-type (RNA-like) duplex conformations. The primers of the present invention may contain LNA modifications.

[244]   As used herein, the term "mass-modifying tag" refers to any modification to a given nucleotide which results in an increase in mass relative to the analogous non-mass modified nucleotide. Mass-modifying tags can include heavy isotopes of one or more elements included in the nucleotide such as carbon-13 for example. Other possible modifications include addition of substituents such as iodine or bromine at the 5 position of the nucleobase for example.

[245]   The term "mass spectrometry" refers to measurement of the mass of atoms or molecules. The molecules are first converted to ions, which are separated using electric or magnetic fields according to the ratio of their mass to electric charge. The measured masses are used to identity the molecules.

[246]   The term "microorganism" as used herein means an organism too small to be observed with the unaided eye and includes, but is not limited to bacteria, virus, protozoans, fungi; and ciliates.

[247]   The term "multi-drug resistant" or multiple-drug resistant" refers to a microorganism which is resistant to more than one of the antibiotics or antimicrobial agents used in the treatment of said microorganism.

[248]   The term "multiplex PCR" refers to a PCR reaction where more than one primer set is included in the reaction pool allowing 2 or more different DNA targets to be amplified by PCR in a single reaction tube.

[249]   The term "non-template tag" refers to a stretch of at least three guanine or cytosine nucleobases of a primer used to produce a bioagent identifying amplicon which are not complementary to the template. A non-template tag is incorporated into a primer for the purpose of increasing the primer-duplex stability of later cycles of amplification by incorporation of extra G-C pairs which each have one additional hydrogen bond relative to an A-T pair.

[250]   The term "nucleic acid sequence" as used herein refers to the linear composition of the nucleic acid residues A, T, C or G or any modifications thereof, within an oligonucleotide, nucleotide or polynucleotide, and fragments or portions thereof, and to DNA or RNA of genomic or synthetic origin which may be single or double stranded, and represent the sense or antisense strand

[251]   As used herein, the term "nucleobase" is synonymous with other terms in use in the art including "nucleotide," "deoxynucleotide," "nucleotide residue," "deoxynucleotide residue," "nucleotide triphosphate (NTP)," or deoxynucleotide triphosphate (dNTP).

[252]   The term "nucleotide analog" as used herein refers to modified or non-naturally occurring nucleotides such as 5-propynyl pyrimidines (i.e., 5-propynyl-dTTP and 5-propynyl-dTCP), 7-deaza purines (i.e., 7-deaza-dATP and 7-deaza-dGTP). Nucleotide analogs include base analogs and comprise modified forms of deoxyribonucleotides as well as ribonucleotides.

[253]   The term "oligonucleotide" as used herein is defined as a molecule comprising two or more deoxyribonucleotides or ribonucleotides, preferably at least 5 nucleotides, more preferably at least about 13 to 35 nucleotides. The exact size will depend on many factors, which in turn depend on the ultimate function or use of the oligonucleotide. The oligonucleotide may be generated in any manner, including chemical synthesis, DNA replication, reverse transcription, PCR, or a combination thereof. Because mononucleotides are reacted to make oligonucleotides in a manner such that the 5' phosphate of one mononucleotide pentose ring is attached to the 3' oxygen of its neighbor in one direction via a phosphodiester linkage, an end of an oligonucleotide is referred to as the "5'-end" if its 5' phosphate is not

linked to the 3' oxygen of a mononucleotide pentose ring and as the "3'-end" if its 3' oxygen is not linked to a 5' phosphate of a subsequent mononucleotide pentose ring. As used herein, a nucleic acid sequence, even if internal to a larger oligonucleotide, also may be said to have 5' and 3' ends. A first region along a nucleic acid strand is said to be upstream of another region if the 3' end of the first region is before the 5' end of the second region when moving along a strand of nucleic acid in a 5' to 3' direction. All oligonucleotide primers disclosed herein are understood to be presented in the 5' to 3' direction when reading left to right. When two different, non-overlapping oligonucleotides anneal to different regions of the same linear complementary nucleic acid sequence, and the 3' end of one oligonucleotide points towards the 5' end of the other, the former may be called the "upstream" oligonucleotide and the latter the "downstream" oligonucleotide. Similarly, when two overlapping oligonucleotides are hybridized to the same linear complementary nucleic acid sequence, with the first oligonucleotide positioned such that its 5' end is upstream of the 5' end of the second oligonucleotide, and the 3' end of the first oligonucleotide is upstream of the 3' end of the second oligonucleotide, the first oligonucleotide may be called the "upstream" oligonucleotide and the second oligonucleotide may be called the "downstream" oligonucleotide.

[254]   In the context of this invention, a "pathogen" is a bioagent which causes a disease or disorder.

[255]   As used herein, the terms "PCR product," "PCR fragment," and "amplification product" refer to the resultant mixture of compounds after two or more cycles of the PCR steps of denaturation, annealing and extension are complete. These terms encompass the case where there has been amplification of one or more segments of one or more target sequences.

[256]   The term "peptide nucleic acid" ("PNA") as used herein refers to a molecule comprising bases or base analogs such as would be found in natural nucleic acid, but attached to a peptide backbone rather than the sugar-phosphate backbone typical of nucleic acids. The attachment of the bases to the peptide is such as to allow the bases to base pair with complementary bases of nucleic acid in a manner similar to that of an oligonucleotide. These small molecules, also designated anti gene agents, stop transcript elongation by binding to their complementary strand of nucleic acid (Nielsen, et al. Anticancer Drug Des. 8:53 63). The primers of the present invention may comprise PNAs.

[257]   The term "polymerase" refers to an enzyme having the ability to synthesize a complementary strand of nucleic acid from a starting template nucleic acid strand and free dNTPs.

[258]   As used herein, the term "polymerase chain reaction" ("PCR") refers to the method of K.B. Mullis U.S. Patent Nos. 4,683,195, 4,683,202, and 4,965,188, hereby incorporated by reference, that

describe a method for increasing the concentration of a segment of a target sequence in a mixture of genomic DNA without cloning or purification. This process for amplifying the target sequence consists of introducing a large excess of two oligonucleotide primers to the DNA mixture containing the desired target sequence, followed by a precise sequence of thermal cycling in the presence of a DNA polymerase. The two primers are complementary to their respective strands of the double stranded target sequence. To effect amplification, the mixture is denatured and the primers then annealed to their complementary sequences within the target molecule. Following annealing, the primers are extended with a polymerase so as to form a new pair of complementary strands. The steps of denaturation, primer annealing, and polymerase extension can be repeated many times (i.e., denaturation, annealing and extension constitute one "cycle"; there can be numerous "cycles") to obtain a high concentration of an amplified segment of the desired target sequence. The length of the amplified segment of the desired target sequence is determined by the relative positions of the primers with respect to each other, and therefore, this length is a controllable parameter. By virtue of the repeating aspect of the process, the method is referred to as the "polymerase chain reaction" (hereinafter "PCR"). Because the desired amplified segments of the target sequence become the predominant sequences (in terms of concentration) in the mixture, they are said to be "PCR amplified." With PCR, it is possible to amplify a single copy of a specific target sequence in genomic DNA to a level detectable by several different methodologies (e.g., hybridization with a labeled probe; incorporation of biotinylated primers followed by avidin-enzyme conjugate detection; incorporation of 32P-labeled deoxynucleotide triphosphates, such as dCTP or dATP, into the amplified segment). In addition to genomic DNA, any oligonucleotide or polynucleotide sequence can be amplified with the appropriate set of primer molecules. In particular, the amplified segments created by the PCR process itself are, themselves, efficient templates for subsequent PCR amplifications.

[259]   The term "polymerization means" or "polymerization agent" refers to any agent capable of facilitating the addition of nucleoside triphosphates to an oligonucleotide. Preferred polymerization means comprise DNA and RNA polymerases.

[260]   As used herein, the terms "pair of primers," or "primer pair" are synonymous. A primer pair is used for amplification of a nucleic acid sequence. A pair of primers comprises a forward primer and a reverse primer. The forward primer hybridizes to a sense strand of a target gene sequence to be amplified and primes synthesis of an antisense strand (complementary to the sense strand) using the target sequence as a template. A reverse primer hybridizes to the antisense strand of a target gene sequence to be amplified and primes synthesis of a sense strand (complementary to the antisense strand) using the target sequence as a template.

[261]   The primers are designed to bind to highly conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and yield amplification products which ideally provide enough variability to distinguish each individual bioagent, and which are amenable to molecular mass analysis. In some embodiments, the highly conserved sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity, or between about 99-100% identity. The molecular mass of a given amplification product provides a means of identifying the bioagent from which it was obtained, due to the variability of the variable region. Thus design of the primers requires selection of a variable region with appropriate variability to resolve the identity of a given bioagent. Bioagent identifying amplicons are ideally specific to the identity of the bioagent.

[262]   Properties of the primers may include any number of properties related to structure including, but not limited to: nucleobase length which may be contiguous (linked together) or non-contiguous (for example, two or more contiguous segments which are joined by a linker or loop moiety), modified or universal nucleobases (used for specific purposes such as for example, increasing hybridization affinity, preventing non-templated adenylation and modifying molecular mass) percent complementarity to a given target sequences.

[263]   Properties of the primers also include functional features including, but not limited to, orientation of hybridization (forward or reverse) relative to a nucleic acid template. The coding or sense strand is the strand to which the forward priming primer hybridizes (forward priming orientation) while the reverse priming primer hybridizes to the non-coding or antisense strand (reverse priming orientation). The functional properties of a given primer pair also include the generic template nucleic acid to which the primer pair hybridizes. For example, identification of bioagents can be accomplished at different levels using primers suited to resolution of each individual level of identification. Broad range survey primers are designed with the objective of identifying a bioagent as a member of a particular division (e.g., an order, family, genus or other such grouping of bioagents above the species level of bioagents). In some embodiments, broad range survey intelligent primers are capable of identification of bioagents at the species or sub-species level. Other primers may have the functionality of producing bioagent identifying amplicons for members of a given taxonomic genus, clade, species, sub-species or genotype (including genetic variants which may include presence of virulence genes or antibiotic resistance genes or mutations). Additional functional properties of primer pairs include the functionality of performing amplification either singly (single primer pair per amplification reaction vessel) or in a multiplex fashion (multiple primer pairs and multiple amplification reactions within a single reaction vessel).

[264]   As used herein, the terms "purified" or "substantially purified" refer to molecules, either nucleic or amino acid sequences, that are removed from their natural environment, isolated or separated,

and are at least 60% free, preferably 75% free, and most preferably 90% free from other components with which they are naturally associated. An "isolated polynucleotide" or "isolated oligonucleotide" is therefore a substantially purified polynucleotide.

[265]   The term "reverse transcriptase" refers to an enzyme having the ability to transcribe DNA from an RNA template. This enzymatic activity is known as reverse transcriptase activity. Reverse transcriptase activity is desirable in order to obtain DNA from RNA viruses which can then be amplified and analyzed by the methods of the present invention.

[266]   The term "ribosomal RNA" or "rRNA" refers to the primary ribonucleic acid constituent of ribosomes. Ribosomes are the protein-manufacturing organelles of cells and exist in the cytoplasm. Ribosomal RNAs are transcribed from the DNA genes encoding them.

[267]   The term "sample" in the present specification and claims is used in its broadest sense. On the one hand it is meant to include a specimen or culture (e.g., microbiological cultures). On the other hand, it is meant to include both biological and environmental samples. A sample may include a specimen of synthetic origin. Biological samples may be animal, including human, fluid, solid (e.g., stool) or tissue, as well as liquid and solid food and feed products and ingredients such as dairy items, vegetables, meat and meat by-products, and waste. Biological samples may be obtained from all of the various families of domestic animals, as well as feral or wild animals, including, but not limited to, such animals as ungulates, bear, fish, lagamorphs, rodents, etc. Environmental samples include environmental material such as surface matter, soil, water, air and industrial samples, as well as samples obtained from food and dairy processing instruments, apparatus, equipment, utensils, disposable and non-disposable items. These examples are not to be construed as limiting the sample types applicable to the present invention. The term "source of target nucleic acid" refers to any sample that contains nucleic acids (RNA or DNA). Particularly preferred sources of target nucleic acids are biological samples including, but not limited to blood, saliva, cerebral spinal fluid, pleural fluid, milk, lymph, sputum and semen.

[268]   As used herein, the term "sample template" refers to nucleic acid originating from a sample that is analyzed for the presence of "target" (defined below). In contrast, "background template" is used in reference to nucleic acid other than sample template that may or may not be present in a sample. Background template is often a contaminant. It may be the result of carryover, or it may be due to the presence of nucleic acid contaminants sought to be purified away from the sample. For example, nucleic acids from organisms other than those to be detected may be present as background in a test sample.

[269]   A "segment" is defined herein as a region of nucleic acid within a target sequence.

[270]   The "self-sustained sequence replication reaction" (3SR) (Guatelli et al., Proc. Natl. Acad. Sci., 87:1874-1878 [1990], with an erratum at Proc. Natl. Acad. Sci., 87:7797 [1990]) is a transcription-based *in vitro* amplification system (Kwok et al., Proc. Natl. Acad. Sci., 86:1173-1177 [1989]) that can exponentially amplify RNA sequences at a uniform temperature. The amplified RNA can then be utilized for mutation detection (Fahy et al., PCR Meth. Appl., 1:25-33 [1991]). In this method, an oligonucleotide primer is used to add a phage RNA polymerase promoter to the 5' end of the sequence of interest. In a cocktail of enzymes and substrates that includes a second primer, reverse transcriptase, RNase H, RNA polymerase and ribo- and deoxyribonucleoside triphosphates, the target sequence undergoes repeated rounds of transcription, cDNA synthesis and second-strand synthesis to amplify the area of interest. The use of 3SR to detect mutations is kinetically limited to screening small segments of DNA (e.g., 200-300 base pairs).

[271]   As used herein, the term ""sequence alignment"" refers to a listing of multiple DNA or amino acid sequences and aligns them to highlight their similarities. The listings can be made using bioinformatics computer programs.

[272]   In context of this invention, the term "speciating primer pair" refers to a primer pair designed to produce a bioagent identifying amplicon with the diagnostic capability of identifying species members of a group of genera or a particular genus of bioagents. Primer pair number 2249 (SEQ ID NOs: 430:1321), for example, is a speciating primer pair used to distinguish *Staphylococcus aureus* from other species of the genus *Staphylococcus*.

[273]   As used herein, a "sub-species characteristic" is a genetic characteristic that provides the means to distinguish two members of the same bioagent species. For example, one viral strain could be distinguished from another viral strain of the same species by possessing a genetic change (e.g., for example, a nucleotide deletion, addition or substitution) in one of the viral genes, such as the RNA-dependent RNA polymerase. Sub-species characteristics such as virulence genes and drug-are responsible for the phenotypic differences among the different strains of bacteria.

[274]   As used herein, the term "target" is used in a broad sense to indicate the gene or genomic region being amplified by the primers. Because the present invention provides a plurality of amplification products from any given primer pair (depending on the bioagent being analyzed), multiple amplification products from different specific nucleic acid sequences may be obtained. Thus, the term "target" is not used to refer to a single specific nucleic acid sequence. The "target" is sought to be sorted out from other nucleic acid sequences and contains a sequence that has at least partial complementarity with an

oligonucleotide primer. The target nucleic acid may comprise single- or double-stranded DNA or RNA. A "segment" is defined as a region of nucleic acid within the target sequence.

[275]   The term "template" refers to a strand of nucleic acid on which a complementary copy is built from nucleoside triphosphates through the activity of a template-dependent nucleic acid polymerase. Within a duplex the template strand is, by convention, depicted and described as the "bottom" strand. Similarly, the non-template strand is often depicted and described as the "top" strand.

[276]   As used herein, the term "T_m" is used in reference to the "melting temperature." The melting temperature is the temperature at which a population of double-stranded nucleic acid molecules becomes half dissociated into single strands. Several equations for calculating the T_m of nucleic acids are well known in the art. As indicated by standard references, a simple estimate of the T_m value may be calculated by the equation: $T_m = 81.5 + 0.41(\% \ G+C)$, when a nucleic acid is in aqueous solution at 1 M NaCl (see e.g., Anderson and Young, Quantitative Filter Hybridization, in Nucleic Acid Hybridization (1985). Other references (e.g., Allawi, H. T. & SantaLucia, J., Jr. Thermodynamics and NMR of internal G.T mismatches in DNA. Biochemistry 36, 10581-94 (1997) include more sophisticated computations which take structural and environmental, as well as sequence characteristics into account for the calculation of T_m.

[277]   The term "triangulation genotyping analysis" refers to a method of genotyping a bioagent by measurement of molecular masses or base compositions of amplification products, corresponding to bioagent identifying amplicons, obtained by amplification of regions of more than one gene. In this sense, the term "triangulation" refers to a method of establishing the accuracy of information by comparing three or more types of independent points of view bearing on the same findings. Triangulation genotyping analysis carried out with a plurality of triangulation genotyping analysis primers yields a plurality of base compositions that then provide a pattern or "barcode" from which a species type can be assigned. The species type may represent a previously known sub-species or strain, or may be a previously unknown strain having a specific and previously unobserved base composition barcode indicating the existence of a previously unknown genotype.

[278]   As used herein, the term "triangulation genotyping analysis primer pair" is a primer pair designed to produce bioagent identifying amplicons for determining species types in a triangulation genotyping analysis.

[279]   The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as "triangulation identification." Triangulation identification is pursued by

analyzing a plurality of bioagent identifying amplicons produced with different primer pairs. This process is used to reduce false negative and false positive signals, and enable reconstruction of the origin of hybrid or otherwise engineered bioagents. For example, identification of the three part toxin genes typical of *B. anthracis* (Bowen et al., J. Appl. Microbiol., 1999, 87, 270-278) in the absence of the expected signatures from the *B. anthracis* genome would suggest a genetic engineering event.

[280]   In the context of this invention, the term "unknown bioagent" may mean either: (i) a bioagent whose existence is known (such as the well known bacterial species *Staphylococcus aureus* for example) but which is not known to be in a sample to be analyzed, or (ii) a bioagent whose existence is not known (for example, the SARS coronavirus was unknown prior to April 2003). For example, if the method for identification of coronaviruses disclosed in commonly owned U.S. Patent Serial No. 10/829,826 (incorporated herein by reference in its entirety) was to be employed prior to April 2003 to identify the SARS coronavirus in a clinical sample, both meanings of "unknown" bioagent are applicable since the SARS coronavirus was unknown to science prior to April, 2003 and since it was not known what bioagent (in this case a coronavirus) was present in the sample. On the other hand, if the method of U.S. Patent Serial No. 10/829,826 was to be employed subsequent to April 2003 to identify the SARS coronavirus in a clinical sample, only the first meaning (i) of "unknown" bioagent would apply since the SARS coronavirus became known to science subsequent to April 2003 and since it was not known what bioagent was present in the sample.

[281]   The term "variable sequence" as used herein refers to differences in nucleic acid sequence between two nucleic acids. For example, the genes of two different bacterial species may vary in sequence by the presence of single base substitutions and/or deletions or insertions of one or more nucleotides. These two forms of the structural gene are said to vary in sequence from one another. In the context of the present invention, "viral nucleic acid" includes, but is not limited to, DNA, RNA, or DNA that has been obtained from viral RNA, such as, for example, by performing a reverse transcription reaction. Viral RNA can either be single-stranded (of positive or negative polarity) or double-stranded.

[282]   The term "virus" refers to obligate, ultramicroscopic, parasites that are incapable of autonomous replication (i.e., replication requires the use of the host cell's machinery). Viruses can survive outside of a host cell but cannot replicate.

[283]   The term "wild-type" refers to a gene or a gene product that has the characteristics of that gene or gene product when isolated from a naturally occurring source. A wild-type gene is that which is most frequently observed in a population and is thus arbitrarily designated the "normal" or "wild-type" form of the gene. In contrast, the term "modified", "mutant" or "polymorphic" refers to a gene or gene product

that displays modifications in sequence and or functional properties (i.e., altered characteristics) when compared to the wild-type gene or gene product. It is noted that naturally-occurring mutants can be isolated; these are identified by the fact that they have altered characteristics when compared to the wild-type gene or gene product.

[284] As used herein, a "wobble base" is a variation in a codon found at the third nucleotide position of a DNA triplet. Variations in conserved regions of sequence are often found at the third nucleotide position due to redundancy in the amino acid code.

DETAILED DESCRIPTION OF EMBODIMENTS

A.   Bioagent Identifying Amplicons

[285] The present invention provides methods for detection and identification of unknown bioagents using bioagent identifying amplicons. Primers are selected to hybridize to conserved sequence regions of nucleic acids derived from a bioagent, and which bracket variable sequence regions to yield a bioagent identifying amplicon, which can be amplified and which is amenable to molecular mass determination. The molecular mass then provides a means to uniquely identify the bioagent without a requirement for prior knowledge of the possible identity of the bioagent. The molecular mass or corresponding base composition signature of the amplification product is then matched against a database of molecular masses or base composition signatures. A match is obtained when an experimentally-determined molecular mass or base composition of an analyzed amplification product is compared with known molecular masses or base compositions of known bioagent identifying amplicons and the experimentally determined molecular mass or base composition is the same as the molecular mass or base composition of one of the known bioagent identifying amplicons. Alternatively, the experimentally-determined molecular mass or base composition may be within experimental error of the molecular mass or base composition of a known bioagent identifying amplicon and still be classified as a match. In some cases, the match may also be classified using a probability of match model such as the models described in U.S. Serial No. 11/073,362, which is commonly owned and incorporated herein by reference in entirety. Furthermore, the method can be applied to rapid parallel multiplex analyses, the results of which can be employed in a triangulation identification strategy. The present method provides rapid throughput and does not require nucleic acid sequencing of the amplified target sequence for bioagent detection and identification.

[286] Despite enormous biological diversity, all forms of life on earth share sets of essential, common features in their genomes. Since genetic data provide the underlying basis for identification of bioagents by the methods of the present invention, it is necessary to select segments of nucleic acids which ideally provide enough variability to distinguish each individual bioagent and whose molecular mass is amenable to molecular mass determination.

[287]   Unlike bacterial genomes, which exhibit conservation of numerous genes (i.e. housekeeping genes) across all organisms, viruses do not share a gene that is essential and conserved among all virus families. Therefore, viral identification is achieved within smaller groups of related viruses, such as members of a particular virus family or genus. For example, RNA-dependent RNA polymerase is present in all single-stranded RNA viruses and can be used for broad priming as well as resolution within the virus family.

[288]   In some embodiments of the present invention, at least one bacterial nucleic acid segment is amplified in the process of identifying the bacterial bioagent. Thus, the nucleic acid segments that can be amplified by the primers disclosed herein and that provide enough variability to distinguish each individual bioagent and whose molecular masses are amenable to molecular mass determination are herein described as bioagent identifying amplicons.

[289]   In some embodiments of the present invention, bioagent identifying amplicons comprise from about 45 to about 150 nucleobases (i.e. from about 45 to about 200 linked nucleosides), although both longer and short regions may be used. One of ordinary skill in the art will appreciate that the invention embodies compounds of 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, and 150 nucleobases in length, or any range therewithin.

[290]   It is the combination of the portions of the bioagent nucleic acid segment to which the primers hybridize (hybridization sites) and the variable region between the primer hybridization sites that comprises the bioagent identifying amplicon. Thus, it can be said that a given bioagent identifying amplicon is "defined by" a given pair of primers.

[291]   In some embodiments, bioagent identifying amplicons amenable to molecular mass determination which are produced by the primers described herein are either of a length, size or mass compatible with the particular mode of molecular mass determination or compatible with a means of providing a predictable fragmentation pattern in order to obtain predictable fragments of a length compatible with the particular mode of molecular mass determination. Such means of providing a predictable fragmentation pattern of an amplification product include, but are not limited to, cleavage with chemical reagents, restriction enzymes or cleavage primers, for example. Thus, in some

embodiments, bioagent identifying amplicons are larger than 150 nucleobases and are amenable to molecular mass determination following restriction digestion. Methods of using restriction enzymes and cleavage primers are well known to those with ordinary skill in the art.

[292]   In some embodiments, amplification products corresponding to bioagent identifying amplicons are obtained using the polymerase chain reaction (PCR) that is a routine method to those with ordinary skill in the molecular biology arts. Other amplification methods may be used such as ligase chain reaction (LCR), low-stringency single primer PCR, and multiple strand displacement amplification (MDA). These methods are also known to those with ordinary skill.

B.   Primers and Primer Pairs

[293]   In some embodiments, the primers are designed to bind to conserved sequence regions of a bioagent identifying amplicon that flank an intervening variable region and yield amplification products which provide variability sufficient to distinguish each individual bioagent, and which are amenable to molecular mass analysis. In some embodiments, the highly conserved sequence regions exhibit between about 80-100%, or between about 90-100%, or between about 95-100% identity, or between about 99-100% identity. The molecular mass of a given amplification product provides a means of identifying the bioagent from which it was obtained, due to the variability of the variable region. Thus, design of the primers involves selection of a variable region with sufficient variability to resolve the identity of a given bioagent. In some embodiments, bioagent identifying amplicons are specific to the identity of the bioagent.

[294]   In some embodiments, identification of bioagents is accomplished at different levels using primers suited to resolution of each individual level of identification. Broad range survey primers are designed with the objective of identifying a bioagent as a member of a particular division (e.g., an order, family, genus or other such grouping of bioagents above the species level of bioagents). In some embodiments, broad range survey intelligent primers are capable of identification of bioagents at the species or sub-species level. Examples of broad range survey primers include, but are not limited to: primer pair numbers: 346 (SEQ ID NOs: 202:1110), 347 (SEQ ID NOs: 560:1278), 348 SEQ ID NOs: 706:895), and 361 (SEQ ID NOs: 697:1398) which target DNA encoding 16S rRNA, and primer pair numbers 349 (SEQ ID NOs: 401:1156) and 360 (SEQ ID NOs: 409:1434) which target DNA encoding 23S rRNA.

[295]   In some embodiments, drill-down primers are designed with the objective of identifying a bioagent at the sub-species level (including strains, subtypes, variants and isolates) based on sub-species characteristics which may, for example, include single nucleotide polymorphisms (SNPs), variable

number tandem repeats (VNTRs), deletions, drug resistance mutations or any other modification of a nucleic acid sequence of a bioagent relative to other members of a species having different sub-species characteristics. Drill-down intelligent primers are not always required for identification at the sub-species level because broad range survey intelligent primers may, in some cases provide sufficient identification resolution to accomplishing this identification objective. Examples of drill-down primers include, but are not limited to: confirmation primer pairs such as primer pair numbers 351 (SEQ ID NOs: 355:1423) and 353 (SEQ ID NOs: 220:1394), which target the pX01 virulence plasmid of *Bacillus anthracis*. Other examples of drill-down primer pairs are found in sets of triangulation genotyping primer pairs such as, for example, the primer pair number 2146 (SEQ ID NOs: 437:1137) which targets the arcC gene (encoding carmabate kinase) and is included in an 8 primer pair panel or kit for use in genotyping *Staphylococcus aureus*, or in other panels or kits of primer pairs used for determining drug-resistant bacterial strains, such as, for example, primer pair number 2095 (SEQ ID NOs: 456:1261) which targets the pv-luk gene (encoding Panton-Valentine leukocidin) and is included in an 8 primer pair panel or kit for use in identification of drug resistant strains of *Staphylococcus aureus*.

[296]   A representative process flow diagram used for primer selection and validation process is outlined in Figure 1. For each group of organisms, candidate target sequences are identified (200) from which nucleotide alignments are created (210) and analyzed (220). Primers are then designed by selecting appropriate priming regions (230) to facilitate the selection of candidate primer pairs (240). The primer pairs are then subjected to *in silico* analysis by electronic PCR (ePCR) (300) wherein bioagent identifying amplicons are obtained from sequence databases such as GenBank or other sequence collections (310) and checked for specificity *in silico* (320). Bioagent identifying amplicons obtained from GenBank sequences (310) can also be analyzed by a probability model which predicts the capability of a given amplicon to identify unknown bioagents such that the base compositions of amplicons with favorable probability scores are then stored in a base composition database (325). Alternatively, base compositions of the bioagent identifying amplicons obtained from the primers and GenBank sequences can be directly entered into the base composition database (330). Candidate primer pairs (240) are validated by testing their ability to hybridize to target nucleic acid by an *in* vitro amplification by a method such as PCR analysis (400) of nucleic acid from a collection of organisms (410). Amplification products thus obtained are analyzed by gel electrophoresis or by mass spectrometry to confirm the sensitivity, specificity and reproducibility of the primers used to obtain the amplification products (420).

[297]   Many of the important pathogens, including the organisms of greatest concern as biowarfare agents, have been completely sequenced. This effort has greatly facilitated the design of primers for the detection of unknown bioagents. The combination of broad-range priming with division-wide and drill-down priming has been used very successfully in several applications of the technology, including

environmental surveillance for biowarfare threat agents and clinical sample analysis for medically important pathogens.

[298]   Synthesis of primers is well known and routine in the art. The primers may be conveniently and routinely made through the well-known technique of solid phase synthesis. Equipment for such synthesis is sold by several vendors including, for example, Applied Biosystems (Foster City, CA). Any other means for such synthesis known in the art may additionally or alternatively be employed.

[299]   In some embodiments primers are employed as compositions for use in methods for identification of bacterial bioagents as follows: a primer pair composition is contacted with nucleic acid (such as, for example, bacterial DNA or DNA reverse transcribed from the rRNA) of an unknown bacterial bioagent. The nucleic acid is then amplified by a nucleic acid amplification technique, such as PCR for example, to obtain an amplification product that represents a bioagent identifying amplicon. The molecular mass of each strand of the double-stranded amplification product is determined by a molecular mass measurement technique such as mass spectrometry for example, wherein the two strands of the double-stranded amplification product are separated during the ionization process. In some embodiments, the mass spectrometry is electrospray Fourier transform ion cyclotron resonance mass spectrometry (ESI-FTICR-MS) or electrospray time of flight mass spectrometry (ESI-TOF-MS). A list of possible base compositions can be generated for the molecular mass value obtained for each strand and the choice of the correct base composition from the list is facilitated by matching the base composition of one strand with a complementary base composition of the other strand. The molecular mass or base composition thus determined is then compared with a database of molecular masses or base compositions of analogous bioagent identifying amplicons for known viral bioagents. A match between the molecular mass or base composition of the amplification product and the molecular mass or base composition of an analogous bioagent identifying amplicon for a known viral bioagent indicates the identity of the unknown bioagent. In some embodiments, the primer pair used is one of the primer pairs of Table 2. In some embodiments, the method is repeated using one or more different primer pairs to resolve possible ambiguities in the identification process or to improve the confidence level for the identification assignment.

[300]   In some embodiments, a bioagent identifying amplicon may be produced using only a single primer (either the forward or reverse primer of any given primer pair), provided an appropriate amplification method is chosen, such as, for example, low stringency single primer PCR (LSSP-PCR). Adaptation of this amplification method in order to produce bioagent identifying amplicons can be accomplished by one with ordinary skill in the art without undue experimentation.

[301]   In some embodiments, the oligonucleotide primers are broad range survey primers which

hybridize to conserved regions of nucleic acid encoding the hexon gene of all (or between 80% and

100%, between 85% and 100%, between 90% and 100% or between 95% and 100%) known bacteria and

produce bacterial bioagent identifying amplicons.

[302]   In some cases, the molecular mass or base composition of a bacterial bioagent identifying

amplicon defined by a broad range survey primer pair does not provide enough resolution to

unambiguously identify a bacterial bioagent at or below the species level. These cases benefit from

further analysis of one or more bacterial bioagent identifying amplicons generated from at least one

additional broad range survey primer pair or from at least one additional division-wide primer pair. The

employment of more than one bioagent identifying amplicon for identification of a bioagent is herein

referred to as triangulation identification.

[303]   In other embodiments, the oligonucleotide primers are division-wide primers which hybridize

to nucleic acid encoding genes of species within a genus of bacteria. In other embodiments, the

oligonucleotide primers are drill-down primers which enable the identification of sub-species

characteristics. Drill down primers provide the functionality of producing bioagent identifying amplicons

for drill-down analyses such as strain typing when contacted with nucleic acid under amplification

conditions. Identification of such sub-species characteristics is often critical for determining proper

clinical treatment of viral infections. In some embodiments, sub-species characteristics are identified

using only broad range survey primers and division-wide and drill-down primers are not used.

[304]   In some embodiments, the primers used for amplification hybridize to and amplify genomic

DNA, and DNA of bacterial plasmids.

[305]   In some embodiments, various computer software programs may be used to aid in design of

primers for amplification reactions such as *Primer Premier 5* (Premier Biosoft, Palo Alto, CA) or *OLIGO*

Primer Analysis Software (Molecular Biology Insights, Cascade, CO). These programs allow the user to

input desired hybridization conditions such as melting temperature of a primer-template duplex for

example. In some embodiments, an *in silico* PCR search algorithm, such as (ePCR) is used to analyze

primer specificity across a plurality of template sequences which can be readily obtained from public

sequence databases such as GenBank for example. An existing RNA structure search algorithm (Macke et

al., Nucl. Acids Res., 2001, 29, 4724-4735, which is incorporated herein by reference in its entirety) has

been modified to include PCR parameters such as hybridization conditions, mismatches, and

thermodynamic calculations (SantaLucia, Proc. Natl. Acad. Sci. U.S.A., 1998, 95, 1460-1465, which is

incorporated herein by reference in its entirety). This also provides information on primer specificity of

the selected primer pairs. In some embodiments, the hybridization conditions applied to the algorithm can limit the results of primer specificity obtained from the algorithm. In some embodiments, the melting temperature threshold for the primer template duplex is specified to be 35°C or a higher temperature. In some embodiments the number of acceptable mismatches is specified to be seven mismatches or less. In some embodiments, the buffer components and concentrations and primer concentrations may be specified and incorporated into the algorithm, for example, an appropriate primer concentration is about 250 nM and appropriate buffer components are 50 mM sodium or potassium and 1.5 mM Mg^{2+}.

[306]   One with ordinary skill in the art of design of amplification primers will recognize that a given primer need not hybridize with 100% complementarity in order to effectively prime the synthesis of a complementary nucleic acid strand in an amplification reaction. Moreover, a primer may hybridize over one or more segments such that intervening or adjacent segments are not involved in the hybridization event. (e.g., for example, a loop structure or a hairpin structure). The primers of the present invention may comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95% or at least 99% sequence identity with any of the primers listed in Table 2. Thus, in some embodiments of the present invention, an extent of variation of 70% to 100%, or any range therewithin, of the sequence identity is possible relative to the specific primer sequences disclosed herein. Determination of sequence identity is described in the following example: a primer 20 nucleobases in length which is identical to another 20 nucleobase primer having two non-identical residues has 18 of 20 identical residues (18/20 = 0.9 or 90% sequence identity). In another example, a primer 15 nucleobases in length having all residues identical to a 15 nucleobase segment of primer 20 nucleobases in length would have 15/20 = 0.75 or 75% sequence identity with the 20 nucleobase primer.

[307]   Percent homology, sequence identity or complementarity, can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for UNIX, Genetics Computer Group, University Research Park, Madison WI), using default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489). In some embodiments, complementarity of primers with respect to the conserved priming regions of viral nucleic acid is between about 70% and about 75% 80%. In other embodiments, homology, sequence identity or complementarity, is between about 75% and about 80%. In yet other embodiments, homology, sequence identity or complementarity, is at least 85%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98%, at least 99% or is 100%.

[308]   In some embodiments, the primers described herein comprise at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 92%, at least 94%, at least 95%, at least 96%, at least 98%,

or at least 99%, or 100% (or any range therewithin) sequence identity with the primer sequences specifically disclosed herein.

[309]   One with ordinary skill is able to calculate percent sequence identity or percent sequence homology and able to determine, without undue experimentation, the effects of variation of primer sequence identity on the function of the primer in its role in priming synthesis of a complementary strand of nucleic acid for production of an amplification product of a corresponding bioagent identifying amplicon.

[310]   In one embodiment, the primers are at least 13 nucleobases in length. In another embodiment, the primers are less than 36 nucleobases in length.

[311]   In some embodiments of the present invention, the oligonucleotide primers are 13 to 35 nucleobases in length (13 to 35 linked nucleotide residues). These embodiments comprise oligonucleotide primers 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34 or 35 nucleobases in length, or any range therewithin. The present invention contemplates using both longer and shorter primers. Furthermore, the primers may also be linked to one or more other desired moieties, including, but not limited to, affinity groups, ligands, regions of nucleic acid that are not complementary to the nucleic acid to be amplified, labels, etc. Primers may also form hairpin structures. For example, hairpin primers may be used to amplify short target nucleic acid molecules. The presence of the hairpin may stabilize the amplification complex (see e.g., TAQMAN MicroRNA Assays, Applied Biosystems, Foster City, California).

[312]   In some embodiments, any oligonucleotide primer pair may have one or both primers with less then 70% sequence homology with a corresponding member of any of the primer pairs of Table 2 if the primer pair has the capability of producing an amplification product corresponding to a bioagent identifying amplicon. In other embodiments, any oligonucleotide primer pair may have one or both primers with a length greater than 35 nucleobases if the primer pair has the capability of producing an amplification product corresponding to a bioagent identifying amplicon.

[313]   In some embodiments, the function of a given primer may be substituted by a combination of two or more primers segments that hybridize adjacent to each other or that are linked by a nucleic acid loop structure or linker which allows a polymerase to extend the two or more primers in an amplification reaction.

[314]   In some embodiments, the primer pairs used for obtaining bioagent identifying amplicons are the primer pairs of Table 2. In other embodiments, other combinations of primer pairs are possible by combining certain members of the forward primers with certain members of the reverse primers. An example can be seen in Table 2 for two primer pair combinations of forward primer 16S_EC_789_810_F (SEQ ID NO: 206), with the reverse primers 16S_EC_880_894_R (SEQ ID NO: 796), or 16S_EC_882_899_R or (SEQ ID NO: 818). Arriving at a favorable alternate combination of primers in a primer pair depends upon the properties of the primer pair, most notably the size of the bioagent identifying amplicon that would be produced by the primer pair, which preferably is between about 45 to about 150 nucleobases in length. Alternatively, a bioagent identifying amplicon longer than 150 nucleobases in length could be cleaved into smaller segments by cleavage reagents such as chemical reagents, or restriction enzymes, for example.

[315]   In some embodiments, the primers are configured to amplify nucleic acid of a bioagent to produce amplification products that can be measured by mass spectrometry and from whose molecular masses candidate base compositions can be readily calculated.

[316]   In some embodiments, any given primer comprises a modification comprising the addition of a non-templated T residue to the 5' end of the primer (i.e., the added T residue does not necessarily hybridize to the nucleic acid being amplified). The addition of a non-templated T residue has an effect of minimizing the addition of non-templated adenosine residues as a result of the non-specific enzyme activity of *Taq* polymerase (Magnuson et al., Biotechniques, 1996, 21, 700-709), an occurrence which may lead to ambiguous results arising from molecular mass analysis.

[317]   In some embodiments of the present invention, primers may contain one or more universal bases. Because any variation (due to codon wobble in the 3rd position) in the conserved regions among species is likely to occur in the third position of a DNA (or RNA) triplet, oligonucleotide primers can be designed such that the nucleotide corresponding to this position is a base which can bind to more than one nucleotide, referred to herein as a "universal nucleobase." For example, under this "wobble" pairing, inosine (I) binds to U, C or A; guanine (G) binds to U or C, and uridine (U) binds to U or C. Other examples of universal nucleobases include nitroindoles such as 5-nitroindole or 3-nitropyrrole (Loakes et al., Nucleosides and Nucleotides, 1995, 14, 1001-1003), the degenerate nucleotides dP or dK (Hill *et al.*), an acyclic nucleoside analog containing 5-nitroindazole (Van Aerschot et al., Nucleosides and Nucleotides, 1995, 14, 1053-1056) or the purine analog 1-(2-deoxy-β-D-ribofuranosyl)-imidazole-4-carboxamide (Sala et al., Nucl. Acids Res., 1996, 24, 3302-3306).

[318]   In some embodiments, to compensate for the somewhat weaker binding by the wobble base, the oligonucleotide primers are designed such that the first and second positions of each triplet are occupied by nucleotide analogs that bind with greater affinity than the unmodified nucleotide. Examples of these analogs include, but are not limited to, 2,6-diaminopurine which binds to thymine, 5-propynyluracil (also known as propynylated thymine) which binds to adenine and 5-propynylcytosine and phenoxazines, including G-clamp, which binds to G. Propynylated pyrimidines are described in U.S. Patent Nos. 5,645,985, 5,830,653 and 5,484,908, each of which is commonly owned and incorporated herein by reference in its entirety. Propynylated primers are described in U.S Pre-Grant Publication No. 2003-0170682, which is also commonly owned and incorporated herein by reference in its entirety. Phenoxazines are described in U.S. Patent Nos. 5,502,177, 5,763,588, and 6,005,096, each of which is incorporated herein by reference in its entirety. G-clamps are described in U.S. Patent Nos. 6,007,992 and 6,028,183, each of which is incorporated herein by reference in its entirety.

[319]   In some embodiments, primer hybridization is enhanced using primers containing 5-propynyl deoxy-cytidine and deoxy-thymidine nucleotides. These modified primers offer increased affinity and base pairing selectivity.

[320]   In some embodiments, non-template primer tags are used to increase the melting temperature (T_m) of a primer-template duplex in order to improve amplification efficiency. A non-template tag is at least three consecutive A or T nucleotide residues on a primer which are not complementary to the template. In any given non-template tag, A can be replaced by C or G and T can also be replaced by C or G. Although Watson-Crick hybridization is not expected to occur for a non-template tag relative to the template, the extra hydrogen bond in a G-C pair relative to an A-T pair confers increased stability of the primer-template duplex and improves amplification efficiency for subsequent cycles of amplification when the primers hybridize to strands synthesized in previous cycles.

[321]   In other embodiments, propynylated tags may be used in a manner similar to that of the non-template tag, wherein two or more 5-propynylcytidine or 5-propynyluridine residues replace template matching residues on a primer. In other embodiments, a primer contains a modified internucleoside linkage such as a phosphorothioate linkage, for example.

[322]   In some embodiments, the primers contain mass-modifying tags. Reducing the total number of possible base compositions of a nucleic acid of specific molecular weight provides a means of avoiding a persistent source of ambiguity in determination of base composition of amplification products. Addition of mass-modifying tags to certain nucleobases of a given primer will result in simplification of *de novo* determination of base composition of a given bioagent identifying amplicon from its molecular mass.

[323]   In some embodiments of the present invention, the mass modified nucleobase comprises one or more of the following: for example, 7-deaza-2'-deoxyadenosine-5-triphosphate, 5-iodo-2'-deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxyuridine-5'-triphosphate, 5-bromo-2'-deoxycytidine-5'-triphosphate, 5-iodo-2'-deoxycytidine-5'-triphosphate, 5-hydroxy-2'-deoxyuridine-5'-triphosphate, 4-thiothymidine-5'-triphosphate, 5-aza-2'-deoxyuridine-5'-triphosphate, 5-fluoro-2'-deoxyuridine-5'-triphosphate, O6-methyl-2'-deoxyguanosine-5'-triphosphate, N2-methyl-2'-deoxyguanosine-5'-triphosphate, 8-oxo-2'-deoxyguanosine-5'-triphosphate or thiothymidine-5'-triphosphate. In some embodiments, the mass-modified nucleobase comprises ^{15}N or ^{13}C or both ^{15}N and ^{13}C.

[324]   In some embodiments, multiplex amplification is performed where multiple bioagent identifying amplicons are amplified with a plurality of primer pairs. The advantages of multiplexing are that fewer reaction containers (for example, wells of a 96- or 384-well plate) are needed for each molecular mass measurement, providing time, resource and cost savings because additional bioagent identification data can be obtained within a single analysis. Multiplex amplification methods are well known to those with ordinary skill and can be developed without undue experimentation. However, in some embodiments, one useful and non-obvious step in selecting a plurality candidate bioagent identifying amplicons for multiplex amplification is to ensure that each strand of each amplification product will be sufficiently different in molecular mass that mass spectral signals will not overlap and lead to ambiguous analysis results. In some embodiments, a 10 Da difference in mass of two strands of one or more amplification products is sufficient to avoid overlap of mass spectral peaks.

[325]   In some embodiments, as an alternative to multiplex amplification, single amplification reactions can be pooled before analysis by mass spectrometry. In these embodiments, as for multiplex amplification embodiments, it is useful to select a plurality of candidate bioagent identifying amplicons to ensure that each strand of each amplification product will be sufficiently different in molecular mass that mass spectral signals will not overlap and lead to ambiguous analysis results.

C   Determination of Molecular Mass of Bioagent Identifying Amplicons

[326]   In some embodiments, the molecular mass of a given bioagent identifying amplicon is determined by mass spectrometry. Mass spectrometry has several advantages, not the least of which is high bandwidth characterized by the ability to separate (and isolate) many molecular peaks across a broad range of mass to charge ratio (m/z). Thus mass spectrometry is intrinsically a parallel detection scheme without the need for radioactive or fluorescent labels, since every amplification product is identified by its molecular mass. The current state of the art in mass spectrometry is such that less than femtomole quantities of material can be readily analyzed to afford information about the molecular contents of the

sample. An accurate assessment of the molecular mass of the material can be quickly obtained, irrespective of whether the molecular weight of the sample is several hundred, or in excess of one hundred thousand atomic mass units (amu) or Daltons.

[327]   In some embodiments, intact molecular ions are generated from amplification products using one of a variety of ionization techniques to convert the sample to gas phase. These ionization methods include, but are not limited to, electrospray ionization (ES), matrix-assisted laser desorption ionization (MALDI) and fast atom bombardment (FAB). Upon ionization, several peaks are observed from one sample due to the formation of ions with different charges. Averaging the multiple readings of molecular mass obtained from a single mass spectrum affords an estimate of molecular mass of the bioagent identifying amplicon. Electrospray ionization mass spectrometry (ESI-MS) is particularly useful for very high molecular weight polymers such as proteins and nucleic acids having molecular weights greater than 10 kDa, since it yields a distribution of multiply-charged molecules of the sample without causing a significant amount of fragmentation.

[328]   The mass detectors used in the methods of the present invention include, but are not limited to, Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS), time of flight (TOF), ion trap, quadrupole, magnetic sector, Q-TOF, and triple quadrupole.

D.   Base Compositions of Bioagent Identifying Amplicons

[329]   Although the molecular mass of amplification products obtained using intelligent primers provides a means for identification of bioagents, conversion of molecular mass data to a base composition signature is useful for certain analyses. As used herein, "base composition" is the exact number of each nucleobase (A, T, C and G) determined from the molecular mass of a bioagent identifying amplicon. In some embodiments, a base composition provides an index of a specific organism. Base compositions can be calculated from known sequences of known bioagent identifying amplicons and can be experimentally determined by measuring the molecular mass of a given bioagent identifying amplicon, followed by determination of all possible base compositions which are consistent with the measured molecular mass within acceptable experimental error. The following example illustrates determination of base composition from an experimentally obtained molecular mass of a 46-mer amplification product originating at position 1337 of the 16S rRNA of *Bacillus anthracis*. The forward and reverse strands of the amplification product have measured molecular masses of 14208 and 14079 Da, respectively. The possible base compositions derived from the molecular masses of the forward and reverse strands for the *B. anthracis* products are listed in Table 1.

Table 1

Possible Base Compositions for *B. anthracis* 46mer Amplification Product

Calc. Mass Forward Strand	Mass Error Forward Strand	Base Composition of Forward Strand	Calc. Mass Reverse Strand	Mass Error Reverse Strand	Base Composition of Reverse Strand
14208.2935	0.079520	A1 G17 C10 T18	14079.2624	0.080600	A0 G14 C13 T19
14208.3160	0.056980	A1 G20 C15 T10	14079.2849	0.058060	A0 G17 C18 T11
14208.3386	0.034440	A1 G23 C20 T2	14079.3075	0.035520	A0 G20 C23 T3
14208.3074	0.065560	A6 G11 C3 T26	14079.2538	0.089180	A5 G5 C1 T35
14208.3300	0.043020	A6 G14 C8 T18	14079.2764	0.066640	A5 G8 C6 T27
14208.3525	0.020480	A6 G17 C13 T10	14079.2989	0.044100	A5 G11 C11 T19
14208.3751	0.002060	A6 G20 C18 T2	14079.3214	0.021560	A5 G14 C16 T11
14208.3439	0.029060	A11 G8 C1 T26	14079.3440	0.000980	A5 G17 C21 T3
14208.3665	0.006520	A11 G11 C6 T18	14079.3129	0.030140	A10 G5 C4 T27
14208.3890	**0.016020**	**A11 G14 C11 T10**	14079.3354	0.007600	A10 G8 C9 T19
14208.4116	0.038560	A11 G17 C16 T2	**14079.3579**	**0.014940**	**A10 G11 C14 T11**
14208.4030	0.029980	A16 G8 C4 T18	14079.3805	0.037480	A10 G14 C19 T3
14208.4255	0.052520	A16 G11 C9 T10	14079.3494	0.006360	A15 G2 C2 T27
14208.4481	0.075060	A16 G14 C14 T2	14079.3719	0.028900	A15 G5 C7 T19
14208.4395	0.066480	A21 G5 C2 T18	14079.3944	0.051440	A15 G8 C12 T11
14208.4620	0.089020	A21 G8 C7 T10	14079.4170	0.073980	A15 G11 C17 T3
-	-	-	14079.4084	0.065400	A20 G2 C5 T19
-	-	-	14079.4309	0.087940	A20 G5 C10 T13

[330]   Among the 16 possible base compositions for the forward strand and the 18 possible base compositions for the reverse strand that were calculated, only one pair (shown in **bold**) are complementary base compositions, which indicates the true base composition of the amplification product. It should be recognized that this logic is applicable for determination of base compositions of any bioagent identifying amplicon, regardless of the class of bioagent from which the corresponding amplification product was obtained.

[331]   In some embodiments, assignment of previously unobserved base compositions (also known as "true unknown base compositions") to a given phylogeny can be accomplished via the use of pattern classifier model algorithms. Base compositions, like sequences, vary slightly from strain to strain within species, for example. In some embodiments, the pattern classifier model is the mutational probability model. On other embodiments, the pattern classifier is the polytope model. The mutational probability model and polytope model are both commonly owned and described in U.S. Patent application Serial No. 11/073,362 which is incorporated herein by reference in entirety.

[332]   In one embodiment, it is possible to manage this diversity by building "base composition probability clouds" around the composition constraints for each species. This permits identification of

organisms in a fashion similar to sequence analysis. A "pseudo four-dimensional plot" can be used to visualize the concept of base composition probability clouds. Optimal primer design requires optimal choice of bioagent identifying amplicons and maximizes the separation between the base composition signatures of individual bioagents. Areas where clouds overlap indicate regions that may result in a misclassification, a problem which is overcome by a triangulation identification process using bioagent identifying amplicons not affected by overlap of base composition probability clouds.

[333]   In some embodiments, base composition probability clouds provide the means for screening potential primer pairs in order to avoid potential misclassifications of base compositions. In other embodiments, base composition probability clouds provide the means for predicting the identity of a bioagent whose assigned base composition was not previously observed and/or indexed in a bioagent identifying amplicon base composition database due to evolutionary transitions in its nucleic acid sequence. Thus, in contrast to probe-based techniques, mass spectrometry determination of base composition does not require prior knowledge of the composition or sequence in order to make the measurement.

[334]   The present invention provides bioagent classifying information similar to DNA sequencing and phylogenetic analysis at a level sufficient to identify a given bioagent. Furthermore, the process of determination of a previously unknown base composition for a given bioagent (for example, in a case where sequence information is unavailable) has downstream utility by providing additional bioagent indexing information with which to populate base composition databases. The process of future bioagent identification is thus greatly improved as more BCS indexes become available in base composition databases.

E.   Triangulation Identification

[335]   In some cases, a molecular mass of a single bioagent identifying amplicon alone does not provide enough resolution to unambiguously identify a given bioagent. The employment of more than one bioagent identifying amplicon for identification of a bioagent is herein referred to as "triangulation identification." Triangulation identification is pursued by determining the molecular masses of a plurality of bioagent identifying amplicons selected within a plurality of housekeeping genes. This process is used to reduce false negative and false positive signals, and enable reconstruction of the origin of hybrid or otherwise engineered bioagents. For example, identification of the three part toxin genes typical of *B. anthracis* (Bowen et al., J. Appl. Microbiol., 1999, 87, 270-278) in the absence of the expected signatures from the *B. anthracis* genome would suggest a genetic engineering event.

[336]   In some embodiments, the triangulation identification process can be pursued by

characterization of bioagent identifying amplicons in a massively parallel fashion using the polymerase

chain reaction (PCR), such as multiplex PCR where multiple primers are employed in the same

amplification reaction mixture, or PCR in multi-well plate format wherein a different and unique pair of

primers is used in multiple wells containing otherwise identical reaction mixtures. Such multiplex and

multi-well PCR methods are well known to those with ordinary skill in the arts of rapid throughput

amplification of nucleic acids. In other related embodiments, one PCR reaction per well or container may

be carried out, followed by an amplicon pooling step wherein the amplification products of different wells

are combined in a single well or container which is then subjected to molecular mass analysis. The

combination of pooled amplicons can be chosen such that the expected ranges of molecular masses of

individual amplicons are not overlapping and thus will not complicate identification of signals.

F.   Codon Base Composition Analysis

[337]   In some embodiments of the present invention, one or more nucleotide substitutions within a

codon of a gene of an infectious organism confer drug resistance upon an organism which can be

determined by codon base composition analysis. The organism can be a bacterium, virus, fungus or

protozoan.

[338]   In some embodiments, the amplification product containing the codon being analyzed is of a

length of about 35 to about 200 nucleobases. The primers employed in obtaining the amplification

product can hybridize to upstream and downstream sequences directly adjacent to the codon, or can

hybridize to upstream and downstream sequences one or more sequence positions away from the codon.

The primers may have between about 70% to 100% sequence complementarity with the sequence of the

gene containing the codon being analyzed.

[339]   In some embodiments, the codon base composition analysis is undertaken

[340]   In some embodiments, the codon analysis is undertaken for the purpose of investigating genetic

disease in an individual. In other embodiments, the codon analysis is undertaken for the purpose of

investigating a drug resistance mutation or any other deleterious mutation in an infectious organism such

as a bacterium, virus, fungus or protozoan. In some embodiments, the bioagent is a bacterium identified

in a biological product.

[341]   In some embodiments, the molecular mass of an amplification product containing the codon

being analyzed is measured by mass spectrometry. The mass spectrometry can be either electrospray

(ESI) mass spectrometry or matrix-assisted laser desorption ionization (MALDI) mass spectrometry.

Time-of-flight (TOF) is an example of one mode of mass spectrometry compatible with the analyses of the present invention.

[342]   The methods of the present invention can also be employed to determine the relative abundance of drug resistant strains of the organism being analyzed. Relative abundances can be calculated from amplitudes of mass spectral signals with relation to internal calibrants. In some embodiments, known quantities of internal amplification calibrants can be included in the amplification reactions and abundances of analyte amplification product estimated in relation to the known quantities of the calibrants.

[343]   In some embodiments, upon identification of one or more drug-resistant strains of an infectious organism infecting an individual, one or more alternative treatments can be devised to treat the individual.

G.   Determination of the Quantity of a Bioagent

[344]   In some embodiments, the identity and quantity of an unknown bioagent can be determined using the process illustrated in Figure 2. Primers (500) and a known quantity of a calibration polynucleotide (505) are added to a sample containing nucleic acid of an unknown bioagent. The total nucleic acid in the sample is then subjected to an amplification reaction (510) to obtain amplification products. The molecular masses of amplification products are determined (515) from which are obtained molecular mass and abundance data. The molecular mass of the bioagent identifying amplicon (520) provides the means for its identification (525) and the molecular mass of the calibration amplicon obtained from the calibration polynucleotide (530) provides the means for its identification (535). The abundance data of the bioagent identifying amplicon is recorded (540) and the abundance data for the calibration data is recorded (545), both of which are used in a calculation (550) which determines the quantity of unknown bioagent in the sample.

[345]   A sample comprising an unknown bioagent is contacted with a pair of primers that provide the means for amplification of nucleic acid from the bioagent, and a known quantity of a polynucleotide that comprises a calibration sequence. The nucleic acids of the bioagent and of the calibration sequence are amplified and the rate of amplification is reasonably assumed to be similar for the nucleic acid of the bioagent and of the calibration sequence. The amplification reaction then produces two amplification products: a bioagent identifying amplicon and a calibration amplicon. The bioagent identifying amplicon and the calibration amplicon should be distinguishable by molecular mass while being amplified at essentially the same rate. Effecting differential molecular masses can be accomplished by choosing as a calibration sequence, a representative bioagent identifying amplicon (from a specific species of bioagent) and performing, for example, a 2-8 nucleobase deletion or insertion within the variable region between

56

the two priming sites. The amplified sample containing the bioagent identifying amplicon and the
calibration amplicon is then subjected to molecular mass analysis by mass spectrometry, for example.
The resulting molecular mass analysis of the nucleic acid of the bioagent and of the calibration sequence
provides molecular mass data and abundance data for the nucleic acid of the bioagent and of the
calibration sequence. The molecular mass data obtained for the nucleic acid of the bioagent enables
identification of the unknown bioagent and the abundance data enables calculation of the quantity of the
bioagent, based on the knowledge of the quantity of calibration polynucleotide contacted with the sample.

[346]   In some embodiments, construction of a standard curve where the amount of calibration
polynucleotide spiked into the sample is varied provides additional resolution and improved confidence
for the determination of the quantity of bioagent in the sample. The use of standard curves for analytical
determination of molecular quantities is well known to one with ordinary skill and can be performed
without undue experimentation.

[347]   In some embodiments, multiplex amplification is performed where multiple bioagent
identifying amplicons are amplified with multiple primer pairs which also amplify the corresponding
standard calibration sequences. In this or other embodiments, the standard calibration sequences are
optionally included within a single vector which functions as the calibration polynucleotide. Multiplex
amplification methods are well known to those with ordinary skill and can be performed without undue
experimentation.

[348]   In some embodiments, the calibrant polynucleotide is used as an internal positive control to
confirm that amplification conditions and subsequent analysis steps are successful in producing a
measurable amplicon. Even in the absence of copies of the genome of a bioagent, the calibration
polynucleotide should give rise to a calibration amplicon. Failure to produce a measurable calibration
amplicon indicates a failure of amplification or subsequent analysis step such as amplicon purification or
molecular mass determination. Reaching a conclusion that such failures have occurred is in itself, a useful
event.

[349]   In some embodiments, the calibration sequence is comprised of DNA. In some embodiments,
the calibration sequence is comprised of RNA.

[350]   In some embodiments, the calibration sequence is inserted into a vector that itself functions as
the calibration polynucleotide. In some embodiments, more than one calibration sequence is inserted into
the vector that functions as the calibration polynucleotide. Such a calibration polynucleotide is herein
termed a "combination calibration polynucleotide." The process of inserting polynucleotides into vectors

is routine to those skilled in the art and can be accomplished without undue experimentation. Thus, it should be recognized that the calibration method should not be limited to the embodiments described herein. The calibration method can be applied for determination of the quantity of any bioagent identifying amplicon when an appropriate standard calibrant polynucleotide sequence is designed and used. The process of choosing an appropriate vector for insertion of a calibrant is also a routine operation that can be accomplished by one with ordinary skill without undue experimentation.

H.   Identification of Bacteria

[351]   In other embodiments of the present invention, the primer pairs produce bioagent identifying amplicons within stable and highly conserved regions of bacteria. The advantage to characterization of an amplicon defined by priming regions that fall within a highly conserved region is that there is a low probability that the region will evolve past the point of primer recognition, in which case, the primer hybridization of the amplification step would fail. Such a primer set is thus useful as a broad range survey-type primer. In another embodiment of the present invention, the intelligent primers produce bioagent identifying amplicons including a region which evolves more quickly than the stable region described above. The advantage of characterization bioagent identifying amplicon corresponding to an evolving genomic region is that it is useful for distinguishing emerging strain variants or the presence of virulence genes, drug resistance genes, or codon mutations that induce drug resistance.

[352]   The present invention also has significant advantages as a platform for identification of diseases caused by emerging bacterial strains such as, for example, drug-resistant strains of *Staphylococcus aureus*. The present invention eliminates the need for prior knowledge of bioagent sequence to generate hybridization probes. This is possible because the methods are not confounded by naturally occurring evolutionary variations occurring in the sequence acting as the template for production of the bioagent identifying amplicon. Measurement of molecular mass and determination of base composition is accomplished in an unbiased manner without sequence prejudice.

[353]   Another embodiment of the present invention also provides a means of tracking the spread of a bacterium, such as a particular drug-resistant strain when a plurality of samples obtained from different locations are analyzed by the methods described above in an epidemiological setting. In one embodiment, a plurality of samples from a plurality of different locations is analyzed with primer pairs which produce bioagent identifying amplicons, a subset of which contains a specific drug-resistant bacterial strain. The corresponding locations of the members of the drug-resistant strain subset indicate the spread of the specific drug-resistant strain to the corresponding locations.

I.   Kits

[354]   The present invention also provides kits for carrying out the methods described herein. In some embodiments, the kit may comprise a sufficient quantity of one or more primer pairs to perform an amplification reaction on a target polynucleotide from a bioagent to form a bioagent identifying amplicon. In some embodiments, the kit may comprise from one to fifty primer pairs, from one to twenty primer pairs, from one to ten primer pairs, or from two to five primer pairs. In some embodiments, the kit may comprise one or more primer pairs recited in Table 2.

[355]   In some embodiments, the kit comprises one or more broad range survey primer(s), division wide primer(s), or drill-down primer(s), or any combination thereof. If a given problem involves identification of a specific bioagent, the solution to the problem may require the selection of a particular combination of primers to provide the solution to the problem. A kit may be designed so as to comprise particular primer pairs for identification of a particular bioagent. A drill-down kit may be used, for example, to distinguish different genotypes or strains, drug-resistant, or otherwise. In some embodiments, the primer pair components of any of these kits may be additionally combined to comprise additional combinations of broad range survey primers and division-wide primers so as to be able to identify a bacterium.

[356]   In some embodiments, the kit contains standardized calibration polynucleotides for use as internal amplification calibrants. Internal calibrants are described in commonly owned U.S. Patent Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[357]   In some embodiments, the kit comprises a sufficient quantity of reverse transcriptase (if RNA is to be analyzed for example), a DNA polymerase, suitable nucleoside triphosphates (including alternative dNTPs such as inosine or modified dNTPs such as the 5-propynyl pyrimidines or any dNTP containing molecular mass-modifying tags such as those described above), a DNA ligase, and/or reaction buffer, or any combination thereof, for the amplification processes described above. A kit may further include instructions pertinent for the particular embodiment of the kit, such instructions describing the primer pairs and amplification conditions for operation of the method. A kit may also comprise amplification reaction containers such as microcentrifuge tubes and the like. A kit may also comprise reagents or other materials for isolating bioagent nucleic acid or bioagent identifying amplicons from amplification, including, for example, detergents, solvents, or ion exchange resins which may be linked to magnetic beads. A kit may also comprise a table of measured or calculated molecular masses and/or base compositions of bioagents using the primer pairs of the kit.

[358]   Some embodiments are kits that contain one or more survey bacterial primer pairs represented by primer pair compositions wherein each member of each pair of primers has 70% to 100% sequence

59

identity with the corresponding member from the group of primer pairs represented by any of the primer pairs of Table 5. The survey primer pairs may include broad range primer pairs which hybridize to ribosomal RNA, and may also include division-wide primer pairs which hybridize to housekeeping genes such as rplB, tufB, rpoB, rpoC, valS, and infB, for example.

[359]   In some embodiments, a kit may contain one or more survey bacterial primer pairs and one or more triangulation genotyping analysis primer pairs such as the primer pairs of Tables 8, 12, 14, 19, 21, 23, or 24. In some embodiments, the kit may represent a less expansive genotyping analysis but include triangulation genotyping analysis primer pairs for more than one genus or species of bacteria. For example, a kit for surveying nosocomial infections at a health care facility may include, for example, one or more broad range survey primer pairs, one or more division wide primer pairs, one or more *Acinetobacter baumannii* triangulation genotyping analysis primer pairs and one or more *Staphylococcus aureus* triangulation genotyping analysis primer pairs. One with ordinary skill will be capable of analyzing *in silico* amplification data to determine which primer pairs will be able to provide optimal identification resolution for the bacterial bioagents of interest.

[360]   In some embodiments, a kit may be assembled for identification of strains of bacteria involved in contamination of food. An example of such a kit embodiment is a kit comprising one or more bacterial survey primer pairs of Table 5 with one or more triangulation genotyping analysis primer pairs of Table 12 which provide strain resolving capabilities for identification of specific strains of *Campylobacter jejuni.*

[361]   Some embodiments of the kits are 96-well or 384-well plates with a plurality of wells containing any or all of the following components: dNTPs, buffer salts, Mg^{2+}, betaine, and primer pairs. In some embodiments, a polymerase is also included in the plurality of wells of the 96-well or 384-well plates.

[362]   Some embodiments of the kit contain instructions for PCR and mass spectrometry analysis of amplification products obtained using the primer pairs of the kits.

[363]   Some embodiments of the kit include a barcode which uniquely identifies the kit and the components contained therein according to production lots and may also include any other information relative to the components such as concentrations, storage temperatures, etc. The barcode may also include analysis information to be read by optical barcode readers and sent to a computer controlling amplification, purification and mass spectrometric measurements. In some embodiments, the barcode provides access to a subset of base compositions in a base composition database which is in digital

communication with base composition analysis software such that a base composition measured with primer pairs from a given kit can be compared with known base compositions of bioagent identifying amplicons defined by the primer pairs of that kit.

[364]   In some embodiments, the kit contains a database of base compositions of bioagent identifying amplicons defined by the primer pairs of the kit. The database is stored on a convenient computer readable medium such as a compact disk or USB drive, for example.

[365]   In some embodiments, the kit includes a computer program stored on a computer formatted medium (such as a compact disk or portable USB disk drive, for example) comprising instructions which direct a processor to analyze data obtained from the use of the primer pairs of the present invention. The instructions of the software transform data related to amplification products into a molecular mass or base composition which is a useful concrete and tangible result used in identification and/or classification of bioagents. In some embodiments, the kits of the present invention contain all of the reagents sufficient to carry out one or more of the methods described herein.

[366]   While the present invention has been described with specificity in accordance with certain of its embodiments, the following examples serve only to illustrate the invention and are not intended to limit the same. In order that the invention disclosed herein may be more efficiently understood, examples are provided below. It should be understood that these examples are for illustrative purposes only and are not to be construed as limiting the invention in any manner.

EXAMPLES

Example 1: Design and Validation of Primers that Define Bioagent Identifying Amplicons for Identification of Bacteria

[367]   For design of primers that define bacterial bioagent identifying amplicons, a series of bacterial genome segment sequences were obtained, aligned and scanned for regions where pairs of PCR primers would amplify products of about 45 to about 150 nucleotides in length and distinguish subgroups and/or individual strains from each other by their molecular masses or base compositions. A typical process shown in Figure 1 is employed for this type of analysis.

[368]   A database of expected base compositions for each primer region was generated using an *in silico* PCR search algorithm, such as (ePCR). An existing RNA structure search algorithm (Macke et al., Nucl. Acids Res., 2001, 29, 4724-4735, which is incorporated herein by reference in its entirety) has been modified to include PCR parameters such as hybridization conditions, mismatches, and thermodynamic calculations (SantaLucia, Proc. Natl. Acad. Sci. U.S.A., 1998, 95, 1460-1465, which is incorporated

herein by reference in its entirety). This also provides information on primer specificity of the selected primer pairs.

[369]   Table 2 represents a collection of primers (sorted by primer pair number) designed to identify bacteria using the methods described herein. The primer pair number is an in-house database index number. Primer sites were identified on segments of genes, such as, for example, the 16S rRNA gene. The forward or reverse primer name shown in Table 2 indicates the gene region of the bacterial genome to which the primer hybridizes relative to a reference sequence. In Table 2, for example, the forward primer name 16S_EC_1077_1106_F indicates that the forward primer (_F) hybridizes to residues 1077-1106 of the reference sequence represented by a sequence extraction of coordinates 4033120..4034661 from GenBank gi number 16127994 (as indicated in Table 3). As an additional example: the forward primer name BONTA_X52066_450_473 indicates that the primer hybridizes to residues 450-437 of the gene encoding *Clostridium botulinum* neurotoxin type A (BoNT/A) represented by GenBank Accession No. X52066 (primer pair name codes appearing in Table 2 are defined in Table 3. One with ordinary skill knows how to obtain individual gene sequences or portions thereof from genomic sequences present in GenBank. In Table 2, Tp = 5-propynyluracil; Cp = 5-propynylcytosine; * = phosphorothioate linkage; I = inosine. T. GenBank Accession Numbers for reference sequences of bacteria are shown in Table 3 (below). In some cases, the reference sequences are extractions from bacterial genomic sequences or complements thereof.

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

Table 2: Primer Pairs for Identification of Bacteria

Primer Pair Number	Forward Primer Name	Forward Sequence	Forward SEQ ID NO:	Reverse Primer Name	Reverse Sequence	Reverse SEQ ID NO:
1	16S_EC_1077_1106_F	GTGAGATGTTGGGTTAAGTCCCGTAACGAG	134	16S_EC_1175_1195_R	GACGTCATCCCCACCTTCCTC	809
2	16S_EC_1082_1106_F	ATGTTGGGTTAAGTCCCGCAACGAG	38	16S_EC_1175_1197_R	TTGACGTCATCCCCACCTTCCTC	1398
3	16S_EC_1090_1111_F	TTAAGTCCCGCAACGATCGCAA	651	16S_EC_1175_1196_R	TGACGTCATCCCCACCTTCCTC	1159
4	16S_EC_1222_1241_F	GCTACACACGTGCTACAATG	114	16S_EC_1303_1323_R	CGAGTTGCAGACTGCGATCCG	787
5	16S_EC_1332_1353_F	AAGTCGGAATCGCTAGTAATCG	10	16S_EC_1389_1407_R	GACGGGCGGTGTGTACAAG	806
6	16S_EC_30_54_F	TGAACGCTGGTGGCATGCTTAACAC	429	16S_EC_105_126_R	TACGCATTACTCACCGTCCGC	897
7	16S_EC_38_64_F	GTGGCATGCCTAATACATGCAAGTCG	136	16S_EC_101_120_R	TTACTCACCGTCCGCCGCT	1365
8	16S_EC_49_68_F	TAACACATGCAAGTCGAACG	152	16S_EC_104_120_R	TTATTCACCGTCCGCC	1364
9	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	137	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	839
10	16S_EC_713_732_F	AGAACACCGATGGCGAAGGC	21	16S_EC_789_809_R	CGTGGACTACCAGGGTATCTA	798
11	16S_EC_785_806_F	GGATTAGAGACCCTGGTAGTCC	118	16S_EC_880_897_R	GGCCGTACTCCCCAGGCG	830
12	16S_EC_785_810_F	GGATTAGATACCCTGGTAGTCCACGC	119	16S_EC_880_897_2_R	GGCCGTACTCCCCAGGCG	830
13	16S_EC_789_810_F	TAGATACCCTGGTAGTCCACGC	206	16S_EC_880_894_R	CGTACTCCCCAGGCG	796
14	16S_EC_960_981_F	TTCGATGCAACGCGAAGAACCT	672	16S_EC_1054_1073_R	ACGAGCTGACGACAGCCATG	735
15	16S_EC_969_985_F	ACGGCAAGAACCTTACC	19	16S_EC_1061_1078_R	ACGACACGAGCTGACGAC	734
16	23S_EC_1826_1843_F	CTGACACCTGCCCGGTGC	80	23S_EC_1906_1924_R	GACCGTTATAGTTACGGCC	805
17	23S_EC_2645_2669_F	TCTGTCCCTAGTACGAGAGGACCGG	408	23S_EC_2744_2761_R	TGCTTAGATGCTTTCAGC	1252
18	23S_EC_2645_2669_2_F	CTGTCCCTAGTACGAGAGGACCGG	83	23S_EC_2751_2767_R	GTTTCATGCTTAGATGCTTTCAGC	846
19	23S_EC_493_518_F	GGGGAGTGAAAGAGATCCTGAAACCG	125	23S_EC_551_571_R	ACAAAAGGTACGCCGTCACCC	717
20	23S_EC_493_518_2_F	GGGGAGTGAAAGAGATCCTGAAACCG	125	23S_EC_551_571_2_R	ACAAAAGGCACGCCATCACCC	716
21	23S_EC_971_992_F	CGAGAGGGAAACAACCCAGACC	66	23S_EC_1059_1077_R	TGGCTGCTTCTAAGCACAC	1282
22	CAPC_BA_104_131_F	GTTATTTAGCACTCGTTTTTAATCAGCC	139	CAPC_BA_180_205_R	TGAATCTTGAAACACCATACGTAACG	1150
23	CAPC_BA_114_133_F	ACTCGTTTTTAATCAGCCCG	20	CAPC_BA_185_205_R	TGAATCTTGAAACACCATACG	1149
24	CAPC_BA_274_303_F	GATTATTGTTATCCTGTTATGCCATTTGAG	109	CAPC_BA_349_376_R	GTAACCCTTGTCTTTGAATTGTATTTGC	837
25	CAPC_BA_276_296_F	TTATTGTTATCCTGTTATGCC	663	CAPC_BA_358_377_R	GGTAACCCTTGTCTTTGAAT	834
26	CAPC_BA_281_301_F	GTTATCCTGTTATGCCATTTG	138	CAPC_BA_361_378_R	TGGTAACCCTTGTCTTTG	1298
27	CAPC_BA_315_334_F	CCGTGGTATTGGAGTTATTG	59	CAPC_BA_361_378_R	TGGTAACCCTTGTCTTTG	1298
28	CYA_BA_1055_1072_F	GAAAGAGTTCGGATTGGG	92	CYA_BA_1112_1130_R	TGTTGACCATGCTTCTTAG	1352

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

29	CYA_BA_1349_1370_F	ACAACGAAGTACAATCAAGAC	12	CYA_BA_1447_1426_R	CTTCTACATTTTTAGCCATCAC	800
30	CYA_BA_1353_1379_F	CGAAGTACAATACAAGACAAAAGAAG G	64	CYA_BA_1448_1467_R	TGTTAACGGCTTCAAGACCC	1342
31	CYA_BA_1359_1379_F	ACAATACAAGACAAAAGAAGG	13	CYA_BA_1447_1461_R	CGGCTTCAAGACCCC	794
32	CYA_BA_914_937_F	CAGGTTTAGTACCAGAACATGCAG	53	CYA_BA_999_1026_R	ACCACTTTTAATAAGGTTTGTAGCTAAC	728
33	CYA_BA_916_935_F	GGTTTAGTACCAGAACATGC	131	CYA_BA_1003_1025_R	CCACTTTTAATAAGGTTTGTAGC	768
34	INFB_EC_1365_1393_F	TGCTCGTGGTGCACAGTAACGGATA TTA	524	INFB_EC_1439_1467_R	TGCTGCTTTCGCATGGTTAATTGCTTCA A	1248
35	LEF_BA_1033_1052_F	TCAAGAAGAAAAGAGC	254	LEF_BA_1119_1135_R	GAATATCAATTTGTAGC	803
36	LEF_BA_1036_1066_F	CAAGAAGAAAAAGAGCTTCTAAAAAG AATAC	44	LEF_BA_1119_1149_R	AGATAAAGAATCACGAATATCAATTTGT AGC	745
37	LEF_BA_756_781_F	AGCTTTTGCATATTATTATCGAGCCAC	26	LEF_BA_843_872_R	TCTTCCAAGGATAGATTTATTTCTTGTT CG	1135
38	LEF_BA_758_778_F	CTTTTGCATATTATTATCGAGC	90	LEF_BA_843_865_R	AGGATAGATTTATTTCTTGTTCG	748
39	LEF_BA_795_813_F	TTTTACAGCTTTATGCACCG	700	LEF_BA_883_900_R	TCTTGACAGCATCCGTTG	1140
40	LEF_BA_883_899_F	CAACGGATGCTGGCAAG	43	LEF_BA_939_958_R	CAGATAAAGAATCGCTCCAG	762
41	PAG_BA_122_142_F	CAGAATCAAGTTCCCAGGGGG	49	PAG_BA_190_209_R	CCTGTAGTAGAAGAGGTAAC	781
42	PAG_BA_123_145_F	AGAATCAAGTTCCCAGGGGTTAC	22	PAG_BA_187_210_R	CCCTGTAGTAGAAGAGGTAACCAC	774
43	PAG_BA_269_287_F	AATCTGCTATTTGGTCAGG	11	PAG_BA_326_344_R	TGATTATCAGCGGAAGTAG	1186
44	PAG_BA_655_675_F	GAAGGATATACGGTTGATGTC	93	PAG_BA_755_772_R	CCGTGCTCCATTTTTCAG	778
45	PAG_BA_753_772_F	TCCTGAAAATGGAGCACGG	341	PAG_BA_849_868_R	TCGGATAAGCTGCCACAAGG	1089
46	PAG_BA_763_781_F	TGGAGCACGGCTTCTGATC	552	PAG_BA_849_868_R	TCGGATAAGCTGCCACAAGG	1089
47	RPOC_EC_1018_1045_F	CAAAACTTATTAGGTAAGCGTGTTGA CT	39	RPOC_EC_1095_1124_R	TCAAGCGCCATTCTTTTGGTAAACCAC AT	959
48	RPOC_EC_1018_1045_2_F	CAAAACTTATTAGGTAAGCGTGTTGA CT	39	RPOC_EC_1095_1124_2_R	TCAAGCGCCATCTCTTTCGGTAATCCAC AT	958
49	RPOC_EC_114_140_F	TAAGAAGCCGGAAACCATCAACTACC G	158	RPOC_EC_213_232_R	GGCGCTTGTACTTACCGCAC	831
50	RPOC_EC_2178_2196_F	TGATTCTCGTGCCCGTGGT	478	RPOC_EC_2225_2246_R	TTGGCCATCAGGCCACGCATAC	1414
51	RPOC_EC_2178_2196_2_F	TGATTCCGGTGCCCGTGGT	477	RPOC_EC_2225_2246_2_R	TTGGCCATCAGACCACGCATAC	1413
52	RPOC_EC_2218_2241_F	CTGGCAGGTATGCGTGGTCTGATG	81	RPOC_EC_2313_2337_R	CGCACCGTGGGTTGAGATGAAGTAC	790
53	RPOC_EC_2218_2241_2_F	CTTGCTGGTATGCGTGGTCTGATG	86	RPOC_EC_2313_2337_2_R	CGCACCGTGCGTAGAGATGAAGTAC	789
54	RPOC_EC_808_833_F	CGTCGGGTGATTAACCGTAACAACCG	75	RPOC_EC_865_889_R	GTTTTTCGTTGCGTACGATGAGTC	847
55	RPOC_EC_808_833_2_F	CGTCGTGTAATTAACCGTAACAACCG	76	RPOC_EC_865_891_R	ACGTTTTCGTTTTGAACGATAATGCT	741
56	RPOC_EC_993_1019_F	CAAAGGTAAGCAAGGACGTTTCCGTC A	41	RPOC_EC_1036_1059_R	CGAACGGCCTGAGTAGTCAACACG	785
57	RPOC_EC_993_1019_2_F	CAAAGGTAAGCAAGGACGTTTCCGTC A	40	RPOC_EC_1036_1059_2_R	CGAACGGCCAGAGTAGTCAACACG	784

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

#	Name_F	Forward Sequence		Name_R	Reverse Sequence	#
58	SSPE_BA_115_137_F	CAAGCAAACGCACAAATCAGAGAGC	45	SSPE_BA_197_222_R	TGCACGTCGTTGTTCAGTTGCAAATTC	1201
59	TUFB_EC_239_259_F	TAGACTGCCCAGGACACGCTG	204	TUFB_EC_283_303_R	GCCGTCCCATCTGAGCAGCACC	815
60	TUFB_EC_239_259_2_F	TTGACTGCCCAGGTCACGCTG	678	TUFB_EC_283_303_2_R	GCCGTCCCATTTGAGCAGCACC	816
61	TUFB_EC_976_1000_F	AACTACCGTCCGCAGTTCTACTTCC	4	TUFB_EC_1045_1068_R	GTTGTCGCCAGGCATAACCATTTC	845
62	TUFB_EC_976_1000_2_F	AACTACCGTCCTCCAGTTCTACTTCC	5	TUFB_EC_1045_1068_2_R	GTTGTCACCAGGCATTACCATTTC	844
63	TUFB_EC_985_1012_F	CCACAGTTCTACTTCCGTACTACTGACG	56	TUFB_EC_1033_1062_R	TCCAGGCATTACCATTTCTACTCCTTCTGG	1006
66	RPLB_EC_650_679_F	GACCTACAGTAAGAGGTTCTGTAATGAACC	98	RPLB_EC_739_762_R	TCCAAGTGCTGGTTTACCCCATGG	999
67	RPLB_EC_688_710_F	CATCCACACGGTGGTGGTGAAGG	54	RPLB_EC_736_757_R	GTGCTGGTTTACCCCATGGAGT	842
68	RPOC_EC_1036_1060_F	CGTGTTGACTATTCGGGGCGTTCAG	78	RPOC_EC_1097_1126_R	ATTCAAGAGCCATTTCTTTGGTAAACCAC	754
69	RPOB_EC_3762_3790_F	TCAACACCCTCTTGGAGGTAAAGCTCAGT	248	RPOB_EC_3836_3865_R	TTTCTTGAAGAGTATGAGCTGCTCCGTAAG	1435
70	RPLB_EC_688_710_F	CATCCACACGGTGGTGGTGAAGG	54	RPLB_EC_743_771_R	TGTTTTGTATCCAAGTGCTGGTTTACCCC	1356
71	VALS_EC_1105_1124_F	CGTGGCGGCCGTGGTTATCGA	77	VALS_EC_1195_1218_R	CGGTACGAACTGGATGTCGCCGTT	795
72	RPOB_EC_1845_1866_F	TATCGCTCAGGCGAACTCCAAC	233	RPOB_EC_1909_1929_R	GCTGGATTCGCCTTTGCTACG	825
73	RPLB_EC_669_698_F	TGTAATGAACCCTAATGACCATCCACACGG	623	RPLB_EC_735_761_R	CCAAGTGCTGGTTTACCCCATGGAGTA	767
74	RPLB_EC_671_700_F	TAATGAACCCTAATGACCATCCACACGGTG	169	RPLB_EC_737_762_R	TCCAAGTGCTGGTTTACCCCATGGAG	1000
75	SP101_SPET11_1_29_F	AACCTTAATTGGAAAGAAACCCAAGAAGT	2	SP101_SPET11_92_116_R	CCTACCCAACGTTCACCAAGGGCAG	779
76	SP101_SPET11_118_147_F	GCTGGTGAAAATAACCCAGATGTCGTCTTC	115	SP101_SPET11_213_238_R	TGTGGGCCGATTTCACCACCTGCTCCT	1340
77	SP101_SPET11_216_243_F	AGCAGGTGGTGAAATCGGCCACATGATTT	24	SP101_SPET11_308_333_R	TGCCACTTGACAACTCCTGTTGCTG	1209
78	SP101_SPET11_266_295_F	CTTGTACTTGTGGCTCACGGCTGTTTGG	89	SP101_SPET11_355_380_R	GCTGCTTTGATGGCTGAATCCCCTTC	824
79	SP101_SPET11_322_344_F	GTCAAAGTGGCACGTTTACTGGC	132	SP101_SPET11_423_441_R	ATCCCCTGCTTCTGCTGCC	753
80	SP101_SPET11_358_387_F	GGGGATTCAGCCATCAAAGCAGCTATTGAC	126	SP101_SPET11_448_473_R	CCAACCTTTTCCACAACAGAATCAGC	766
81	SP101_SPET11_600_629_F	CCTTACTTCGAACTATGAATCTTTTGGAAG	62	SP101_SPET11_686_714_R	CCCATTTTTCACGCATGCTGAAAATATC	772
82	SP101_SPET11_658_684_F	GGGGATTGATATCACCGATAAGAAGAA	127	SP101_SPET11_756_784_R	GATTGGCGGATAAAGTGATATTTTCTAAAA	813
83	SP101_SPET11_776_801_F	TCGCCAATCAAAACTAAGGGAATGGC	364	SP101_SPET11_871_896_R	GCCCACCAGAAAGACTAGCAGGATAA	814
84	SP101_SPET11_893_921_F	GGGCAACAGCAGCGCGGATTGCGATTGC	123	SP101_SPET11_988_1012_R	CATGACAGCCAAGACCTCACCCACC	763

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

#	ID (F)	Sequence (F)	Num	ID (R)	Sequence (R)	Num
85	SP101_SPET11_1154_1_179_F	CAATACCGCAACAGCGGTGGCTTGGG	47	SP101_SPET11_1251_1277_R	GACCCCAACCTGGCCTTTGTCGTTGA	804
86	SP101_SPET11_1314_1_336_F	CGCAAAAAAATCCAGCTATTAGC	68	SP101_SPET11_1403_1431_R	AAACTATTTTTTAGCTATACTCGAACAC	711
87	SP101_SPET11_1408_1_437_F	CGAGTATAGCTAAAAAAATAGTTTATGACA	67	SP101_SPET11_1486_1515_R	GGATAATTGGTCGTAACAAGGGATAGTGAG	828
88	SP101_SPET11_1688_1_716_F	CCTATATTAATCGTTTACAGAAACTGGCT	60	SP101_SPET11_1783_1808_R	ATATGATTATCATTGAACTGCGGCCG	752
89	SP101_SPET11_1711_1_733_F	CTGGCTAAAACTTTGGCAACGGT	82	SP101_SPET11_1808_1835_R	GCGTGACGACCTTCTTGAATTGTAATCA	821
90	SP101_SPET11_1807_1_835_F	ATGATTACAATTCAAGAAGGTCGTCACGC	33	SP101_SPET11_1901_1927_R	TTGGACCTGTAATCAGCTGAATACTGG	1412
91	SP101_SPET11_1967_1_991_F	TAACGGTTATCATGGCCCAGATGGG	155	SP101_SPET11_2062_2083_R	ATTGCCCAGAAATCAAATCATC	755
92	SP101_SPET11_2260_2_283_F	CAGAGACCGTTTTATCCTATCAGC	50	SP101_SPET11_2375_2397_R	TCTGGGTGACCTGGTGTTTTAGA	1131
93	SP101_SPET11_2375_2_399_F	TCTAAAACACCAGGTCACCCAGAAG	390	SP101_SPET11_2470_2497_R	AGCTGCTAGATGAGCTTCTGCCATGGCC	747
94	SP101_SPET11_2468_2_487_F	ATGGCCATGGCAGAGAAGCTCA	35	SP101_SPET11_2543_2570_R	CCATAAGGTCACCGTCACCATTCAAAGC	770
95	SP101_SPET11_2961_2_984_F	ACCATGACAGAAGGCATTTTGACA	15	SP101_SPET11_3023_3045_R	GGAATTTACCAGCGATAGACACC	827
96	SP101_SPET11_3075_3_103_F	GATGACTTTTTAGCTAATGGTCAGGCAGC	108	SP101_SPET11_3168_3196_R	AATCGACGACCATCTTGGAAAGATTTCTC	715
97	SP101_SPET11_3386_3_403_F	AGCGTAAAGGTGAACCTT	25	SP101_SPET11_3480_3506_R	CCAGCAGTTACTGTCCCCTCATCTTTG	769
98	SP101_SPET11_3511_3_535_F	GCTTCAGGAATCAATGATGGAGCAG	116	SP101_SPET11_3605_3629_R	GGGTCTACACCTGCACTTGCATAAC	832
111	RPOB_EC_3775_3803_F	CTTGGAGGTAAGTCTCATTTTGGTGG GCA	87	RPOB_EC_3829_3858_R	CGTATAAGCTGCACCATAAGCTTGTAAT GC	797
112	VALS_EC_1833_1850_F	CGACGCGCTGCGCTTCAC	65	VALS_EC_1920_1943_R	GGGTTCCACAGCTTGTTGCAGAAG	822
113	RPOB_EC_1336_1353_F	GACCACCTGGCAACCGT	97	RPOB_EC_1438_1455_R	TTCGCTCTCGGGCTGGCC	1386
114	TUFB_EC_225_251_F	GCACTATGCACACGTAGAATTGTCCTG G	111	TUFB_EC_284_309_R	TATAGCACCATCCATCTGAGCGGCAC	930
115	DNAK_EC_428_449_F	CGGGCGTACTTCAACGACAGCCA	72	DNAK_EC_503_522_R	CGCGGTCGGCTCGTTGATGA	792
116	VALS_EC_1920_1943_F	CTTCTGCAACAAGCTGTGGAACGC	85	VALS_EC_1948_1970_R	TCGCAGTTCATCAGCACGCAGAAGCG	1075
117	TUFB_EC_757_774_F	AAGACGACCTGCACGGGC	6	TUFB_EC_849_867_R	GCGCTCCACGTCTTCACGC	819
118	23S_EC_2646_2667_F	CTGTTCTTAGTACGAGAGGACC	84	23S_EC_2745_2765_R	TTCGTGCTTAGATGCTTTCAG	1389
119	16S_EC_969_985_1P_F	ACGCGAAGAACCTTACpC	19	16S_EC_1061_1078_2P_R	ACGACACGAGCPTPGACGAC	733
120	16S_EC_972_985_2P_F	CGAAGAACCpTTACC	63	16S_EC_1064_1075_2P_R	ACACGAGCTGAC	727
121	16S_EC_972_985_F	CGAAGAACCTTACC	63	16S_EC_1064_1075_R	ACACGAGCTGAC	727
122	TRNA_ILE-RRNH_EC_32_50.2_F	CCTGATAAGGTGTGAGGTCG	61	23S_EC_40_59_R	ACGTCCTTCATCGCCTCTGA	740

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

123	23S_EC_-7_15_F	GTTGTGAGGTTAAGCGACTAAG	140	23S_EC_430_450_R	CTATCGGTCAGTCAGGAGTAT	799
124	23S_EC_-7_15_F	GTTGTGAGGTTAAGCGACTAAG	141	23S_EC_891_910_R	TTGCATCGGGTTGGTAAGTC	1403
125	23S_EC_430_450_F	ATATCCTGACTGACCGATAG	30	23S_EC_1424_1442_R	AACATAGCCTTCTCCGTCC	712
126	23S_EC_891_910_F	GACTTACCAACCCGATGCAA	100	23S_EC_1908_1931_R	TACCTTAGGACCGTTATAGTTACG	893
127	23S_EC_1424_1442_F	GGACGGAAGGGCTATGTT	117	23S_EC_2475_2494_R	CCAAACACCGCCGTCGATAT	765
128	23S_EC_1908_1931_F	CGTAACTATAACGGTCCTAAGGTA	73	23S_EC_2833_2852_R	GCTTACACACCGGCCTATC	826
129	23S_EC_2475_2494_F	ATATCGACGGCGGTGTTGG	31	TRNA ASP-RRNH_EC_23_41.2_R	GCGTGACAGGCAGGTATTC	820
131	16S_EC_-60_-39_F	AGTCTCAAGAGTGAACACGTAA	28	16S_EC_508_525_R	GCTGCTGGCACGGAGTTA	823
132	16S_EC_326_345_F	GACACGGTCCAGACTCCTAC	95	16S_EC_1041_1058_R	CCATGCAGCACCTGTCTC	771
133	16S_EC_705_724_F	GATCTGGAGGAATACCGGTG	107	16S_EC_1493_1512_R	ACGGTTACCTTGTTACGACT	739
134	16S_EC_1268_1287_F	GAGAGCAAGCGGACCTCATA	101	TRNA ALA-RRNH_EC_30_46.2_R	CCTCCTCGTCGCAAAGC	780
135	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_R	ACAACACGAGCTGACGAC	719
137	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_I14_R	ACAACACGAGCTGTCGAC	721
138	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_I12_R	ACAACACGAGCTGACGAC	718
139	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_I11_R	ACAACACGAGTTGACGAC	722
140	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_I16_R	ACAACACGAGCTGACTAC	720
141	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_2I_R	ACAACACGAICTTACGAC	723
142	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_3I_R	ACAACACTAICTTACGAC	724
143	16S_EC_969_985_F	ACGCGAAGAACCTTACC	19	16S_EC_1061_1078.2_4I_R	ACAACACTAICTTACIAC	725
147	23S_EC_2652_2669_F	CTAGTACGAGAGGACCGG	79	23S_EC_2741_2760_R	ACTTAGATGCTTTCAGCGGT	743
158	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	137	16S_EC_880_894_R	CGTACTCCCCAGGCG	796
159	16S_EC_1100_1116_F	CAACGAGCGCAACCCTT	42	16S_EC_1174_1188_R	TCCCCACCTTCCTCC	1019
215	SSPE_BA_121_137_F	AACGCACAATCAGAAGC	3	SSPE_BA_197_216_R	TCTGTTTCAGTTGCAAATTC	1132
220	GROL_EC_941_959_F	TGGAAGATCTGGGTCAGGC	544	GROL_EC_1039_1060_R	CAATCTGCTGACGGATCTGAGC	759
221	INFB_EC_1103_1124_F	GTCGTGAAAACGAGCTGAAGA	133	INFB_EC_1174_1191_R	CATGATGGTCACAACCGG	764
222	HFLB_EC_1082_1102_F	TGGCGCAACCTGGTGAACGAAGC	569	HFLB_EC_1144_1168_R	CTTTCGCTTTCTCGAACTCAACCAT	802
223	INFB_EC_1969_1994_F	CGTCCAGGGTAAATTCCGTGAAGTTAA	74	INFB_EC_2038_2058_R	AACTTCGCCTTCGGTCATGTT	713
224	GROL_EC_219_242_F	GGTGAAAGAAGTTGCCTCTAAAGC	128	GROL_EC_328_350_R	TTCAGGTCCATCGGGTTCATGCC	1377
225	VALS_EC_1105_1124_F	CGTGGCGGCGTGGTTATCGA	77	VALS_EC_1195_1214_R	ACGAACTGGATGTCGCGTT	732
226	16S_EC_556_575_F	CGGAATTACTGGGCGTAAG	70	16S_EC_683_700_R	CGCATTCACCGCTACAC	791
227	RPOC_EC_1256_1277_F	ACCCAGTGCTGCTGAACCGTGC	16	RPOC_EC_1295_1315_R	GTTCAAATGCCTGGATTACCCA	843
228	16S_EC_774_795_F	GGGAGCAAACAGGATTAGATAC	122	16S_EC_880_894_R	CGTACTCCCCAGGCG	796
229	RPOC_EC_1584_1604_F	TGGCCCGAAAGAAGCTGAGCG	567	RPOC_EC_1623_1643_R	ACGCGGGCATGCAGAGAGATGCC	737
230	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	37	16S_EC_1177_1196_R	TGAGCGTCATCCCCACCTTCC	1158
231	16S_EC_1389_1407_F	CTTGTACACACCGCCCGTC	88	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	714

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	Forward primer ID	Forward sequence		Reverse primer ID	Reverse sequence	
232	16S_EC_1303_1323_F	CGGATTGGGAGTCTGCAACTCG	71	16S_EC_1389_1407_R	DACGGGCGGTGTGTACAAG	808
233	23S_EC_23_37_F	GGTGGATGCCTTGGC	129	23S_EC_115_130_R	GGGTTTCCCCATTCGG	833
234	23S_EC_187_207_F	GGGAACTGAAACATCTAAGTA	121	23S_EC_242_256_R	TTCGCTCGCCGCTAC	1385
235	23S_EC_1602_1620_F	TACCCCAAACCGACACAGG	184	23S_EC_1686_1703_R	CCTTCTCCCGAAGTTACG	782
236	23S_EC_1685_1703_F	CCGTAACTTCGGGAGAAGG	58	23S_EC_1828_1842_R	CACCGGGCAGGCGTC	760
237	23S_EC_1827_1843_F	GACGCCTGCCCGGTGC	99	23S_EC_1929_1949_R	CCGACAAGGAATTCGCTACC	775
238	23S_EC_2434_2456_F	AAGGTACTCCGGGGATAACAGGC	9	23S_EC_2490_2511_R	AGCCGACATCGAGGTGCCAAAC	746
239	23S_EC_2599_2616_F	GACAGTTCGGTCCCTATC	96	23S_EC_2653_2669_R	CCGGTCCTCCGTACTA	777
240	23S_EC_2653_2669_F	TAGTACGAGAGGACCGG	227	23S_EC_2737_2758_R	TTAGATGCTTTCAGCACTTATC	1369
241	23S_BS_-68_-44_F	AAACTAGATAACAGTAGACATCAC	1	23S_BS_5_21_R	GTGCGCCCTTTCTAACTT	841
242	16S_EC_8_27_F	AGAGTTTGATCATGGCTCAG	23	16S_EC_342_358_R	ACTGCTGCCTCCCGTAG	742
243	16S_EC_314_332_F	CACTGGAACTGAGACACGG	48	16S_EC_556_575_R	CTTTACGCCCAGTAATTCCG	801
244	16S_EC_518_536_F	CCAGCAGCCGCGGTAATAC	57	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	839
245	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	137	16S_EC_967_985_R	GGTAAGGTTCTTCGCGTTG	835
246	16S_EC_937_954_F	AAGCGGTGGAGCATGTGG	7	16S_EC_1220_1240_R	ATTGTAGCACGTGTGTAGCCC	757
247	16S_EC_1195_1213_F	CAAGTCATCATGGCCCTTA	46	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	714
248	16S_EC_8_27_F	AGAGTTTGATCATGGCTCAG	23	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	714
249	23S_EC_1831_1849_F	ACCTGCCCAGTGCTGGAAG	18	23S_EC_1919_1936_R	TCGCTACCTTAGGACCGT	1080
250	16S_EC_1387_1407_F	GCCTTGTACACACCGCCCGTC	112	16S_EC_1494_1513_R	CACGGCTACCTTGTTACGAC	761
251	16S_EC_1390_1411_F	TTGTACACACCGCCCGTCATAC	693	16S_EC_1486_1505_R	CCTTGTTACGACTTCACCCC	783
252	16S_EC_1367_1387_F	TACGGTTGAATACGTTCCCGGG	191	16S_EC_1485_1506_R	ACCTTGTTACGACTTCACCCCA	731
253	16S_EC_804_822_F	ACCACGCGTAAACGATGA	14	16S_EC_909_929_R	CCCCGTCAATTCCTTTGAGT	773
254	16S_EC_791_812_F	GATACCCTGGTAGTCCACACCG	106	16S_EC_886_904_R	GCCTTGCGACCGTACTCCC	817
255	16S_EC_789_810_F	TAGATACCCTGGTAGTCCACGC	206	16S_EC_882_899_R	GCGACCGTACTCCCCAGG	818
256	16S_EC_1092_1109_F	TAGTCCCGCAACGAGCGC	228	16S_EC_1174_1195_R	GACGTCATCCCCACCTTCCTCC	810
257	23S_EC_2586_2607_F	TAGAACGTCGCGAGACAGTTCG	203	23S_EC_2658_2677_R	AGTCCATCCCGGTCCTCTCG	749
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	103	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	750
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	103	RNASEP_EC_345_362_R	ATAAGCCGGTTCTGTCG	751
258	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	103	RNASEP_BS_363_384_R	GTAAGCCATGTTTGTTCCATC	838
258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	104	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	750
258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	104	RNASEP_EC_345_362_R	ATAAGCCGGTTCTGTCG	751
258	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	104	RNASEP_BS_363_384_R	GTAAGCCATGTTTGTTCCATC	838
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGGCTC	105	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	750
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGGCTC	105	RNASEP_EC_345_362_R	ATAAGCCGGTTCTGTCG	751
258	RNASEP_EC_61_77_F	GAGGAAAGTCCGGGCTC	105	RNASEP_BS_363_384_R	GTAAGCCATGTTTGTTCCATC	838
259	RNASEP_BS_43_61_F	GAGGAAAGTCCATGCTCGC	104	RNASEP_BS_363_384_R	GTAAGCCATGTTTGTTCCATC	838

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

260	RNASEP_EC_61_77_F	GAGGAAAGTCCGGGCTC	105	RNASEP_EC_345_362_R	ATAAGCCGGGTTCTGTCG	751
262	RNASEP_SA_31_49_F	GAGGAAAGTCCATGCTCAC	103	RNASEP_SA_358_379_R	ATAAGCCATGTTCTGTTCCATC	750
263	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	37	16S_EC_1525_1541_R	AAGGAGGTGATCCAGCC	714
264	16S_EC_556_575_F	CGGAATTACTGGGCGTAAAG	70	16S_EC_774_795_R	GTATCTAATCCTGTTTGCTCCC	839
265	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	37	16S_EC_1177_1196_10G_R	TGACGTCATGCCCACCTTCC	1160
266	16S_EC_1082_1100_F	ATGTTGGGTTAAGTCCCGC	37	16S_EC_1177_1196_10G_11G_R	TGACGTCATGGCCACCTTCC	1161
268	YAED_EC_513_532_F_MOD	GGTGTTAAAATAGCCTGGCAG	130	TRNA_ALA-RRNH_EC_30_49_F_MOD	AGACCTCCTGCGTGCAAAGC	744
269	16S_EC_1082_1100_F_MOD	ATGTTGGGTTAAGTCCCGC	37	16S_EC_1177_1196_R_MOD	TGACGTCATCCCCACCTTCC	1158
270	23S_EC_2586_2607_F_MOD	TAGGAACGTCGCGGAGACAGTTCG	203	23S_EC_2658_2677_R_MOD	AGTCCATCCGGTCCTCTCG	749
272	16S_EC_969_985_F	ACGGCGAAGAACCTTACC	19	16S_EC_1389_1407_R	GACGGGCGGTGTGTACAAG	807
273	16S_EC_683_700_F	GTGTAGCGGTGAAATGCG	137	16S_EC_1303_1323_R	CGAGTTGCAGACTGCGATCCG	788
274	16S_EC_49_68_F	TAACACATGCAAGTCGAACG	152	16S_EC_880_894_R	CGTACTCCCCAGGCG	796
275	16S_EC_49_68_F	TAACACATGCAAGTCGAACG	152	16S_EC_1061_1078_R	ACGACACGAGCTGACGAC	734
277	CYA_BA_1349_1370_F	ACAACGAAGTACAATACAAGAC	12	CYA_BA_1426_1447_R	CTTCTACATTTTAGCCATCAC	800
278	16S_EC_1090_1111_2_F	TTAAGTCCCGCAACGAGCGCAA	650	16S_EC_1175_1196_R	TGACGTCATCCCCACCTTCCTC	1159
279	16S_EC_405_432_F	TGAGTGATGAAGGCCTTAGGGTTGTAAA	464	16S_EC_507_527_R	CGGCTGCTGGCACGAAGTTAG	793
280	GROL_EC_496_518_F	ATGGACAAGGTTGGCAAGGAAGG	34	GROL_EC_577_596_R	TAGCCGCGGTCGAATTGCAT	914
281	GROL_EC_511_536_F	AAGGAAGGCGGTGATCACCGTTGAAGA	8	GROL_EC_571_593_R	CCGCGGTCGAATTGCATGCCTTC	776
288	RPOB_EC_3802_3821_F	CAGCGTTTCGGCGAAATGGA	51	RPOB_EC_3862_3885_R	CGACTTGACGGTTAACATTTCCTG	786
289	RPOB_EC_3799_3821_F	GGGCAGCGCGTTTCGGCGAAATGGA	124	RPOB_EC_3862_3888_R	GTCCGACTTGACGGTCAACATTTCCTG	840
290	RPOC_EC_2146_2174_F	CAGGAGTCGTTCAACTCGATCTACATGAT	52	RPOC_EC_2227_2245_R	ACGGCCATCAGCCACGCAT	736
291	ASPS_EC_405_422_F	GCACAACCTGCGGCTGCG	110	ASPS_EC_521_538_R	ACGGCACGAGCAGTAGTCGC	738
292	RPOC_EC_1374_1393_F	CGCCGACTTCGACGGTGACC	69	RPOC_EC_1437_1455_R	GAGCATCAGCGTGCGTGCT	811
293	TUFB_EC_957_979_F	CCACACGCCGTTCTTCTTCAACAACT	55	TUFB_EC_1034_1058_R	GGCATCACCATTTCCTTGTCCTTCG	829
294	16S_EC_7_33_F	GAGAGTTTGATCCTGGCTCAGACGAA	102	16S_EC_101_122_R	TGTTACTCACCGTCTGCCACT	1345
295	VALS_EC_610_649_F	ACCGAGCAAGGAGGAGACCAGC	17	VALS_EC_705_727_R	TATACGGCACATCGTCAGGGTGA	929
344	16S_EC_971_990_F	GCGAAGAACCTTACCAGGTC	113	16S_EC_1043_1062_R	ACAACCATGCACCACCTGTC	726
346	16S_EC_713_732_TMOD_F	TAGAACACCGATGGCGAAGGC	202	16S_EC_789_809_TMOD_R	TCGTGGACTACCAGGGTATCTA	1110
347	16S_EC_785_806_TMOD_F	TGGATTAGAGACCCTGGTAGTCC	560	16S_EC_880_897_TMOD_R	TGGCCGTACTCCCCAGGCG	1278
348	16S_EC_960_981_TMOD_F	TTTCGATGCAACGCGAAGAACCT	706	16S_EC_1054_1073_TMOD_R	TACGAGCTGACGACAGCCATG	895

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

#	F			TMOD R		
349	23S_EC_1826_1843_TMOD_F	TCTGACACCTGCCCGGTGC	401	23S_EC_1906_1924_TMOD_R	TGACCGTTATAGTTACGGCC	1156
350	CAPC_BA_274_303_TMOD_F	TGATTATTGTTATCCTGTTATGCCAT TTGAG	476	CAPC_BA_349_376_TMOD_R	TGTAACCCTTGTCTTTGAATTGTATTTG C	1314
351	CYA_BA_1353_1379_TMOD_F	TCGAAGTACAATACAAGACAAAAGAA GG	355	CYA_BA_1448_1467_TMOD_R	TTGTTAACGGCTTCAAGACCC	1423
352	INFB_EC_1365_1393_TMOD_F	TTGCTCGTGGTGCACAAGTAACGGAT ATTA	687	INFB_EC_1439_1467_TMOD_R	TTGCTGCTTCGCATGGTTAATTGCTTC AA	1411
353	LEF_BA_756_781_TMOD_F	TAGCTTTTGCATATTATATCGAGCCA C	220	LEF_BA_843_872_TMOD_R	TTCTTCCAAGGATAGATTTATTTCTTGT TCG	1394
354	RPOC_EC_2218_2241_T MOD_F	TCTGGCAGGTATGCGTGGTCTCGATG	405	RPOC_EC_2313_2337_TMOD_R	TCGCACCGTGGGTTGAGATGAAGTAC	1072
355	SSPE_BA_115_137_TMO D_F	TCAAGCAAACGCACAATCAGAAGC	255	SSPE_BA_197_222_TMOD_R	TTGCACGTCTGTTTCAGTTGCAAATTC	1402
356	RPLB_EC_650_679_TMO D_F	TGACCTACAGTAAGAGGTTCTGTAAT GAACC	449	RPLB_EC_739_762_TMOD_R	TTCCAAGTGCTGGTTTACCCCATGG	1380
357	RPLB_EC_688_710_TMO D_F	TCATCCACACGGTGGTGGTGAAGG	296	RPLB_EC_736_757_TMOD_R	TGTGCTGGTTTACCCCATGGAGT	1337
358	VALS_EC_1105_1124_T MOD_F	TCGTGGCGGCCGTGGTTATCGA	385	VALS_EC_1195_1218_TMOD_R	TCGGTACGAACTGGATGTCGCCGTT	1093
359	RPOB_EC_1845_1866_T MOD_F	TTATCGCTCCAGGCGAACTCCAAC	659	RPOB_EC_1909_1929_TMOD_R	TGCTCGGATTGCGCCTTTGCTACG	1250
360	23S_EC_2646_2667_TM OD_F	TCTGTTCTTAGTACGAGAGGACC	409	23S_EC_2745_2765_TMOD_R	TTTCGTGCTTAGATGCTTTCAG	1434
361	16S_EC_1090_1111_2_ TMOD_F	TTTAAGTCCCGCAACGAGCGCAA	697	16S_EC_1175_1196_TMOD_R	TTGACGTCATCCCCACCTTCCTC	1398
362	RPOB_EC_3799_3821_T MOD_F	TGGGCAGCGTTTCGGCGAAATGGA	581	RPOB_EC_3862_3888_TMOD_R	TGTCCGACTTGACGGTCAACATTTCCTG	1325
363	RPOC_EC_2146_2174_T MOD_F	TCAGGAGTCGTTCAACTCGATCTACA TGAT	284	RPOC_EC_2227_2245_TMOD_R	TACGCCATCAGGCCACCGCAT	898
364	RPOC_EC_1374_1393_T MOD_F	TCGCCGACTTCGACGGTGACC	367	RPOC_EC_1437_1455_TMOD_R	TGAGCATCAGCGTGCGTGCT	1166
367	TUFB_EC_957_979_TMO D_F	TCCACACGCCGTTCTTCAACAACT	308	TUFB_EC_1034_1058_TMOD_R	TGGCATCACCATTTCCTTGTCCTTCG	1276
423	SP101_SPET11_893_92 1_TMOD_F	TGGGCAACAGCAGCGGATTGCCGATTG CGCG	580	SP101_SPET11_988_1012_TMO D_R	TCATGACAGCCAAGACCTCACCCACC	990
424	SP101_SPET11_1154_1 179_TMOD_F	TCAATACCGCAACAGCGGTGGCTTGG G	258	SP101_SPET11_1251_1277_TM OD_R	TGACCCCAACCTGGCCTTTGTCGTTGA	1155
425	SP101_SPET11_118_14 7_TMOD_F	TGCTGGTGAAAATAACCCAGATGTCG TCTTC	528	SP101_SPET11_213_238_TMOD_ R	TTGTTGGCCGGATTTCACCACCTGCTCCT	1422
426	SP101_SPET11_1314_1 336_TMOD_F	TCGCAAAAAAATCCAGCTATTAGC	363	SP101_SPET11_1403_1431_TM OD_R	TAAACTATTTTTTTAGCTATACTCGAAC AC	849
427	SP101_SPET11_1408_1 437_TMOD_F	TCGAGTATAGCTAAAAAAAATAGTTTA TGACA	359	SP101_SPET11_1486_1515_TM OD_R	TGGATAATTGGTCGTAACAAGGGATAGT GAG	1268

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

428	SP101_SPET11_1688_1 716_TMOD_F	TCCTATATTAATCGTTTACAGAAACT GGCT	334	SP101_SPET11_1783_1808_TM OD_R	TATATGATTATCATTGAACTGGGCCG	932
429	SP101_SPET11_1711_1 733_TMOD_F	TCTGGCTAAAACTTTGGCAACGGT	406	SP101_SPET11_1808_1835_TM OD_R	TGCGTGACGACCTTCTTGAATTGTAATC A	1239
430	SP101_SPET11_1807_1 835_TMOD_F	TATGATTACAATTCAGAAGGTCGTC ACGC	235	SP101_SPET11_1901_1927_TM OD_R	TTTGGACCTGTAATCAGCTGAATACTGG	1439
431	SP101_SPET11_1967_1 991_TMOD_F	TTAACGGTTATCATGGCCCAGATGGG	649	SP101_SPET11_2062_2083_TM OD_R	TATTGCCCAGAAATCAAATCATC	940
432	SP101_SPET11_216_24 3_TMOD_F	TAGCAGGTGGTGAAATCGGCCACATG ATT	210	SP101_SPET11_308_333_TMOD R	TTGCCACTTTGACAACTCCTGTTGCTG	1404
433	SP101_SPET11_2260_2 283_TMOD_F	TCAGAGACCGTTTTATCCTATCAGC	272	SP101_SPET11_2375_2397_TM OD_R	TTCTGGGTGACCTGGTGTTTAGA	1393
434	SP101_SPET11_2375_2 399_TMOD_F	TTCTAAAACACCAGGTCACCCAGAAG	675	SP101_SPET11_2470_2497_TM OD_R	TAGCTGCTAGATGAGCTTCTGCCATGGC C	918
435	SP101_SPET11_2468_2 487_TMOD_F	TATTGGCCATGGCAGAAGCTCA	238	SP101_SPET11_2543_2570_TM OD_R	TCCATAAGGTCACCGTCACCATTCAAAG C	1007
436	SP101_SPET11_266_29 5_TMOD_F	TCTTGTACTTGTGGCTCACACGGCTG TTTGG	417	SP101_SPET11_355_380_TMOD R	TGCTGCTTGATGGCTGAATCCCCTTC	1249
437	SP101_SPET11_2961_2 984_TMOD_F	TACCATGACAGAAGGCATTTTGACA	183	SP101_SPET11_3023_3045_TM OD_R	TGGAATTTACCAGCGGATAGACACC	1264
438	SP101_SPET11_3075_3 103_TMOD_F	TGATGACTTTTTAGCTAATGGTCAGG CAGC	473	SP101_SPET11_3168_3196_TM OD_R	TAATCGACGACCATCTTGGAAAGATTTC TC	875
439	SP101_SPET11_322_34 4_TMOD_F	TGTCAAAGTGGCACGTTTACTGGC	631	SP101_SPET11_423_441_TMOD R	TATCCCCTGCTTCTGCTGCC	934
440	SP101_SPET11_3386_3 403_TMOD_F	TAGCGTAAAGTGAACCTT	215	SP101_SPET11_3480_3506_TM OD_R	TCCAGCAGTTACTGTCCCCTCATCTTTG	1005
441	SP101_SPET11_3511_3 535_TMOD_F	TGCTTCAGGAATCAATGATGGAGCAG	531	SP101_SPET11_3605_3629_TM OD_R	TGGGTCTACACCTGCACTTGCATAAC	1294
442	SP101_SPET11_358_38 7_TMOD_F	TGGGGATTCAGCCATCAAAGCAGCTA TTGAC	588	SP101_SPET11_448_473_TMOD R	TCCAACCTTTTCCACAACAGAATCAGC	998
443	SP101_SPET11_600_62 9_TMOD_F	TCCTTACTTCGAACTATGAATCTTTT GGAAG	348	SP101_SPET11_686_714_TMOD R	TCCCATTTTTCACGCATGCTGCTGAAAATA TC	1018
444	SP101_SPET11_658_68 4_TMOD_F	TGGGGATTGATATCACCGATAAGAAG AA	589	SP101_SPET11_756_784_TMOD R	TGATTGGCGATAAAGTGATATTTTCTAA AA	1189
445	SP101_SPET11_776_80 1_TMOD_F	TTTCGCCAATCAAAACTAAGGGAATGG C	673	SP101_SPET11_871_896_TMOD R	TGCCCACCAGAAAGACTAGCAGGATAA	1217
446	SP101_SPET11_1_29_T MOD_F	TAACCTTAATTGGAAAGAAACCCAAG AAGT	154	SP101_SPET11_92_116_TMOD_ R	TCCTACCCAACGTTCACCAAGGGCAG	1044
447	SP101_SPET11_364_38 5_F	TCAGCCATCAAAGCAGCTATTG	276	SP101_SPET11_448_471_R	TACCTTTTCCACAACAGAATCAGC	894
448	SP101_SPET11_3085_3 104_F	TAGCTAATGGTCAGGCAGCC	216	SP101_SPET11_3170_3194_R	TCCACGACCATCTTGGAAAGATTTC	1066
449	RPLB_EC_690_710_F	TCCACACGGTGGTGGTGAAGG	309	RPLB_EC_737_758_R	TGTGCTGGTTTACCCCATGGAG	1336
481	BONTA_X52066_538_55 2_F	TATGGCTCTACTTCAA	239	BONTA_X52066_647_660_R	TGTTTACTGCTGGAT	1346

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

482	BONTA_X52066_538_55 2P_F	TA*TpGGC*Tp*TpA*Cp*Tp*C pAA	143	BONTA_X52066_647_660P_R	TG*Tp*TpA*Cp*TpG*Cp*TpGAT	1146
483	BONTA_X52066_701_72 0_F	GAATAGCAATTAATCCAAAT	94	BONTA_X52066_759_775_R	TTACTTCTAACCCACTC	1367
484	BONTA_X52066_701_72 0P_F	GAA*TpAG*CpAA*Tp*TpAA*Tp*C p*CpAAAT	91	BONTA_X52066_759_775P_R	TTA*Cp*Tp*Tp*Cp*TpAA*Cp*Cp*C pA*Cp*TpC	1359
485	BONTA_X52066_450_47 3_F	TCTAGTAATAATAGGACCCTCAGC	393	BONTA_X52066_517_539_R	TAACCATTTCGCGTAAGATTCAA	859
486	BONTA_X52066_450_47 3P_F	T*Cp*TpAGTAATAATAGGA*Cp*Cp *Cp*Tp*CpAGC	142	BONTA_X52066_517_539P_R	TAACCA*Tp*Tp*Tp*CpGCGTAAGA*T p*Tp*CpAA	857
487	BONTA_X52066_591_62 0_F	TGAGTCACTTGAAGTTGATACAAATC CTCT	463	BONTA_X52066_644_671_R	TCATGTGCTAATGTTACTGCTGGATCTG	992
608	SSPE_BA_156_168P_F	TGGTpGCpTpAGCpATT	616	SSPE_BA_243_255P_R	TGCpAGCpTGATpTpGT	1241
609	SSPE_BA_75_89P_F	TACpAGAGTpTpGCpGAC	192	SSPE_BA_163_177P_R	TGTGCTpTpTpGAATpGCpT	1338
610	SSPE_BA_150_168P_F	TGCTTCTGGTpGCpTpAGCpATT	533	SSPE_BA_243_264P_R	TGATTGTTTTGCpAGCpTGATpTpGT	1191
611	SSPE_BA_72_89P_F	TGGTACpAGAGTpTpGCpGAC	602	SSPE_BA_163_182P_R	TCATTTGTGCTpTpTpGAATpGCpT	995
612	SSPE_BA_114_137P_F	TCAAGCAAACGCACAATpCpAGAAGC	255	SSPE_BA_196_222P_R	TTGCACGTCpTpGTTTCAGTTGCAAATT C	1401
699	SSPE_BA_123_153_F	TGCACAATCAGAAGCTAAGAAAGCGC AAGCT	488	SSPE_BA_202_231_R	TTTTCACAGCATGCACGTCTCGTTTCAGTT GC	1431
700	SSPE_BA_156_168_F	TGGTGCTAGCATT	612	SSPE_BA_243_255_R	TGCAGCTGATTGT	1202
701	SSPE_BA_75_89_F	TACAGAGTTTGCGAC	179	SSPE_BA_163_177_R	TGTGCTTTTGAATGCT	1338
702	SSPE_BA_150_168_F	TGCTTCTGGTGCTAGCATT	533	SSPE_BA_243_264_R	TGATTGTTTTGCAGCTGATTGT	1190
703	SSPE_BA_72_89_F	TGGTACAGAGTTTGCGAC	600	SSPE_BA_163_182_R	TCATTTGTGCTTTGAATGCT	995
704	SSPE_BA_146_168_F	TGCAAGCTTCTGGTGCTAGCATT	484	SSPE_BA_242_267_R	TTGTGATTGTTTTGCAGCTGATTGTG	1421
705	SSPE_BA_63_89_F	TGCTAGTTATGGTACAGAGTTTGCGA C	518	SSPE_BA_196_222_R	TCATAACTAGCATTGTGCTTTGAATGC T	986
706	SSPE_BA_114_137_F	TCAAGCAAACGCACAATCAGAAGC	255	SSPE_BA_196_222_R	TTGCACGTCTGTTTCAGTTGCAAATTC	1402
770	PLA_AF053945_7377_7 402_F	TGACATCCGGCTCACGTTATTATGGT	442	PLA_AF053945_7434_7462_R	TGTAAATTCCGCAAAGACTTTGGCATTA G	1313
771	PLA_AF053945_7382_7 404_F	TCCGGCTCACGTTATTATGGTAC	327	PLA_AF053945_7482_7502_R	TGGTCTGAGTACCTCCTTTGC	1304
772	PLA_AF053945_7481_7 503_F	TGCAAAGGAGGTACTCAGACCAT	481	PLA_AF053945_7539_7562_R	TATTGGAAATACCGGCAGCATCTC	943
773	PLA_AF053945_7186_7 211_F	TTATACCGGAAACTTCCCGAAAGGAG	657	PLA_AF053945_7257_7280_R	TAATGCCGATACTGGCCTGCAAGTC	879
774	CAF1_AF053947_33407 33430_F	TCAGTTCCGTTATCGCCATTGCAT	292	CAF1_AF053947_33494_33514 R	TGCGGGCTCGTTCAACAAGAG	1235
775	CAF1_AF053947_33515 33541_F	TCACTCTTACATATAAGGAAGGCGCT C	270	CAF1_AF053947_33595_33621 R	TCCTGTTTTATAGCCGCCAAGAGTAAG	1053
776	CAF1_AF053947_33435 33457_F	TGGAACTATTGCAACTGCTAAATG	542	CAF1_AF053947_33499_33517 R	TGAATGCGGGCTCGGTTCAAC	1183

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	Forward	Forward sequence		Reverse	Reverse sequence	
777	CAF1_AF053947_33687_33716_F	TCAGGATGGAAATAACCACCAATTCACTAC	286	CAF1_AF053947_33755_33782_R	TCAAGGTTCTCACCGTTACCTTAGGAG	962
778	INV_U22457_515_539_F	TGGCTCCTTGGTATGACTCTGCTTC	573	INV_U22457_571_598_R	TGTTAAGTGTGTTGCGGCTGCTGTCTTTATT	1343
779	INV_U22457_699_724_F	TGCTGAGGCCTGGACCGATTATTTAC	525	INV_U22457_753_776_R	TCACGGCGACGAGTGCCATCCATTG	976
780	INV_U22457_834_858_F	TTATTACCTGCACTCCCACAACTG	664	INV_U22457_942_966_R	TGACCCAAAGCTGAAAGCTTACTG	1154
781	INV_U22457_1558_1581_F	TCGGTAACAGAGCCTTATAGGCGCA	597	INV_U22457_1619_1643_R	TTGCGTTGCAGATTATCTTTACCAA	1408
782	LL_NC003143_2366996_2367019_F	TGTAGCCGCTAAGCACTACCATCC	627	LL_NC003143_2367073_2367097_R	TCTCATCCCGATATTACCGCCATGA	1123
783	LL_NC003143_2367172_2367194_F	TGGACGGCATCACGATTCTCTAC	550	LL_NC003143_2367249_2367271_R	TGGCAACAGCTCAACACCTTTGG	1272
874	RPLB_EC_649_679_F	TGTCCTACIGTTIGIGGTTCTGTAATGAACC	620	RPLB_EC_739_762_TMOD_R	TTCCAAGTGCTGGTTTACCCCATGG	1380
875	RPLB_EC_642_679P_F	TpCpCpTpTpGITTpGICCIACIGTIIGIGGTTCTGTAATGAACC	646	RPLB_EC_739_762_TMOD_R	TTCCAAGTGCTGGTTTACCCCATGG	1380
876	MECA_Y14051_3315_3341_F	TTACACATATCGTGAGCAATGAACTGA	653	MECA_Y14051_3367_3393_R	TGTGATATGGAGGTGTAGAAGGTGTTA	1333
877	MECA_Y14051_3774_3802_F	TAAAACAAACTACGGTAACATTGATCGCA	144	MECA_Y14051_3828_3854_R	TCCCAATCTAACTTCCACATACCATCT	1015
878	MECA_Y14051_3645_3670_F	TGAAGTAGAAATGACTGAACGTCCGA	434	MECA_Y14051_3690_3719_R	TGATCCTGAATGTTTATATCTTTAACGCCT	1181
879	MECA_Y14051_4507_4530_F	TCAGGTACTGCTATCCACCCTCAA	288	MECA_Y14051_4555_4581_R	TGGATAGACGTCATATGAGGTGTGCT	1269
880	MECA_Y14051_4510_4530_F	TGTACTGCTATCCACCCTCAA	626	MECA_Y14051_4586_4610_R	TATTCTTCGTTACTCATGCCATACA	939
881	MECA_Y14051_4669_4698_F	TCACCAGGTTCAACTCAAAAAATATTAACA	262	MECA_Y14051_4765_4793_R	TAACCACCCCAAGATTTATCTTTTTGCCA	858
882	MECA_Y14051_4520_4530P_F	TCpCpACpCpCpTpCpAA	389	MECA_Y14051_4590_4600P_R	TpACpTpCpATpGCpCpA	1357
883	MECA_Y14051_4520_4530P_F	TCpCpACpCpCpTpCpAA	389	MECA_Y14051_4600_4610P_R	TpATpTpCpTpTpCpGTpT	1358
902	TRPE_AY094355_1467_1491_F	ATGTCGATTGCAATCCGTACTTGTG	36	TRPE_AY094355_1569_1592_R	TGCGCGAGCTTTTATTTGGGTTTC	1231
903	TRPE_AY094355_1445_1471_F	TGGATGGCATGGTGAAATGGAATATGTC	557	TRPE_AY094355_1551_1580_R	TATTTGGGTTTCATTCCACTCCAGATTCTGG	944
904	TRPE_AY094355_1278_1303_F	TCAAAATGTACAAGGTGAAGTGCGTGA	247	TRPE_AY094355_1392_1418_R	TCCTCTTTCACAGGCTCTACTTCATC	1048
905	TRPE_AY094355_1064_1086_F	TCGACCTTTGGCAGGAACTAGAC	357	TRPE_AY094355_1171_1196_R	TACATCGTTTCGCCCAAGATCAATCA	885
906	TRPE_AY094355_666_688_F	GTGCATGCGGATACAGAGCAGAG	135	TRPE_AY094355_769_791_R	TTCAAAATGCGGAGGCGTATGTG	1372
907	TRPE_AY094355_757_7	TGCCAAGCGCGACCACACATACG	483	TRPE_AY094355_864_883_R	TGCCCAGGTACAACCTGCAT	1218

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

76_F

	Name	Sequence	#	Target	Sequence	#
908	RECA_AF251469_43_68 F	TGGTACATGTGCCTTCATTGATGCTG	601	RECA AF251469 140 163 R	TTCAAGTGCTTGCTCACCATTGTC	1375
909	RECA_AF251469_169_1 90 F	TGACATGCTTGTCCGTTCAGGC	446	RECA AF251469 277 300 R	TGGGTCATAAGACACGGCTTGTAGA	1280
910	PARC_X95819_87_110_ F	TGGTGACTCGGCATGTTATGAAGC	609	PARC X95819 201 222 R	TTCGGTATAACGCATCGCAGCA	1387
911	PARC_X95819_87_110_ F	TGGTGACTCGGCATGTTATGAAGC	609	PARC X95819 192 219 R	GGTATAACGCATCGCAGCAAAAGATTTA	836
912	PARC_X95819_123_147 F	GGCTCAGCCATTAGTTACCGCTAT	120	PARC X95819 232 260 R	TCGGCTCAGCAATAATTCACTATAAGCCG A	1081
913	PARC_X95819_43_63 F	TCAGCGCGTACAGTGGGTGAT	277	PARC X95819 143 170 R	TTCCCCTGACCTTCGATTAAAGGATAGC	1383
914	OMPA_AV485227_272_3 01 F	TTACTCCATTATTGCTTGGTTACACT TTCC	655	OMPA AV485227 364 388 R	GAGCTGCGCCAACGAATAAATCGTC	812
915	OMPA_AV485227_379_4 01 F	TGCCCAGCTCTTGGTATCGAGTT	509	OMPA AV485227 492 519 R	TGCCGTAACATAGAGAGTTACCGTTGATT	1223
916	OMPA_AV485227_311_3 35 F	TACACAACAATGGCGGTAAAGATGG	178	OMPA AV485227 424 453 R	TACGTCGGCCTTTAACTTGGTTATATTCA GC	901
917	OMPA_AV485227_415_4 41 F	TGCCTCGAAGCTGAATATAACCAAGT T	506	OMPA AV485227 514 546 R	TCGGGCGTAGTTTTTAGTAATTAAATCA GAAGT	1092
918	OMPA_AV485227_494_5 20 F	TCAACGGTAACTTCTATGTTACTTCT G	252	OMPA AV485227 569 596 R	TCGTCGTATTTATAGTGACCAGCACCTA	1108
919	OMPA_AV485227_551_5 77 F	TCAAGCCGTACGTATTATTAGGTGCT G	257	OMPA AV485227 658 680 R	TTTAAGGCCGAGAAAGCACCAAC	1425
920	OMPA_AV485227_555_5 81 F	TCCGTACGTATTATTAGGTGCTGGTC A	328	OMPA AV485227 635 662 R	TCAACACCAGCGGTTACCTAAAGTACCTT	954
921	OMPA_AV485227_556_5 83 F	TCGTACGTATTATTAGGTGCTGGTCA CT	379	OMPA AV485227 659 683 R	TCGTTTAAGCGCCAGAAAGCACCAA	1114
922	OMPA_AV485227_657_6 79 F	TGTTGGTGCTTTCTGGCGCTTAA	645	OMPA AV485227 739 765 R	TAAGCCAGCAAGAGAGCTGTATAGTTCCA	871
923	OMPA_AV485227_660_6 83 F	TGGGTGCTTTCTGGCGCCTTAAACGA	613	OMPA AV485227 786 807 R	TACAGGAGCAGCAGGCTTCAAG	884
924	GYRA_AF100557_4_23_ F	TCTGCCCGTGCTGTTGGTGA	402	GYRA AF100557 119 142 R	TCGAACCGAAGTTACCCTGACCAT	1063
925	GYRA_AF100557_70_94 F	TCCCATTGTTCGTATGGCTCAAGACT	316	GYRA AF100557 178 201 R	TGCCAGCTTAGTCATACGGACTTC	1211
926	GYRB_AB008700_19_40 F	TCAGGTGGCTTACACGGCGTAG	289	GYRB AB008700 111 140 R	TATTGCGGATCACCATGATGATATTCTT GC	941
927	GYRB_AB008700_265_2 92 F	TCTTTCTTGAATGCTGGTGTACGTAT CG	420	GYRB AB008700 369 395 R	TCGTTGAAATGGTTTTTACCTTCGTTG	1113
928	GYRB_AB008700_368_3 94 F	TCAACGAAGGTAAAAACCATCTCAAC G	251	GYRB AB008700 466 494 R	TTTGTGAAACAGCGAACATTTTCTTGGT A	1440
929	GYRB_AB008700_477_5 04 F	TGTTCGCTGTTTCACAAACAACATTC CA	641	GYRB AB008700 611 632 R	TCACGCGCATCATCACCAGTCA	977
930	GYRB_AB008700_760_7 07 F	TACTTACTTGAGAATCCACAAGCTGC	198	GYRB AB008700 862 888 R	ACCTGCAATATCTAATGCACTCTTTACG	729

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	87_F	AA				
931	WAAA_Z96925_2_29_F	TCTTGCTCTTTCGTGAGTTCAGTAAATG	416	WAAA_Z96925_115_138_R	CAAGCGGTTTGCCTCAAATAGTCA	758
932	WAAA_Z96925_286_311_F	TCGATCTGGTTTCATGCTGTTTCAGT	360	WAAA_Z96925_394_412_R	TGGCCACGAGCCTGACCTGT	1274
939	RPOB_EC_3798_3821_F	TGGGCAGCCGTTTCGGCGAAATGGA	581	RPOB_EC_3862_3889_R	TGTCCGACTTGACGGTCAGCGCATTTCCTG	1326
940	RPOB_EC_3798_3821_F	TGGGCAGCCGTTTCGGCGAAATGGA	581	RPOB_EC_3862_3889_2_R	TGTCCGACTTGACGGTTAGCATTTCCTG	1327
941	TUFB_EC_275_299_F	TGATCACTGTGCTGCTCAGATGGA	468	TUFB_EC_337_362_R	TGGATGTGCTCACGAGTTTGCGGCAT	1271
942	TUFB_EC_251_278_F	TGCACGCCGACTATGTTAAGAACATGAT	493	TUFB_EC_337_360_R	TATGTGCTCACGAGTTTGCGCAT	937
949	GYRB_AB008700_760_7_87_F	TACTTACTTGAGAATCCACAAGCTGCAA	198	GYRB_AB008700_862_888_2_R	TCCTGCAATATCTAATGCACTCTTACG	1050
958	RPOC_EC_2223_2243_F	TGGTATGCGTGGTCTGATGGC	605	RPOC_EC_2329_2352_R	TGCTAGACCTTTAGCTGCACCGTG	1243
959	RPOC_EC_918_938_F	TCTGGATAACGGTCGTCGCGG	404	RPOC_EC_1009_1031_R	TCCAGCAGGTTCTGACGGAAACG	1004
960	RPOC_EC_2334_2357_F	TGCTCGTAAGGGTCTGCGGGATAC	523	RPOC_EC_2380_2403_R	TACTAGACGACGGGTCAGGTAACC	905
961	RPOC_EC_917_938_F	TATTGGACAACGGTCGTCGCGG	242	RPOC_EC_1009_1034_R	TTACCGAGCAGGTTCTGACGGAAACG	1362
962	RPOB_EC_2005_2027_F	TCGTTCCTGGAACACGATGACGC	387	RPOB_EC_2041_2064_R	TTGACGTTGCATGTTCGAGCCCAT	1399
963	RPOB_EC_1527_1549_F	TCAGCTGTCCCAGTTCATGGACC	282	RPOB_EC_1630_1649_R	TCGTCGCGGACTTCGAAGCC	1104
964	INFB_EC_1347_1367_F	TGCCGTTTACCGCAATGCGTGC	515	INFB_EC_1414_1432_R	TCGGCATCACGCCGTCGTC	1090
965	VALS_EC_1128_1151_F	TATGCTGACCGACCAGTGGTACGT	237	VALS_EC_1231_1257_R	TTCGGCGCATCCAGGAGAAGTACATGTT	1384
978	RPOC_EC_2145_2175_F	TCAGGAGTCGTTCAACTCGATCTACATGATG	285	RPOC_EC_2228_2247_R	TTACGCCATCAGGCCACGCA	1363
1045	CJST_CJ_1668_1700_F	TGCTCGAGTGATTGACTTTGCTAAATTTAGAGA	522	CJST_CJ_1774_1799_R	TGAGCGGTGTGGAAAAGGACTTGGATG	1170
1046	CJST_CJ_2171_2197_F	TCGTTTGGTGGTGGTAGATGAAAAAGG	388	CJST_CJ_2283_2313_R	TCTCTTTCAAAGCACCATTGCTCATTATAGT	1126
1047	CJST_CJ_584_616_F	TCCAGGACAAAATGTATGAAAAATGTCCAAGAAG	315	CJST_CJ_663_692_R	TTCATTTCTGGTCCAAAGTAAGCAGTATC	1379
1048	CJST_CJ_360_394_F	TCCTGTTATCCCTGAAGTAGTTAATCAAGTTTGTT	346	CJST_CJ_442_476_R	TCAACTGGTTCAAAAACATTAAGTTGTAATTGTCC	955
1049	CJST_CJ_2636_2668_F	TGCCTAGAAGATCTTAAAAATTTCCGCCAACTT	504	CJST_CJ_2753_2777_R	TTGCTGCCATAGCAAAGCCTACAGC	1409
1050	CJST_CJ_1290_1320_F	TGGCTTATCCAAATTTAGATCGTGTTTTTAC	575	CJST_CJ_1406_1433_R	TTTGCTCATGATCTGCATGAAGCATAAA	1437
1051	CJST_CJ_3267_3293_F	TTTGATTTTACGCCGTCCTCCAGGTCG	707	CJST_CJ_3356_3385_R	TCAAAGAACCCGCACCTAATTCATCATTTA	951
1052	CJST_CJ_5_39_F	TAGGCGAAGATATACAAAGAGTATTAGAAGCTAGA	222	CJST_CJ_104_137_R	TCCCTTATTTTTCTTCTACTACCTTCGGATAAT	1029
1053	CJST_CJ_1080_1110_F	TTGAGGGTATGCACCGTCTTTTTGATTCTTT	681	CJST_CJ_1166_1198_R	TCCCCTCATGTTTAAATGATCAGGATAAAAAGC	1022
1054	CJST_CJ_2060_2090_F	TCCCGGACTTAATATCAATGAAAATTGTGGA	323	CJST_CJ_2148_2174_R	TCGATCCGCATCACCACCATCAAAAGCAAA	1068

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward name	Forward sequence	No.	Reverse name	Reverse sequence	No.
1055	CJST_CJ_2869_2895_F	TGAAGCTTGTTCTTTAGCAGGACTTCA	432	CJST_CJ_2979_3007_R	TCCTCCTTGTGCCTCAAAACGCATTTTTA	1045
1056	CJST_CJ_1880_1910_F	TCCCAATTAATTCTGCCATTTTCCAGGTAT	317	CJST_CJ_1981_2011_R	TGGTTCTTACTTGCTTTGCATAAACTTTCCA	1309
1057	CJST_CJ_2185_2212_F	TAGATGAAAAGGGCGAACTGGCTAATGG	208	CJST_CJ_2283_2316_R	TGAATTCTTTCAAAGCACCATTGCTCATTATAGT	1152
1058	CJST_CJ_1643_1670_F	TTATCGTTTGTGGAGCTAGTAGTGCTTATGC	660	CJST_CJ_1724_1752_R	TGCAATGTGTGCTATGTCAGCAAAAGAT	1198
1059	CJST_CJ_2165_2194_F	TGCGGATCGTTTGGTTGTGTTGTAGATGAAAA	511	CJST_CJ_2247_2278_R	TCCACACTGGATTGTAATTTACCTTGTTCTTT	1002
1060	CJST_CJ_599_632_F	TGAAAAATGTCCAAGAAGCATAGCAAAAAAGCA	424	CJST_CJ_711_743_R	TCCCGAACAATGAGTTGTATCAACTATTTTTAC	1024
1061	CJST_CJ_360_393_F	TCCTGTTATCCCTGAAGTAGTTAATCAAGTTGT	345	CJST_CJ_443_477_R	TACAACTGGTTCAAAAACATTAAGCTGTAATTGTC	882
1062	CJST_CJ_2678_2703_F	TCCCCAGGACACCCTGAAATTTCAAC	321	CJST_CJ_2760_2787_R	TGTGCTTTTTTGCTGCCATAGCAAAGC	1339
1063	CJST_CJ_1268_1299_F	AGTTATAAACACGGCTTTCCTATGGCTTATCC	29	CJST_CJ_1349_1379_R	TCGGTTTAAGCTCTACATGATCGTAAGGATA	1096
1064	CJST_CJ_1680_1713_F	TGATTTTGCTAAATTTAGAGAAAATTGCGGATGAA	479	CJST_CJ_1795_1822_R	TATGTGTAGTTGAGCTTACTACATGAGC	938
1065	CJST_CJ_2857_2887_F	TGGCATTTCTTATGAAGCTTGTTGTCTTTAGCA	565	CJST_CJ_2965_2998_R	TGCTTCAAAAGCATTTTTACATTTTCGTTTAAAG	1253
1070	RNASEP_BKM_580_599_F	TGCGGGTAGGAGGCTTGAGC	512	RNASEP_BKM_665_686_R	TCCGATAAGCCGGATTCTGTGC	1034
1071	RNASEP_BKM_616_637_F	TCCTAGAGGAATGGCTGCCACG	333	RNASEP_BKM_665_687_R	TGCCGATAAGCCGGATTCTGTGC	1222
1072	RNASEP_BDP_574_592_F	TGGCACGGCCATCTCCGTG	561	RNASEP_BDP_616_635_R	TCGTTTCACCGTGTCATGCCG	1115
1073	23S_BRM_1110_1129_F	TGCGCCGGAAGATGTAACGGG	510	23S_BRM_1176_1201_R	TCGCAGGCTTACAGAAGCGCTCTCCTA	1074
1074	23S_BRM_515_536_F	TGCATACAAACAGTCGGAGCCT	496	23S_BRM_616_635_R	TCGGACTCGCTTTCGCTACG	1088
1075	RNASEP_CLB_459_487_F	TAAGGATAGTGCAACAGAGATATACCGCC	162	RNASEP_CLB_498_526_R	TGCTCTTACCTCACCGTTCCACCCTTACC	1247
1076	RNASEP_CLB_459_487_F	TAAGGATAGTGCAACAGAGATATACCGCC	162	RNASEP_CLB_498_522_R	TTTTACCTCGCCTTTTCCACCCTTACC	1426
1077	ICD_CXB_93_120_F	TCCTGACCGACCCATTATTCCCTTTATC	343	ICD_CXB_172_194_R	TAGGATTTTTCCACGGCGGCGCATC	921
1078	ICD_CXB_92_120_F	TTCCTGACCGACCCATTATTCCCTTTATC	671	ICD_CXB_172_194_R	TAGGATTTTTCCACGGCGGCGCATC	921
1079	ICD_CXB_176_198_F	TCGCCGTGGAAAAATCCTACGCT	369	ICD_CXB_224_247_R	TAGCCTTTTCTCCGGCGTAGATCT	916
1080	IS1111A_NC002971_6866_6891_F	TCAGTATGTATCCACCGTAGCCAGTC	290	IS1111A_NC002971_6928_6954_R	TAAAAGTTCCGGATACCAATGGTTCGCTC	848
1081	IS1111A_NC002971_7456_7483_F	TGGGTGACATTCATCAATTTCATCGTTC	594	IS1111A_NC002971_7529_7554_R	TCAACAACACCTCCTTATTCCCACTC	952
1082	RNASEP_RKP_419_448_F	TGGTAAGAGCGCGCACCGGTAAGTTGTAACA	599	RNASEP_RKP_542_565_R	TCAAGCCGATTCACCCGCATTACAA	957

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Name_F	Sequence F	No.	Name_R	Sequence R	No.
1083	RNASEP_RKP_422_443_F	TAAGAGCGGCACCGGTAAGTTGG	159	RNASEP_RKP_542_565_R	TCAAGCGGATCTACCCGCATTACAA	957
1084	RNASEP_RKP_466_491_F	TCCACCAAGAGCAAGATCAAATAGGC	310	RNASEP_RKP_542_565_R	TCAAGCGGATCTACCCGCATTACAA	957
1085	RNASEP_RKP_264_287_F	TCTAAATGGTCGTGCAGTTGCGTG	391	RNASEP_RKP_295_321_R	TCTATAGAGTCCGGACTTTCCTCGTGA	1119
1086	RNASEP_RKP_426_448_F	TGCATACCGGTAAGTTGGCAACA	497	RNASEP_RKP_542_565_R	TCAAGCGGATCTACCCGCATTACAA	957
1087	OMPB_RKP_860_890_F	TTACAGGAAGTTTAGGTGGTAATCTA AAACG	654	OMPB_RKP_972_996_R	TCCTGCAGCTCTACCTGCTCCATTA	1051
1088	OMPB_RKP_1192_1221_F	TCTACTGATTTTGGTAATCTTGCAGC ACAG	392	OMPB_RKP_1288_1315_R	TAGCAGCAAAAGTTATCACACCTGCAGT	910
1089	OMPB_RKP_3417_3440_F	TGCAAGTGGTACTTCAACATGGGG	485	OMPB_RKP_3520_3550_R	TGGTTGTAGTTCCTGTAGTTGTTGCATT AAC	1310
1090	GLTA_RKP_1043_1072_F	TGGGACTTGAAGCTATCGTCTTTAAA GATG	576	GLTA_RKP_1138_1162_R	TGAACATTTGCGACGGTATACCCAT	1147
1091	GLTA_RKP_400_428_F	TCCTTCTCATCCTATGGCTATTATGCT TGC	413	GLTA_RKP_499_529_R	TGGTGGGTATCTTAGCAATCATTCTAAT AGC	1305
1092	GLTA_RKP_1023_1055_F	TCCGTTCTTACAAATAGCAATAGAAC TTGAAGC	330	GLTA_RKP_1129_1156_R	TTGGCGACGGTATACCCATAGCTTTATA	1415
1093	GLTA_RKP_1043_1072_2_F	TGGAGCTTGAAGCTATCGCTCTTAAA GATG	553	GLTA_RKP_1138_1162_R	TGAACATTTGCGACGGTATACCCAT	1147
1094	GLTA_RKP_1043_1072_3_F	TGGAACTTGAAGCTCTCCGCTCTTAAA GATG	543	GLTA_RKP_1138_1164_R	TGTGAACATTTGCGACGGTATACCCAT	1330
1095	GLTA_RKP_400_428_F	TCTTCTCATCCTATGGCTATTATGCT TGC	413	GLTA_RKP_505_534_R	TCCGATGGTAGGTATCTTAGCAATCATT CT	1230
1096	CTXA_VBC_117_142_F	TCTTATGCCAAGAGGACGAGAGTGAGT	410	CTXA_VBC_194_218_R	TGCCTAACAAATCCGTCTGAGTTC	1226
1097	CTXA_VBC_351_377_F	TGTATTAGGGGCATACAGTCCTCATC C	630	CTXA_VBC_441_466_R	TGTCATCAGCACCCCAAAATGAACT	1324
1098	RNASEP_VBC_331_349_F	TCCGCGGAGTTGACTGGGT	325	RNASEP_VBC_388_414_R	TGACTTTCCTCCCCCTTATCAGTCTCC	1163
1099	TOXR_VBC_135_158_F	TCGATTAGGCAGCAACGAAAGCCG	362	TOXR_VBC_221_246_R	TTCAAAACCTTGCTCTCGCCAAACAA	1370
1100	ASD_FRT_1_29_F	TTGCTTAAAGTTGGTTTTATTGGTTG GCG	690	ASD_FRT_86_116_R	TGAGATGTCGAAAAAAACGTTGGCAAAA TAC	1164
1101	ASD_FRT_43_76_F	TCAGTTTTAATGTCTCGTATGATCGA ATCAAAG	295	ASD_FRT_129_156_R	TCCATATTGTTGCATAAAACCTGTTGGC	1009
1102	GALE_FRT_168_199_F	TTATCAGCTAGACCTTTTTAGGTAAAG CTAAGC	658	GALE_FRT_241_269_R	TCACCTACGACGTTTAAAGCCAGCAAAAT G	973
1103	GALE_FRT_834_865_F	TCAAAAAGCCCTAGGTAAAGAGATTC CATATC	245	GALE_FRT_901_925_R	TAGCCTTGGCAACATCAGCAAAACT	915
1104	GALE_FRT_308_339_F	TCCAAGGTACTACAAACTTACTTGAG CTRATG	306	GALE_FRT_390_422_R	TCTTTCGTAAAGGGTGTTTATTATTCA TCCCA	1136
1105	IPAH_SGF_258_277_F	TGAGGACCGGTGTCGCGCTCA	458	IPAH_SGF_301_327_R	TCCTTCGTGATGCCTGATGGACCAGGAG	1055
1106	IPAH_SGF_113_134_F	TCCTTGACCGGCTTTCCGATAC	350	IPAH_SGF_172_191_R	TTTTCCAGCCATGCAGCAGCGAC	1441

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	F name	F sequence		R name	R sequence	
1107	IPAH_SGF_462_486_F	TCAGACCATGCTCGCAGAGAAACTT	271	IPAH_SGF_522_540_R	TGTCACTCCCGACACGCCA	1322
1111	RNASEP_BRM_461_488_F	TAAACCCCATCGGGAGCAAGACCGAATTA	147	RNASEP_BRM_542_561_R	TGCCTCGCGCAACCTACCG	1227
1112	RNASEP_BRM_325_347_F	TACCCCAGGGAAAGTGCCACAGA	185	RNASEP_BRM_402_428_R	TCTCTTACCCCACCCTTTCACCCTTAC	1125
1128	HUPB_CJ_113_134_F	TAGTTGCTCAAACACGCTGGGCT	230	HUPB_CJ_157_188_R	TCCCTAATAGTAGAAATAACTGCATCAGTAGC	1028
1129	HUPB_CJ_76_102_F	TCCCGGAGCTTTTATGACTAAAGCAGAT	324	HUPB_CJ_157_188_R	TCCCTAATAGTAGAAATAACTGCATCAGTAGC	1028
1130	HUPB_CJ_76_102_F	TCCCGGAGCTTTTATGACTAAAGCAGAT	324	HUPB_CJ_114_135_R	TAGCCCAGCTGTTGAGCAACT	913
1151	AB_MLST-11-OIF007_62_91_F	TGAGATTGCTGAACATTTAATGCTGATTGA	454	AB_MLST-11-OIF007_169_203_R	TTGTACATTTGAAACAATATGCATGACATGTGAAT	1418
1152	AB_MLST-11-OIF007_185_214_F	TAITGTTTCAAATGTACAGGTGAAGTGCG	243	AB_MLST-11-OIF007_291_324_R	TCACAGGTTCTACTTCATCAATAATTTCCATTGC	969
1153	AB_MLST-11-OIF007_260_289_F	TGGAACGTTATCAGGTGCCCCAAAAATTCG	541	AB_MLST-11-OIF007_364_393_R	TTGCAATCGACATATCCATTTCACCATGCC	1400
1154	AB_MLST-11-OIF007_206_239_F	TGAGTGCGTGATGATGATCGATGCACTTGATGTA	436	AB_MLST-11-OIF007_318_344_R	TCCGCCAAAAACTCCCCTTTTCACAGG	1036
1155	AB_MLST-11-OIF007_522_552_F	TCGGTTTAGTAAAGAAACGTATTGCTCAACC	378	AB_MLST-11-OIF007_587_610_R	TTCTGCTTGAGGAATAGTGCGTGG	1392
1156	AB_MLST-11-OIF007_547_571_F	TCAACCTGACTGCGTGAATGGTTGT	250	AB_MLST-11-OIF007_656_686_R	TACGTTCTACGATTTCTTCATCAGGTACATC	902
1157	AB_MLST-11-OIF007_601_627_F	TCAAGCAGAAGCTTTGGAAGAAGAAGG	256	AB_MLST-11-OIF007_710_736_R	TACAACGTGATAAACGACCAGAAGC	881
1158	AB_MLST-11-OIF007_1202_1225_F	TCGTGCCCGCAATTTGCATAAAGC	384	AB_MLST-11-OIF007_1266_1296_R	TAATGCCGGGTAGTGCAATCCATTCTTCTAG	878
1159	AB_MLST-11-OIF007_1202_1225_F	TCGTGCCCGCAATTTGCATAAAGC	384	AB_MLST-11-OIF007_1299_1316_R	TGCACCTGCGGTCGAGCG	1199
1160	AB_MLST-11-OIF007_1234_1264_F	TTGTAGCACAGCAAGGCAAAATTTCCTGAAAC	694	AB_MLST-11-OIF007_1335_1362_R	TGCCATTCCATAATCACGCCATACTGACG	1215
1161	AB_MLST-11-OIF007_1327_1356_F	TAGGTTTACGTCAGTATGGCGTGATTATGG	225	AB_MLST-11-OIF007_1422_1448_R	TGCCAGTTTCCACATTTCACGTTCGTG	1212
1162	AB_MLST-11-OIF007_1345_1369_F	TCGTGATTATGGATGGCAACGTGAA	383	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	1083
1163	AB_MLST-11-OIF007_1351_1375_F	TTATGGATGGCAACGTGAAACGCGT	662	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	1083
1164	AB_MLST-11-OIF007_1387_1412_F	TCTTTGCCATTGAAGATGACTTAAGC	422	AB_MLST-11-OIF007_1470_1494_R	TCGCTTGAGTGTAGTCATGATTGCG	1083
1165	AB_MLST-11-OIF007_1542_1569_F	TACTAGCGGGTAAGCTTAAACAAGATTGC	194	AB_MLST-11-OIF007_1656_1680_R	TGAGTCGGGTTCACTTTACCTGGCA	1173
1166	AB_MLST-11-OIF007_1566_1593_F	TTGCCAATGATATTCGTTGGTTAGCAAG	684	AB_MLST-11-OIF007_1656_1680_R	TGAGTCGGGTTCACTTTACCTGGCA	1173
1167	AB_MLST-11-OIF007_1611_1638_F	TCGGCGAAATCCGTATTCCTGAAATGA	375	AB_MLST-11-OIF007_1731_1757_R	TACCGGAAGCACCAGCACATTAATAG	890

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	F primer	Sequence	R primer		Sequence	
1168	AB_MLST-11- OIF007_1726_1752_F	TACCACTATTAATGTCGCTGGTGCTTC	AB_MLST-11- OIF007_1790_1821_R	182	TGCAACTGAATAGATTGCAGTAAGTTATAAGC	1195
1169	AB_MLST-11- OIF007_1792_1826_F	TTATAACTTACTGCAATCTATTCAGTTGCTTGGTG	AB_MLST-11- OIF007_1876_1909_R	656	TGAATTATGCAAGAGTGATCAATTTCTCACGA	1151
1170	AB_MLST-11- OIF007_1792_1826_F	TTATAACTTACTGCAATCTATTCAGTTGCTTGGTG	AB_MLST-11- OIF007_1895_1927_R	656	TGCCGTAACTAACATAAGAGAATTATGCAAGAA	1224
1171	AB_MLST-11- OIF007_1970_2002_F	TGGTTATGTACCAAATACTTTGTCTGAAGATGG	AB_MLST-11- OIF007_2097_2118_R	618	TGACGGCATCGATACCACCGTC	1157
1172	RNASEP_BRM_461_488_F	TAAACCCCATCGGGAGCAAGACCGAATA	RNASEP_BRM_542_561_2_R	147	TGCCTCGTGCAACCCACCCG	1228
2000	CTXB_NC002505_46_70_F	TCAGCGTATGCACATGGAACTCCTC	CTXB_NC002505_132_162_R	278	TCCGGCTAGAGATTCTGTATACGACAAATATC	1039
2001	FUR_NC002505_87_113_F	TGAGTGCCAACATATCAGTGCTGAAGA	FUR_NC002505_205_228_R	465	TCCGCCTTCAAAATGGTGGCGAGT	1037
2002	FUR_NC002505_87_113_F	TGAGTGCCAACATATCAGTGCTGAAGA	FUR_NC002505_178_205_R	465	TCACGATACCTGCATCATCAAATTGGTT	974
2003	GAPA_NC002505_533_560_F	TCGACAACACCATTATCTATGGTGTGAA	GAPA_NC002505_646_671_R	356	TCAGAATCGATGCCAAATGCGTCATC	980
2004	GAPA_NC002505_694_721_F	TCAATGAACGACCAACAAGTGATTGATG	GAPA_NC002505_769_798_R	259	TCCTCTATGCAACTTAGTATCAACAGGAAT	1046
2005	GAPA_NC002505_753_782_F	TGCTAGTCAATCTATCATTCCGGTTGAATAC	GAPA_NC002505_856_881_R	517	TCCATCGCAGTCACGTTTACTGTTGG	1011
2006	GYRB_NC002505_2_32_F	TGCCGGACAATTACGATTCATCGAGTAATTAA	GYRB_NC002505_109_134_R	501	TCCACCACCTCAAAGACCATGTGGTG	1003
2007	GYRB_NC002505_123_152_F	TGAGGTGGTGGATAAACTCAATTGATGAAGC	GYRB_NC002505_199_225_R	460	TCCGTCATCGCTGCTGACAGAAAACTGAGTT	1042
2008	GYRB_NC002505_768_794_F	TATGCAGTGGAACGATGGTTTCCAAGA	GYRB_NC002505_832_860_R	236	TGGAAACCGGCTAAGTGAGTACCACCATC	1262
2009	GYRB_NC002505_837_860_F	TGGTACTCACTTAGCGGGTTTCCG	GYRB_NC002505_937_957_R	603	TCCTTCACGCGCATCATCACC	1054
2010	GYRB_NC002505_934_956_F	TCCGGTCGATGATGCGCGTCAAGG	GYRB_NC002505_982_1007_R	377	TGGCTTGAGAATTTAGGATCCGGCAC	1283
2011	GYRB_NC002505_1161_1190_F	TAAAGCCCGTGAAATGACTCGTCGTAAAGG	GYRB_NC002505_1255_1284_R	148	TGAGTCACCCTCCACAATGTATAGTTCAGA	1172
2012	OMPU_NC002505_85_110_F	TACGCTGACGGAATCAACCAAAGCGG	OMPU_NC002505_154_180_R	190	TGCTTCAGCACGGCCACCAACTTCTAG	1254
2013	OMPU_NC002505_258_283_F	TGACGGGCCTATACGGTGTTGGTTTCT	OMPU_NC002505_346_369_R	451	TCCGAGACCAGCCGTAGGTGTAACG	1033
2014	OMPU_NC002505_431_455_F	TCACCGATATCATGGCTTACCACGG	OMPU_NC002505_544_567_R	266	TCGGTCAGCAAAACGGTAGCTTGC	1094
2015	OMPU_NC002505_533_557_F	TAGGCGTGAAAGCAAGCTACCGTTT	OMPU_NC002505_625_651_R	223	TAGAGAGTAGCCATCTTCACCGTTGTC	908
2016	OMPU_NC002505_689_713_F	TAGGTGCTCGTTACGCAGATCAAGA	OMPU_NC002505_725_751_R	224	TCGGGTAAGACGGCGGCTAGCATGTATT	1291
2017	OMPU_NC002505_727_7	TACATGCTAGCCGCCGTCTTAC	OMPU_NC002505_811_835_R	181	TAGCAGCTAGCTCGTCGTAACCAGTGTA	911

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward Name	Forward Sequence	Num	Reverse Name	Reverse Sequence	Num
2018	OMPU_NC002505_931_947_F	TACTACTTCAAGCCGAACTTCCG	193	OMPU_NC002505_1033_1053_R	TTAGAAGTCGTAACGTGGACC	1368
2019	OMPU_NC002505_927_953_F	TACTTACTACTTCAAGCCGAACTTCCG	197	OMPU_NC002505_1033_1054_R	TGGTTAGAAGTCGTAACGTGGACC	1307
2020	TCPA_NC002505_48_73_F	TCACGATAAGAAAACCGGTCAGAGG	269	TCPA_NC002505_148_170_R	TTCTGCGAATCAATCGCACGCTG	1391
2021	TDH_NC004605_265_289_F	TGGCTGACATCCTACATGACTGTGA	574	TDH_NC004605_357_386_R	TGTTGAAGCTGTACTTGACCTGATTTTA CG	1351
2022	VVHA_NC004460_772_802_F	TCTTATTCCAACTTCAAACCGAACTA TGACG	412	VVHA_NC004460_862_886_R	TACCAAAGCGTGCACGATAGTTGAG	887
2023	23S_EC_2643_2667_F	TGCCTGTTCTTAGTACGGAGAGGACC	508	23S_EC_2746_2770_R	TGGGTTTCGCGCTTAGATGCTTTCA	1297
2024	16S_EC_713_732_TMOD_F	TAGAACACCGATGGCGAAGGC	202	16S_EC_789_811_R	TGCCGTGGACTACCAGGGTATCTA	1240
2025	16S_EC_784_806_F	TGGATTAGAGACCCTGGTAGTCC	560	16S_EC_880_897_TMOD_R	TGGCCGTACTCCCCAGGCG	1278
2026	16S_EC_959_981_F	TGTCGATGCAACGCGAAGAACCT	634	16S_EC_1052_1074_R	TACGAGCTGACGACAGCCATGCA	896
2027	TUFB_EC_956_979_F	TGCACACGCCGTCTTCAACAACT	489	TUFB_EC_1034_1058_2_R	TGCATCACCATTTCCTTGTCCTTCG	1204
2028	RPOC_EC_2146_2174_TMOD_F	TCAGGAGTCGTTCAACTCGATCTACA TGAT	284	RPOC_EC_2227_2249_R	TGCTAGGCCATCAGGCCACGCAT	1244
2029	RPOB_EC_1841_1866_F	TGGTTATCGCTCAGGCGGAACTCCAAC	617	RPOB_EC_1909_1929_TMOD_R	TGCTCGGATTCGCCTTTGCTACG	1250
2030	RPLB_EC_650_679_TMOD_F	TGACCTACAGTAAGAGGTTCTGTAAT GAACC	449	RPLB_EC_739_763_R	TGCCAAGTGCTGGTTTACCCCATGG	1208
2031	RPLB_EC_690_710_F	TCCCACACGGTGGTGGTGAAGG	309	RPLB_EC_737_760_R	TGGGTGCTCGTTTACCCCATGGAG	1295
2032	INFB_EC_1366_1393_F	TCTCGTGGTGCACAAGTAACGGATAT TA	397	INFB_EC_1439_1469_R	TGTGCTGCTTTCGCATGGTTAATTGCTT CAA	1335
2033	VALS_EC_1105_1124_TMOD_F	TCGTGGCGGCCTGGTTATCGA	385	VALS_EC_1195_1219_R	TGGGTACGAACTGGATGTCGCCGTT	1292
2034	SSPE_BA_113_137_F	TGCAAGCAAACGCACAATCAGAAGC	482	SSPE_BA_197_222_TMOD_R	TTTGCACGTCTGTTTCAGTTGCAAATTC	1402
2035	RPOC_EC_2218_2241_TMOD_F	TCTGGCAGGTATGCGTGGTCTCGATG	405	RPOC_EC_2313_2338_R	TGGCACCGTGGGTTGAGATGAAGTAC	1273
2056	MECI-R_NC003923-41798-41609_33_60_F	TTTACACATATCGTGAGCAATGAACT GA	698	MECI-R_NC003923-41798-41609_86_113_R	TTGTGATATGGAGGTGTAGAAGGTGTTA	1420
2057	AGR-III_NC003923-2108074-2109507_1_23_F	TCACCAGTTTGCCACGTATCTTCAA	263	AGR-III_NC003923-2108074-2109507_56_79_R	ACCTGCATCCCTAAACGTACTTGC	730
2058	AGR-III_NC003923-2108074-2109507_569_596_F	TGAGCTTTTAGTTGACTTTTTCAACA GC	457	AGR-III_NC003923-2108074-2109507_622_653_R	TACTTCAGCTTCGTCCAATAAAAAATCA CAAT	906
2059	AGR-III_NC003923-2108074-2109507_1024_1052_F	TTTTCACACAGCCGTTGTTTATAGTTCTA CCA	701	AGR-III_NC003923-2108074-2109507_1070_1098_R	TGTAGGCAAGTGCATAAGAAATTGATAC A	1319
2060	AGR-I_AJ617706_622_651	TGGTGACTTCATAATGGATGAAGTTG AAGT	610	AGR-I_AJ617706_694_726_R	TCCCCATTTAATTAATTCCACCTACTATC ACACT	1021

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward name	Forward sequence	No.	Reverse name	Reverse sequence	No.
2061	AGR-I_AJ617706_580_611_F	TGGGGATTTTAAAAAACATTGGTAACA TCGCAG	579	AGR-I AJ617706_626_655_R	TGGTACTTCAACTTCATCCATTATGAAG TC	1302
2062	AGR-II_NC002745-2079448-2080879_620_651_F	TCTTGCAGCAGTTTATTTGATGAACC TAAAGT	415	AGR-II_NC002745-2079448-2080879_700_731_R	TTGTTTATTGTTTCCATATGCTACACAC TTTC	1424
2063	AGR-II_NC002745-2079448-2080879_649_679_F	TGTACCCGCTGAATTAACGAAATTTAT ACGAC	624	AGR-II_NC002745-2079448-2080879_715_745_R	TCGCCATAGCTAAGTTGTTTATTGTTTC CAT	1077
2064	AGR-IV_AJ617711_931_961_F	TGGTATTCTATTTTGCTGATAATGAC CTCGC	606	AGR-IV AJ617711_1004_1035_R	TGCGCTATCAACGATTTTGACAATATAT GTGA	1233
2065	AGR-IV_AJ617711_250_283_F	TGGCACTCTTGCCTTTAATATATTGTA AACTATCA	562	AGR-IV AJ617711_309_335_R	TCCCATACCTATGGCGATAACTGTCAT	1017
2066	BLAZ_NC002952(19138 27..1914672)_68_68_F	TCCACTTATCGCAAATGGAAAATTAA GCAA	312	BLAZ_NC002952(1913827..19 14672)_68_68_R	TGGCCACTTTTATCAGCAACCTTACAGT C	1277
2067	BLAZ_NC002952(19138 27..1914672)_68_68_2_F	TGCACTTATCGCAAATGGAAAATTAA GCAA	494	BLAZ_NC002952(1913827..19 14672)_68_68_2_R	TAGTCTTTTGGAACACCGTCTTTAATTA AAGT	926
2068	BLAZ_NC002952(19138 27..1914672)_68_68_3_F	TGATACTTCAACGCCTGCTTGCTTTC	467	BLAZ_NC002952(1913827..19 14672)_68_68_3_R	TGGAACACCGTCTTTAATTAAAGTATCT CC	1263
2069	BLAZ_NC002952(19138 27..1914672)_68_68_4_F	TATACTTCAACGCCTGCTTGCTTTC	232	BLAZ_NC002952(1913827..19 14672)_68_68_4_R	TCTTTTCTTTGCTAATTTTCCATTGC GAT	1145
2070	BLAZ_NC002952(19138 27..1914672)_1_33_F	TGCAATTGCTTTAGTTTTAAGTGCAT GTAATTC	487	BLAZ_NC002952(1913827..19 14672)_34_67_R	TTACTTCCTTACCACTTTTAGTATCTAA AGCATA	1366
2071	BLAZ_NC002952(19138 27..1914672)_3_34_F	TCCTTGCTTTAGTTTTAAGTGCATGT AATTCAA	351	BLAZ_NC002952(1913827..19 14672)_40_68_R	TGGGGACTTCCTTACCACTTTTAGTATC TAA	1289
2072	BSA-A_NC003923-1304065-1303589_99_125_F	TAGCCGAATGTGGCTTTACTTCACAAT T	214	BSA-A_NC003923-1304065-1303589_165_193_R	TGCAAGGGAAACCTAGAATTACAAACCC T	1197
2073	BSA-A_NC003923-1304065-1303589_194_218_F	ATCAATTTGGTGGCCAAGAACCTGG	32	BSA-A_NC003923-1304065-1303589_253_278_R	TGCATAGGGAAGGTAACACCATAGTT	1203
2074	BSA-A_NC003923-1304065-1303589_328_349_F	TTGACTGCGGCACACACGGAT	679	BSA-A_NC003923-1304065-1303589_388_415_R	TAACAACGTTACTTCGCGATCCACTAA	856
2075	BSA-A_NC003923-1304065-1303589_253_278_F	TGCTATGGTGTTACCTTCCCTATGCA	519	BSA-A_NC003923-1304065-1303589_317_344_R	TGTTGTGCCGCAGTCAAATATCTAAATA	1353
2076	BSA-B NC003923-	TAGCAACAAATATATCTGAAGCAGCG	209	BSA-B NC003923-1917149-	TGTGAAGAACTTTCAAATCTGTGAATCC	1331

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

		TACT		1914156_1011_1039_R	A	
2077	BSA-B_NC003923- 1917149- 1914156_953_982_F	TGAAAAGTATGGATTTGAACAACTCG TGAATA	426	BSA-B_NC003923-1917149- 1914156_1109_1136_R	TCTTCTTGAAAAATTGTGTCCCGAAAC	1138
2078	1917149- 1914156_1050_1081_F	TCATTATCATGCGCCAATGAGTGCAG A	300	BSA-B_NC003923-1917149- 1914156_1323_1353_R	TGGACTAATAACAATGAGCTCATTGTAC TGA	1267
2079	BSA-B_NC003923- 1917149- 1914156_2126_2153_F	TTTCATCTTATCGAGGACCCGAAATC GA	703	BSA-B_NC003923-1917149- 1914156_2186_2216_R	TGAATATGTAATGCAAACCAGTCTTTGT CAT	1148
2080	ERMA_NC002952- 55890- 56621_366_392_F	TCGCTATCTTATCGTTGAGAAGGGAT T	372	ERMA_NC002952-55890- 56621_487_513_R	TGAGTCTACACTTGGCTTAGGATGAAA	1174
2081	ERMA_NC002952- 55890- 56621_366_395_F	TAGCTATCTTATCGTTGAGAAGGGAT TTGC	217	ERMA_NC002952-55890- 56621_438_465_R	TGAGCCATTTTTATATCCATCTCCACCAT	1167
2082	ERMA_NC002952- 55890- 56621_374_402_F	TGATCGTTGAGAAGGGATTTGCGAAA AGA	470	ERMA_NC002952-55890- 56621_473_504_R	TCTTGGCTTAGGATGAAAATATAGTGGT GGTA	1143
2083	ERMA_NC002952- 55890- 56621_404_427_F	TGCAAAATCTGCAACGAGCTTTGG	480	ERMA_NC002952-55890- 56621_491_520_R	TCAATACAGAGTCTACACTTGGCTTAGG AT	964
2084	ERMA_NC002952- 55890- 56621_489_516_F	TCATCCTAAGCCAAGTGTAGACTCTG TA	297	ERMA_NC002952-55890- 56621_586_615_R	TGGACGATATTCACGGTTTACCCACTTA TA	1266
2085	ERMA_NC002952- 55890- 56621_586_614_F	TATAAGTGGGTAAACCGTGAATATCG TGT	231	ERMA_NC002952-55890- 56621_640_665_R	TTGACATTGCATGCTTCAAAGCCTG	1397
2086	ERMC_NC005908-2004- 2738_85_116_F	TCTGAACATGATAATATCTTTGAAAT CGGCTC	399	ERMC_NC005908-2004- 2738_173_206_R	TCCGTAGTTTTGCATAATTTATGGTCTA TTTCAA	1041
2087	ERMC_NC005908-2004- 2738_90_120_F	TCATGATAATATCTTTGAAATCGGCT CAGGA	298	ERMC_NC005908-2004- 2738_160_189_R	TTTATGGTCTATTTCAATGGCAGTTACG AA	1429
2088	ERMC_NC005908-2004- 2738_115_139_F	TCAGGAAAAGGGGCATTTTACCCTTG	283	ERMC_NC005908-2004- 2738_161_187_R	TATGGTCTATTTCAATGGCAGTTACGA	936
2089	ERMC_NC005908-2004- 2738_374_397_F	TAATCGTGAATACGGGGTTTGCTA	168	ERMC_NC005908-2004- 2738_425_452_R	TCAACTTCTGCCATTAAAAGTAATGCCA	956
2090	ERMC_NC005908-2004- 2738_101_125_F	TCTTTGAAATCGGCTCAGGAAAAGG	421	ERMC_NC005908-2004- 2738_159_188_R	TGATGGTCTATTTCAATGGCAGTTACGA AA	1185
2091	ERMB_Y13600-625- 1362_291_321_F	TGTTGGGAGTTATTCCTTACCATTTAA GCACA	644	ERMB_Y13600-625- 1362_352_380_R	TCAACAATCAGATAGAGTGTCAGACGCAT G	953
2092	ERMB_Y13600-625- 1362_344_367_F	TGGAAAGCCATGCGTCTGACATCT	536	ERMB_Y13600-625- 1362_415_437_R	TGCAAGAGCAACCCTAGTGTTCG	1196
2093	ERMB_Y13600-625- 1362_404_429_F	TGGATATTCACCGAACACTAGGGTTG	556	ERMB_Y13600-625- 1362_471_493_R	TAGGAGATGAAAGCATTCCGCTGGC	919

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	F primer name	F sequence	No.	R primer name	R sequence	No.
2094	ERMB_Y13600-625-1362_465_487_F	TAAGCTGCCAGCGGATGCTTTC	161	ERMB_Y13600-625-1362_521_545_R	TCATCTGTGGTATGGCGGGTAAGTT	989
2095	PVLUK_NC003923-1529595-1531285_688_713_F	TGAGCTGCATCAACTGTATTGGATAG	456	PVLUK_NC003923-1529595-1531285_775_804_R	TGGAAAACTCATGAAATTAARAGTGAAAGGA	1261
2096	PVLUK_NC003923-1529595-1531285_1039_1068_F	TGGAACAAAATAGTCTCTCCGGATTTTGACT	539	PVLUK_NC003923-1529595-1531285_1095_1125_R	TCATTAGTAAAATGTCTGGACATGATCCAA	993
2097	PVLUK_NC003923-1529595-1531285_908_936_F	TGAGTAACATCCATATTTCTGCCATACGT	461	PVLUK_NC003923-1529595-1531285_950_978_R	TCTCATGAAAAAGGCTCAGGAGATACAAG	1124
2098	PVLUK_NC003923-1529595-1531285_610_633_F	TCGGAATCTGATGTTGCAGTTGTT	373	PVLUK_NC003923-1529595-1531285_654_682_R	TCACACCTGTAAGTGAGAAAAAGGTTGAT	968
2099	SA442_NC003923-2538576-2538831_11_35_F	TGTCGGTACACGATATTCTTCACGA	635	SA442_NC003923-2538576-2538831_98_124_R	TTTCCGATGCAACGTAATGAGATTTCA	1433
2100	SA442_NC003923-2538576-2538831_98_124_F	TGAAATCTCATTACGTTGCATCGGAAA	427	SA442_NC003923-2538576-2538831_163_188_R	TCGTATGACCAGCTTCGGTACTACTA	1098
2101	SA442_NC003923-2538576-2538831_103_126_F	TCTCATTACGTTGCATCGGAAACA	395	SA442_NC003923-2538576-2538831_161_187_R	TTTATGACCAGCTTCGGTACTACTAAA	1428
2102	SA442_NC003923-2538576-2538831_166_188_F	TAGTACCGAAGCTGGTCATACGA	226	SA442_NC003923-2538576-2538831_231_257_R	TGATAATGAAGGGAAACCTTTTCACG	1179
2103	SEA_NC003923-2052219-2051456_115_135_F	TGCAGGGAACAGCTTAGGCA	495	SEA_NC003923-2052219-2051456_173_200_R	TCGATCGTGACTCTCTTTATTTTCAGTT	1070
2104	SEA_NC003923-2052219-2051456_572_598_F	TAACTCTGATGTTTTTGATGGGAAGGT	156	SEA_NC003923-2052219-2051456_621_651_R	TGTAATTAACCGAAGGTTCTGTAGAAGTATG	1315
2105	SEA_NC003923-2052219-2051456_382_414_F	TGTATGGTGGTGTAACGTTACATGATAATAATC	629	SEA_NC003923-2052219-2051456_464_492_R	TAACCGTTCCAAAGTACTGTATTTGT	861
2106	SEA_NC003923-2052219-2051456_377_406_F	TTGTATGTATGGGTGTGTAACGTTACATGA	695	SEA_NC003923-2052219-2051456_459_492_R	TAACCGTTCCAAAGTACTGTATTTGTTTACC	862
2107	SEB_NC002758-2135540-2135140_208_237_F	TTTTCACATGTAATTTTGATATTCGCACTGA	702	SEB_NC002758-2135540-2135140_273_298_R	TCATCTGGTTTAGGATCTGGTTGACT	988
2108	SEB_NC002758-2135540-2135140_206_235_F	TATTTCACATGTAATTTTGATATTCGCACT	244	SEB_NC002758-2135540-2135140_281_304_R	TGCAACTCATCTGGTTTAGGATCT	1194
2109	SEB_NC002758-2135540-2135140_206_235_F	TAACAACTCGCCTTATGAAACGGGATATA	151	SEB_NC002758-2135540-2135140_402_402_R	TGTTGCAGGCATCATGTCATACCAA	1334

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward primer	Forward sequence		Reverse primer	Reverse sequence	
2110	SEB_NC002758-2135540-2135140_402_402_F / SEB_NC002758-2135540-2135140_402_402_2_F	TTGTATGTATGGTGGTGTAACTGAGCA	696	SEB_NC002758-2135540-2135140_402_402_2_R	TTACCATCTTCAAATACCCGAACAGTAA	1361
2111	SEC_NC003923-851678-852768_546_575_F	TTAACATGAAGGAAACCACTTTGATAATGG	648	SEC_NC003923-851678-852768_620_647_R	TGAGTTTGCACTTCAAAAGAAATTGTGT	1177
2112	SEC_NC003923-851678-852768_537_566_F	TGGAATAACAAAACATGAAGGAAACCACTT	546	SEC_NC003923-851678-852768_619_647_R	TCAGTTTGCACTTCAAAAGAAATTGTGTT	985
2113	SEC_NC003923-851678-852768_720_749_F	TGAGTTTAACAGTTCACCATATGAAACAGG	466	SEC_NC003923-851678-852768_794_815_R	TCGCCTGGTGCAGGCATCATAT	1078
2114	SEC_NC003923-851678-852768_787_810_F	TGGTATGATATGATGCCTGCACCA	604	SEC_NC003923-851678-852768_853_886_R	TCTTCACACTTTTAGAATCACCGTTTTATTGTC	1133
2115	SED_M28521_657_682_F	TGGTGGTGAAATAGATAGGACTGCTT	615	SED_M28521_741_770_R	TGTACACCATTTATCCACAAATTGATTGGT	1318
2116	SED_M28521_690_711_F	TGGAGGTGTCACTCCACACGAA	554	SED_M28521_739_770_R	TGGGCACCATTTATCCACAAATTGATTGGTAT	1288
2117	SED_M28521_833_854_F	TTGCACAAGCAAGGCGCTATTT	683	SED_M28521_888_911_R	TCGCGCTGTATTTTCCTCCGAGA	1079
2118	SED_M28521_962_987_F	TGGATGTTAAGGGTGATTTTCCCGAA	559	SED_M28521_1022_1048_R	TGTCAATATGAAGGTGCTCTGTGGATA	1320
2119	SEA-SEE_NC002952-2131289-2130703_16_45_F	TTTACACTACTTTTATTCATTGCCCTAACG	699	SEA-SEE_NC002952-2131289-2130703_71_98_R	TCATTTATTCTTCGCTTTTCTCGCTAC	994
2120	SEA-SEE_NC002952-2131289-2130703_249_278_F	TGATCATCCGTGGTATAACGATTTATTAGT	469	SEA-SEE_NC002952-2131289-2130703_314_344_R	TAAGCACCATATAAGTCTACTTTTTTCCCTT	870
2121	SEE_NC002952-2131289-2130703_409_437_F	TGACATGAATAATAACCGATTGACCGAAGA	445	SEE_NC002952-2131289-2130703_465_494_R	TCTATAGGTACTGTAGTTGTTTTCCGTCT	1120
2122	SEE_NC002952-2131289-2130703_525_550_F	TGTTCAAGAGCTAGATCTTCAGGCAA	640	SEE_NC002952-2131289-2130703_586_586_R	TTTGCACCTTACCGCCAAAGCT	1436
2123	SEE_NC002952-2131289-2130703_525_549_F	TGTTCAAGAGCTAGATCTTCAGGCA	639	SEE_NC002952-2131289-2130703_586_586_2_R	TACCTTACCGCCAAAGCTGTCT	892
2124	SEE_NC002952-2131289-2130703_361_384_F	TCTGGAGGCACACCCAAATAAAACA	403	SEE_NC002952-2131289-2130703_444_471_R	TCCGTCTATCCACAAGTTAATTGGTACT	1043
2125	SEG_NC002758-1955100-1954171_225_251_F	TGCTCAACCCGATCCTAAATTAGACGA	520	SEG_NC002758-1955100-1954171_321_346_R	TAACTCCTCTTCCTTCAACAGGTGGA	863

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Name_F	Sequence_F	#	Name_R	Sequence_R	#
2126	SEG_NC002758-1955100-1954171_623_651_F	TGGACAAATAGACAATCACTTGGATTTACA	548	SEG_NC002758-1955100-1954171_671_702_R	TGCTTTGTGAATCTAGTTCCTGAATAGTAACCA	1260
2127	SEG_NC002758-1955100-1954171_540_564_F	TGGAGGTTGTTGTATGGTGT	555	SEG_NC002758-1955100-1954171_607_635_R	TGTCTCATTGTCGATTGTTACCTGTACAGT	1329
2128	SEG_NC002758-1955100-1954171_694_718_F	TACAAAGCAAGACACTGGCTCACTA	173	SEG_NC002758-1955100-1954171_735_762_R	TGATTCAAATGCAGAACCATCAAACTCG	1187
2129	SEH_NC002953-60024-60977_449_472_F	TTGCAACTGCTGATTTAGCTCAGA	682	SEH_NC002953-60024-60977_547_576_R	TAGTGTTGTACCTCCATATAGACATTCAGA	927
2130	SEH_NC002953-60024-60977_408_434_F	TAGAAATCAAGGTGATAGTGGCAATGA	201	SEH_NC002953-60024-60977_450_473_R	TTCTGAGCTAAATCAGCAGTTGCA	1390
2131	SEH_NC002953-60024-60977_547_576_F	TCTGAATGTCTATATGGAGGTACAACACTA	400	SEH_NC002953-60024-60977_608_634_R	TACCATCTACCCAAACATTAGCACCAA	888
2132	SEH_NC002953-60024-60977_546_575_F	TTCTGAATGTCTATATGGAGGTACAACACT	677	SEH_NC002953-60024-60977_594_616_R	TAGCACCAATCACCCTTCCTGT	909
2133	SEI_NC002758-1957830-1956949_324_349_F	TCAACTCGAATTTCAACAGGTACCA	253	SEI_NC002758-1957830-1956949_419_446_R	TCACAAGGACCATTATAATCAATGCCAA	966
2134	SEI_NC002758-1957830-1956949_336_363_F	TTCAACAGGTACCAATGATTTGATCTCA	666	SEI_NC002758-1957830-1956949_420_447_R	TGTACAAGGACCATTATAATCAATGCCA	1316
2135	SEI_NC002758-1957830-1956949_356_384_F	TGATCTCAGAATCTAATAATTGGGACGAA	471	SEI_NC002758-1957830-1956949_449_474_R	TCTGGCCCCTCCATACACATGTATTTAG	1129
2136	SEI_NC002758-1957830-1956949_223_253_F	TCTCAAGGTGATATTGGTGTAGGTAACTTAA	394	SEI_NC002758-1957830-1956949_290_316_R	TGGGTAGGTTTTTATCTGTGACGCCTT	1293
2137	SEJ_AF053140_1307_1332_F	TGTTGGAGTAACACTGCCATGAAAAACAA	637	SEJ_AF053140_1381_1404_R	TCTAGCGGAACAACAGTTCTGATG	1118
2138	SEJ_AF053140_1378_1403_F	TAGCCATCAGAACTGTTGTTCCGCTAG	211	SEJ_AF053140_1429_1458_R	TCCTGAAGATCTAGTTCTTGAATGGTTACT	1049
2139	SEJ_AF053140_1431_1459_F	TAACCATTCAAGAACTAGATCTTCAGGCA	153	SEJ_AF053140_1500_1531_R	TAGTCCTTTCTGAATTTTACCATCAAAGGTAC	925
2140	SEJ_AF053140_1434_1461_F	TCATTCAAGAACTAGATCTTCAGGCAAG	301	SEJ_AF053140_1521_1549_R	TCAGGTATGAAACACGATTAGTCCTTTCT	984
2141	TSST_NC002758-2137564-2138293_206_236_F	TGGTTTAGATAATTCCTTAGGATCTATGCGT	619	TSST_NC002758-2137564-2138293_278_305_R	TGTAAAAGCAGGGCTATAATAAGGACTC	1312
2142	TSST_NC002758-2137564-2138293_232_258_F	TGCGTATAAAAAAACACAGATGGCAGCA	514	TSST_NC002758-2137564-2138293_289_313_R	TGCCCTTTTGTAAAGCAGGGCTAT	1221
2143	TSST_NC002758-2137564-2138293_382_410_F	TCCAAATAAGTGGCGTTACAAATACTGAA	304	TSST_NC002758-2137564-2138293_448_478_R	TACTTTAAGGGGCTATCTTTACCATGAACCT	907

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2144	TSST_NC002758-2137564-2138293_297_325_F	TCTTTTACAAAAGGGGAAAAAGTTGACTT	423	TSST_NC002758-2138293_347_373_R	TAAGTTCCTTCGCTAGTATGTTGGCTT	874
2145	ARCC_NC003923-2725050-2724595_37_58_F	TCGCCGGCAATGCCATTGGATA	368	ARCC_NC003923-2724595_97_128_R	TGAGTTAAAATGCGATTGATTTCAGTTTCCAA	1175
2146	ARCC_NC003923-2725050-2724595_131_161_F	TGAATAGTGATAGAACTGTAGGCACAATCGT	437	ARCC_NC003923-2724595_214_245_R	TCTTCTCTTTCGTATAAAAAGGACCAATTGG	1137
2147	ARCC_NC003923-2725050-2724595_218_249_F	TTGGTCCTTTTTATACGAAAGAAGAAGTTGAA	691	ARCC_NC003923-2724595_322_353_R	TGGTGTTCTAGTATAGATTGAGGTAGTGGTGA	1306
2148	AROE_NC003923-1674726-1674277_371_393_F	TTGCGAATGAACGATGGCTCGT	686	AROE_NC003923-1674726-1674277_435_464_R	TCGAATTCAGCTAAATACTTTTCAGCATCT	1064
2149	AROE_NC003923-1674726-1674277_30_62_F	TGGGGCTTTAAATATTCCAATTGAAGATTTTCA	590	AROE_NC003923-1674726-1674277_155_181_R	TACCTGCATTAATCGCTTGTTCATCAA	891
2150	AROE_NC003923-1674726-1674277_204_232_F	TGATGGCAAGTGGATAGGGTATAATACAG	474	AROE_NC003923-1674726-1674277_308_335_R	TAAGCAATACCTTTACTTGCACCACCTG	869
2151	GLPF_NC003923-1296927-1297391_270_301_F	TGCACCGGCTATTAAGAATTACTTTGCCAACT	491	GLPF_NC003923-1296927-1297391_382_414_R	TGCAACAATTAATGCTCCGACAATTAAAGGATT	1193
2152	GLPF_NC003923-1296927-1297391_27_51_F	TGGATGGGGATTAGCGGTTACAATG	558	GLPF_NC003923-1296927-1297391_81_108_R	TAAAGACACCGCTCGGGTTTAAATGTGCA	850
2153	GLPF_NC003923-1296927-1297391_239_260_F	TAGCTGGCGCGAAATTAGGTGT	218	GLPF_NC003923-1296927-1297391_323_359_R	TCACCGGATAGATAAAATAAAATACCTAAAGTTAATGCCATTG	972
2154	GMK_NC003923-1190906-1191334_91_122_F	TACTTTTTTAAAAACTAGGGATGCCGTTTGAAGC	200	GMK_NC003923-1190906-1191334_166_197_R	TGATATTGAACTGTGTACCATAATAGTTGCC	1180
2155	GMK_NC003923-1190906-1191334_240_267_F	TGAAGTAGAAGGTGCAAAGCAAGTTAGA	435	GMK_NC003923-1190906-1191334_305_333_R	TCGCTCTCTCCAAGTGATCTAAACTTGGAG	1082
2156	GMK_NC003923-1190906-1191334_301_329_F	TCACCTCCAAGTTTAGATCACTTGAGAGA	268	GMK_NC003923-1190906-1191334_403_432_R	TGGGACGTAATCGTATAAAATTCATCATTTC	1284
2157	PTA_NC003923-628885-629355_237_263_F	TCTTGTTTATGCTGGTAAAGCAGATGG	418	PTA_NC003923-628885-629355_314_345_R	TGGTACACCTGGTTTCGTTTTGATGATTTGTA	1301
2158	PTA_NC003923-628885-629355_141_171_F	TGAATTAGTTCAATCATTGTTGAACGACGT	439	PTA_NC003923-628885-629355_211_239_R	TGCATTGTACCGAAGTAGTTCACATTGTT	1207

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

SEQ ID	Forward Name	Forward Sequence	No.	Reverse Name	Reverse Sequence	No.
2159	PTA_NC003923-628885-629355_328_356_F	TCCAAACCAGGTGTATCAAGAACATCAGG	303	PTA_NC003923-628885-629355_393_422_R	TGTTTCTGGATTGATTGCACAATCACCAAAG	1349
2160	TPI_NC003923-830671-831072_131_160_F	TGCAAGTTAAGAAAGCTGTTGCAGTTTAT	486	TPI_NC003923-830671-831072_209_239_R	TGAGATGTTGATGATTTACCAGTTCCGATTG	1165
2161	TPI_NC003923-830671-831072_1_34_F	TCCCACGAAACAGATGAGAAATTAACAAAAAG	318	TPI_NC003923-830671-831072_97_129_R	TGGTACAACATCGTTAGCTTTACCACTTTCACG	1300
2162	TPI_NC003923-830671-831072_199_227_F	TCAAACTGGGCAATCGGAACTGGTAAATC	246	TPI_NC003923-830671-831072_253_286_R	TGGCAGCAATAGTTTGACGTACAAATGCACACAT	1275
2163	YQI_NC003923-378916-379431_142_167_F	TGAATTGCTGCTATGAAAGGTGGCTT	440	YQI_NC003923-378916-379431_259_284_R	TCGCCAGCTAGCACGATGTCATTTTC	1076
2164	YQI_NC003923-378916-379431_44_77_F	TACAACATATATTATTAAAGAGACGACGGGTTTGAATCC	175	YQI_NC003923-378916-379431_120_145_R	TTCGTGCTGGATTTGTCCTTGTCCT	1388
2165	YQI_NC003923-378916-379431_135_160_F	TCCAGCACGAATTGCTGCTATGAAAG	314	YQI_NC003923-378916-379431_193_221_R	TCCAACCCAGAAACCACATACTTTATTCAC	997
2166	YQI_NC003923-378916-379431_275_300_F	TAGCTGGCGGTATGGAGAATATGTCT	219	YQI_NC003923-378916-379431_364_396_R	TCCATCTGTTAAACCATCATCATATACCAATGCTATC	1013
2167	BLAZ_(1913827..1914672)_546_575_2_F	TCCACTTATCGCAAATGGAAAATTAAGCAA	312	BLAZ_(1913827..1914672)_655_683_R	TGGCCACTTTTATCAGCAACCTTACAGTC	1277
2168	BLAZ_(1913827..1914672)_546_575_2_F	TGCACTTATCGCAAATGGAAAATTAAGCAA	494	BLAZ_(1913827..1914672)_628_659_R	TAGTCTTTTGGAACACCGTCTTTAATTAAAGTAAGT	926
2169	BLAZ_(1913827..1914672)_507_531_F	TGATACTTCAACGCCTGCTGCTTTC	467	BLAZ_(1913827..1914672)_622_651_R	TGGAACACCGTCTTTAATTAAAGTATCTCC	1263
2170	BLAZ_(1913827..1914672)_508_531_F	TATATCTTCAACGCGCTGCTGCTTTC	232	BLAZ_(1913827..1914672)_553_583_R	TCTTTTCTTGTTGCTTAAATTTTCCATTTGCGAT	1145
2171	BLAZ_(1913827..1914672)_24_56_F	TGCAATTGCTTTAGTTTTAAGTGCATGTAAATTC	487	BLAZ_(1913827..1914672)_121_154_R	TTACTTCCTTACCACTTTTAGTATCTAAAGCATA	1366
2172	BLAZ_(1913827..1914672)_26_58_F	TCCTTGCTTAGTTTAGTTTTAAGTGCATGTAAATTCAA	351	BLAZ_(1913827..1914672)_127_157_R	TGGGGACTTCCTTACCACTTTTAGTATCTAA	1289
2173	BLAZ_NC002952-1913827-1914672_546_575_F	TCCACTTATCGCAAATGGAAAATTAAGCAA	312	BLAZ_NC002952-1913827-1914672_655_683_R	TGGCCACTTTTATCAGCAACCTTACAGTC	1277
2174	BLAZ_NC002952-1913827-1914672_546_575_2_F	TGCACTTATCGCAAATGGAAAATTAAGCAA	494	BLAZ_NC002952-1913827-1914672_628_659_R	TAGTCTTTTGGAACACCGTCTTTAATTAAAGT	926
2175	BLAZ_NC002952-1913827-1914672_507_531_F	TGATACTTCAACGCCTGCTGCTTTC	467	BLAZ_NC002952-1913827-1914672_622_651_R	TGGAACACCGTCTTTAATTAAAGTATCTCC	1263

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2176	BLAZ_NC002952-1913827-1914672_508_531_F	TATACTTCAACGCCTGCTGCTTTC	232	BLAZ_NC002952-1913827-1914672_553_583_R	TCTTTTCTTTGCTTAATTTCCATTTGCGAT	1145
2177	BLAZ_NC002952-1913827-1914672_24_56_F	TGCAATTGCTTTAGTTTTAAGTGCATGTAATTC	487	BLAZ_NC002952-1913827-1914672_121_154_R	TTACTTCCTTACCACTTTTAGTATCTAAAGCATA	1366
2178	BLAZ_NC002952-1913827-1914672_26_58_F	TCCTTGCTTTAGTTTTAAGTGCATGTAATTCAA	351	BLAZ_NC002952-1913827-1914672_127_157_R	TGGGGACTTCCTTACCACTTTTAGTATCTAA	1289
2247	TUFB_NC002758-615038-616222_693_721_F	TGTTGAACGTGGTCAAATCAAAGTTGGTG	643	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAGCTTCAGCGTAGTCTAATAA	1321
2248	TUFB_NC002758-615038-616222_690_716_F	TCGTGTTGAACGTGGTCAAATCAAAGT	386	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAGCTTCAGCGTAGTCTAATAA	1321
2249	TUFB_NC002758-615038-616222_696_725_F	TGAACGTGGTCAAATCAAAGTTGGTGAAGA	430	TUFB_NC002758-615038-616222_793_820_R	TGTCACCAGCTTCAGCGTAGTCTAATAA	1321
2250	TUFB_NC002758-615038-616222_488_513_F	TCCCAGGTGACGATGTACCTGTAATC	320	TUFB_NC002758-615038-616222_601_630_R	TGGTTGTCAGAAATCACGTTCTGGGAGTTGG	1311
2251	TUFB_NC002758-615038-616222_945_972_F	TGAAGGTGGACGTCACACTCCATTCTC	433	TUFB_NC002758-615038-616222_1030_1060_R	TAGGCATAACCATTTCAGTACCTTCTGGTAA	922
2252	TUFB_NC002758-615038-616222_333_356_F	TCCAATGCCACAAACTCGTCAACA	307	TUFB_NC002758-615038-616222_424_459_R	TTCCATTTCAACTAATTCTAATAATTCTTCATCGTC	1382
2253	NUC_NC002758-894288-894974_402_424_F	TCCTGAAGCAAGTGCATTTACGA	342	NUC_NC002758-894288-894974_483_509_R	TACGCTAAGCCACGTCCATATTTATCA	899
2254	NUC_NC002758-894288-894974_53_81_F	TCCTTATAGGGATGGCTATCAGTAATGTT	349	NUC_NC002758-894288-894974_165_189_R	TGTTTGTGATGCATTTGCTGAGCTA	1354
2255	NUC_NC002758-894288-894974_169_194_F	TCAGCAAATGCATCACAAACAGATAA	273	NUC_NC002758-894288-894974_222_250_R	TAGTTGAAGTTGCACTATATACTGTTGGA	928
2256	NUC_NC002758-894288-894974_316_345_F	TACAAAGGTCAACCAATGACATTCAGACTA	174	NUC_NC002758-894288-894974_396_421_R	TAAATGCACTTGCTTCAGGGGCATAT	853
2270	RPOB_EC_3798_3821_1_F	TGGCCAGCGCTTCGGTGAAATGGA	566	RPOB_EC_3868_3895_R	TCACGTCGTCCGACTTCACGGTCAGCAT	979
2271	RPOB_EC_3789_3812_F	TCAGTTCGGCGGGTCAGCGGCTTCGG	294	RPOB_EC_3860_3890_R	TCGTCGGACTTAACGGTCAGCATTCCTGCA	1107
2272	RPOB_EC_3789_3812_F	TCAGTTCGGCGGGTCAGCGGCTTCGG	294	RPOB_EC_3860_3890_2_R	TCGTCCGACTTAACGGTCAGCATTCCTGCA	1102

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward Name	Forward Sequence		Reverse Name	Reverse Sequence	
2273	RPOB_EC_3789_3812_F	TCAGTTCGGCGGTCAGCGCTTCGG	294	RPOB_EC_3862_3890_R	TCGTCGGACTTAACGGTCAGCATTTCCTG	1106
2274	RPOB_EC_3789_3812_F	TCAGTTCGGCGGTCAGCGCTTCGG	294	RPOB_EC_3862_3890_2_R	TCGTCCGACTTAACGGTCAGCATTTCCTG	1101
2275	RPOB_EC_3793_3812_F	TTCGGCGGTCAGCGCTTCGG	674	RPOB_EC_3865_3890_R	TCGTCGGACTTAACGGTCAGCATTTC	1105
2276	RPOB_EC_3793_3812_F	TTCGGCGGTCAGCGCTTCGG	674	RPOB_EC_3865_3890_2_R	TCGTCCGACTTAACGGTCAGCATTTC	1100
2309	MUPR_X75439_1658_1689_F	TCCTTTGATATATATCGATGGAAGGTTGGT	352	MUPR_X75439_1744_1773_R	TCCCTTCCTTAATATGAGAAGGAAACCACT	1030
2310	MUPR_X75439_1330_1353_F	TTCCTCCTTTTGAAAGCGACGGTT	669	MUPR_X75439_1413_1441_R	TGAGCTGGTGCTATATGAACAATACCAGT	1171
2312	MUPR_X75439_1314_1338_F	TTTCCTCCTTTTGAAAGCGACGGTT	704	MUPR_X75439_1381_1409_R	TATATGAACAATACCAGTTCCTTCTGAGT	931
2313	MUPR_X75439_2486_2516_F	TAATTGGGCTCTTTCTCGCTTAAACACCTTA	172	MUPR_X75439_2548_2574_R	TTAATCTGGCTGCGAAGTGAAATCGT	1360
2314	MUPR_X75439_2547_2572_F	TACGATTTCACTTCCGCAGCCAGATT	188	MUPR_X75439_2605_2630_R	TCGTCCTCGAATCTCCGATATACC	1103
2315	MUPR_X75439_2666_2696_F	TGCGTACAATACGCTTTATGAAATTTTAACA	513	MUPR_X75439_2711_2740_R	TCAGATATAAATGGAACAAATGGAGCCACT	981
2316	MUPR_X75439_2813_2843_F	TAATCAAGCATTGGAAGATGAAATGCATACC	165	MUPR_X75439_2867_2890_R	TCTGCATTTTGCGAGCCTGTCTA	1127
2317	MUPR_X75439_884_914_F	TGACATGGACTCCCCCTATATAACTCTTGAG	447	MUPR_X75439_977_1007_R	TGTACAATAAGGAGTCACCTTATGTCCCTTA	1317
2318	CTXA_NC002505-1568114-1567341_114_142_F	TGGTCTTATGCCAAGAGGACAGAGTGAGT	608	CTXA_NC002505-1568114-1567341_194_221_R	TCGTGCCTAACAAATCCCGTCTGAGTTC	1109
2319	CTXA_NC002505-1568114-1567341_117_145_F	TCTTATGCCAAGAGGACAGAGTGAGTACT	411	CTXA_NC002505-1568114-1567341_194_221_R	TCGTGCCTAACAAATCCCGTCTGAGTTC	1109
2320	CTXA_NC002505-1568114-1567341_114_142_F	TGGTCTTATGCCAAGAGGACAGAGTGAGT	608	CTXA_NC002505-1568114-1567341_186_214_R	TAACAAATCCCGTCTGAGTTCCTCTTGCA	855
2321	CTXA_NC002505-1568114-1567341_117_145_F	TCTTATGCCAAGAGGACAGAGTGAGTACT	411	CTXA_NC002505-1568114-1567341_186_214_R	TAACAAATCCCGTCTGAGTTCCTCTTGCA	855
2322	CTXA_NC002505-1568114-1567341_129_156_F	AGGACAGAGTGAGTACTTTGACCGAGGT	27	CTXA_NC002505-1568114-1567341_180_207_R	TCCCGTCTGAGTTCCTCTTGCATGATCA	1027
2323	CTXA_NC002505-1568114-1567341_122_149_F	TGCCAAGAGGACAGAGTGAGTACTTTGA	500	CTXA_NC002505-1568114-1567341_186_214_R	TAACAAATCCCGTCTGAGTTCCTCTTGCA	855
2324	INV_U22457-74-3772_831_858_F	TGCTTATTTACCTGCACTCCCACAACTG	530	INV_U22457-74-3772_942_966_R	TGACCCAAAGCTGAAAGCTTTACTG	1154
2325	INV_U22457-74-3772_827_857_F	TGAATGCTTATTTACCTGCACTCCCACAACT	438	INV_U22457-74-3772_942_970_R	TAACTGACCCAAAGCTGAAAGCTTTACTG	864
2326	INV_U22457-74-	TGCTGGTAACAGAGCCTTATAGGCGC	526	INV_U22457-74-	TGGGTTGCGTTGCGATTATCTTTACCA	1296

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

No.	Forward primer name	Forward sequence (5'→3')	A	Pos	Reverse primer name	Reverse sequence (5'→3')	A	Length
	3772_1555_1581_F		A		3772_1619_1647_R		A	
2327	INV_U22457-74-3772_1555_1581_F	TGGTAACAGAGCCTTATAGGCGCATATG		598	INV_U22457-74-3772_1622_1652_R	TCATAAGGGTTGCGTTGCAGATTATCTTTAC		987
2328	ASD_NC006570-439714-438608_3_37_F	TGAGGGTTTTATGCTTAAAGTTGGTTTTATTGGTT		459	ASD_NC006570-439714-438608_54_84_R	TGATTCGATCATACGAGACATTAAAACTGAG		1188
2329	ASD_NC006570-439714-438608_18_45_F	TAAAGTTGGTTTTATTGGTTGGCGCGGA		149	ASD_NC006570-439714-438608_66_95_R	TCAAAATCTTTGATTCGATCATACGAGAC		948
2330	ASD_NC006570-439714-438608_17_45_F	TTAAAGTTGGTTTTATTGGTTGGCGCGGA		647	ASD_NC006570-439714-438608_67_95_R	TCCCAATCTTTGATTCGATCATACGAGA		1016
2331	ASD_NC006570-439714-438608_9_40_F	TTTTATGCTTAAAGTTGGTTTTATTGGTTGGC		709	ASD_NC006570-439714-438608_107_134_R	TCTGCCTGAGATGTCGAAAAAACGTTG		1128
2332	GALE_AF513299_171_200_F	TCAGCTAGACCTTTTAGGTAAAGCTAAGCT		280	GALE_AF513299_241_271_R	TCTCACCTACAGCTTTTAAAGCCAGCAAATG		1122
2333	GALE_AF513299_168_199_F	TTATCAGCTAGACCTTTTAGGTAAAGCTAAGC		658	GALE_AF513299_245_271_R	TCTCACCTACAGCTTTAAAGCCAGCAA		1121
2334	GALE_AF513299_168_199_F	TTATCAGCTAGACCTTTTAGGTAAAGCTAAGC		658	GALE_AF513299_233_264_R	TACAGCTTTAAAGCCAGCAAAATGAATTACAG		883
2335	GALE_AF513299_169_198_F	TCCCAGCTAGACCTTTTAGGTAAAGCTAAG		319	GALE_AF513299_252_279_R	TTCAACACTCTCACCTACAGCTTTAAAG		1374
2336	PLA_AF053945_7371_7403_F	TTGAGAAGACATCCGGCTCACGTTATTATGGTA		680	PLA_AF053945_7434_7468_R	TACGTATGTAAATTCCGCAAAGACTTTGGCATTAG		900
2337	PLA_AF053945_7377_7403_F	TGACATCCGGCTCACGTTATTATGGTA		443	PLA_AF053945_7428_7455_R	TCCGCAAAGACTTTGGCATTAGTGTGA		1035
2338	PLA_AF053945_7377_7404_F	TGACATCCGGCTCACGTTATTATGGTAC		444	PLA_AF053945_7430_7460_R	TAAATTCCGCAAAGACTTTGGCATTAGGTGT		854
2339	CAF_AF053947_33412_33441_F	TCCGTTATCGCCATTGCATTATTTGGAACT		329	CAF_AF053947_33498_33523_R	TAAGAGTCGATGCGGCTGGTCCGTTGCA		866
2340	CAF_AF053947_33426_33458_F	TGCATTATTTGGAACCATTGCAACTGCTAATGC		499	CAF_AF053947_33483_33507_R	TGGTTCAACAAGAGTTGCCGTTGCA		1308
2341	CAF_AF053947_33407_33429_F	TCAGTTCCGTTATCGCCATTGCA		291	CAF_AF053947_33483_33504_R	TTCAACAAGAGTTGCCGTTGCA		1373
2342	CAF_AF053947_33407_33431_F	TCAGTTCCGTTATCGCCATTGCATT		293	CAF_AF053947_33494_33517_R	TGATGCGGGCTGGTCCGTTCAACAGAG		1184
2344	GAPA_NC_002505_1_28_F_1	TCAATGAACGATCAACAAGTGATTGATG		260	GAPA_NC_002505_29_58_R_1	TCCTTTATGCAACTTGGTATCAACAGGAAT		1060
2472	OMPA_NC000117_68_89_F	TGCCTGTAGGGAATCCTGCTGA		507	OMPA_NC000117_145_167_R	TCACACCAAGTAGTGCAAGGATC		967
2473	OMPA_NC000117_798_821_F	TGATTACCATGAGTGCGCAAGCAAG		475	OMPA_NC000117_865_893_R	TCAAAACTTGCTCTAGACCATTTAACTC		947
2474	OMPA_NC000117_645_671_F	TGCTCAATCTAAACCTAAAGTCGAAGA		521	OMPA_NC000117_757_777_R	TGTCGGCAGCATCGTCGTTCCTGC		1328

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2475	OMPA_NC000117_947_9_73_F	TAACTGCATGGAACCCTTCTTTACTAG	157	OMPA_NC000117_1011_1040_R	TGACAGGACACAATCTGCATGAAGTCTGAG	1153
2476	OMPA_NC000117_774_7_95_F	TACTGGAACAAAGTCTGCGACC	196	OMPA_NC000117_871_894_R	TTCAAAAGTTGCTCCGAGACCATTG	1371
2477	OMPA_NC000117_457_4_83_F	TTCTATCTCGTTGGTTTATTCGGAGTT	676	OMPA_NC000117_511_534_R	TAAAGAGACGTTTGTTGTTAGTTCATTTGC	851
2478	OMPA_NC000117_687_7_10_F	TAGCCCAGCACAATTTGTGATTCA	212	OMPA_NC000117_787_816_R	TTGCCATTCATGGTATTTAAGTGTAGCAGA	1406
2479	OMPA_NC000117_540_5_66_F	TGGCGTAGTAGAGCTATTTACAGACAC	571	OMPA_NC000117_649_672_R	TTCTTGAACGCGAGGTTTCGATTG	1395
2480	OMPA_NC000117_338_3_60_F	TGCACGATGCGGAATGGTTCACA	492	OMPA_NC000117_417_444_R	TCCTTTAAATAACCGCTAGTAGCTCCT	1058
2481	OMP2_NC000117_18_40_F	TATGACCAAACTCATCAGACGAG	234	OMP2_NC000117_71_91_R	TCCCGCTGGCAAATAAACTCG	1025
2482	OMP2_NC000117_354_3_82_F	TGCTACGGTAGGATCTCCTTATCCTATTG	516	OMP2_NC000117_445_471_R	TGGATCACTGCTTACGAACTCAGCTTC	1270
2483	OMP2_NC000117_1297_1319_F	TGGAAAGGTGTTGCAGCTACTCA	537	OMP2_NC000117_1396_1419_R	TACGTTTGTATCTTCTGCAGAACC	903
2484	OMP2_NC000117_1465_1493_F	TCTGGTCCACAAAAGGAACGATTACAGG	407	OMP2_NC000117_1541_1569_R	TCCTTTCAATGTTACAGAAAACTCTACAG	1062
2485	OMP2_NC000117_44_66_F	TGACGATCTTCGCGGTGACTAGT	450	OMP2_NC000117_120_148_R	TGTCAGCTAAGCTAATAACGTTTGTAGAG	1323
2486	OMP2_NC000117_166_1_90_F	TGACAGCGAAGAAGGTTAGACTTGTCC	441	OMP2_NC000117_240_261_R	TTGACATCGTCCCTCTTCACAG	1396
2487	GYRA_NC000117_514_5_36_F	TCAGGCATTGCGGTTGGGATGGC	287	GYRA_NC000117_640_660_R	TGCTGTAGGGAAATCAGGGCC	1251
2488	GYRA_NC000117_801_8_27_F	TGTGAATAAATCACGATTGATTGAGCA	636	GYRA_NC000117_871_893_R	TTGTCAGACTCATCGCGAACATC	1419
2489	GYRA_NC002952_219_2_42_F	TGTTCATGGGTAAATATCACCCTCA	632	GYRA_NC002952_319_345_R	TCCATCCATAGAACCAAAGTTACCTTG	1010
2490	GYRA_NC002952_964_9_83_F	TACAAGCACTCCCAGCTGCA	176	GYRA_NC002952_1024_1041_R	TCGCAGCGTTGCGTGGCAC	1073
2491	GYRA_NC002952_1505_1520_F	TCGCCCGCGAGGACGT	366	GYRA_NC002952_1546_1562_R	TTGGTGCGCTTGGCGTA	1416
2492	GYRA_NC002952_59_81_F	TCAGCTACATCGACTATGCGATG	279	GYRA_NC002952_124_143_R	TGGCGATCGCACTGGCTTGAG	1279
2493	GYRA_NC002952_216_2_39_F	TGACCTCATCGGTAAGTACCACCC	452	GYRA_NC002952_313_333_R	TCCGAAGTTGCCCTGGCCGTC	1032
2494	GYRA_NC002952_219_2_42_2_F	TGTTACTCGGTAAGTATCACCCGCA	625	GYRA_NC002952_308_330_R	TAAGTTACCTTGCCCGTCAACCA	873
2495	GYRA_NC002952_115_1_41_F	TGAGATGGATTTAAACCTCTTCACCGC	453	GYRA_NC002952_220_242_R	TGCGGGTGATACTTACCGAGTAC	1236
2496	GYRA_NC002952_517_5_39_F	TCAGGCATTGCGGTTGGGATGGC	287	GYRA_NC002952_643_663_R	TGCTGTAGGGAAATCAGGGCC	1251
2497	GYRA_NC002952_273_2_F	TCGTATGGCTCAATGGTGGAG	380	GYRA_NC002952_338_360_R	TGCGGCAGCACTATCACCATCCA	1234

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

						93_F
2498	GYRA_NC000912_257_2_78_F	TGAGTAAGTTCCACCCGCACGG	462	GYRA_NC000912_346_370_R	TCGAGCCGAAGTTACCCTGTCCGTC	1067
2504	ARCC_NC003923-2725050-2724595_135_161P_F	TAGTpGATpAGAACpTpGTAGGCpAC pAATpCpGT	229	ARCC_NC003923-2725050-2724595_214_239P_R	TCpTpTpTpCpGTATAAAAAGGACpCpA ATpTpGG	1116
2505	PTA_NC003923-628885-629355_237_263P_F	TCTTGTpTpTpTpATGCpTpGGTAAAGC AGATGG	417	PTA_NC003923-628885-629355_314_342P_R	TACpACpCpTpGGTpTpTpCpGTpTpTpT pGATGATpTpTpGTA	904
2517	CJMLST_ST1_1852_188_3_F	TTTGCGGATGAAGTAGTGCCTATCT TTTTGC	708	CJMLST_ST1_1945_1977_R	TGTTTTATGTGTAGTTGAGCTTACTACA TGAGC	1355
2518	CJMLST_ST1_2963_299_2_F	TGAAATTGCTACAGGCCCTTTAGGAC AAGG	428	CJMLST_ST1_3073_3097_R	TCCCCATCTCCGCAAAGACAATAAA	1020
2519	CJMLST_ST1_2350_237_8_F	TGCTTTTTGATGGTGATGCAGATCGTT TGG	535	CJMLST_ST1_2447_2481_R	TCTACAACACTTGATTGTAATTTGCCTT GTTCTTT	1117
2520	CJMLST_ST1_654_684_F	TATGTCCAAGAAGCATAGCAAAAAAA GCAAT	240	CJMLST_ST1_725_756_R	TCGGAAACAAAGAATTCATTTTCTGGTC CAAA	1084
2521	CJMLST_ST1_360_395_F	TCCTGTTATTCCTGAAGTAGTTAATC AAGTTTGTTA	347	CJMLST_ST1_454_487_R	TGCTATATGCTACAACTGGTTCAAAAAC ATTAAG	1245
2522	CJMLST_ST1_1231_125_8_F	TGGCAGTTTTACAAGGTGCTGTTTCA TC	564	CJMLST_ST1_1312_1340_R	TTTAGCTACTATTCTTAGCTGCCATTTCC A	1427
2523	CJMLST_ST1_3543_357_4_F	TGCTGTAGCTTATCGCGAAAATGTCTT TGATTT	529	CJMLST_ST1_3656_3685_R	TCAAAGAACCAGCACCTAATTCATCATT TA	950
2524	CJMLST_ST1_1_17_F	TAAAACTTTTGCCGTAATGATGGGTG AAGATAT	145	CJMLST_ST1_55_84_R	TGTTCCAATAGACAGTTCCGCCCAAATTG AT	1348
2525	CJMLST_ST1_1312_134_2_F	TGGAAATGGCAGCTAGAATAGTAGCT AAAAT	538	CJMLST_ST1_1383_1417_R	TTTCCCCGATCTAAATTTGGATAAGCCA TAGGAAA	1432
2526	CJMLST_ST1_2254_228_6_F	TGGGCCTAATGGGCTTAATATCAATG AAAATTG	582	CJMLST_ST1_2352_2379_R	TCCAAACGATCTGCATCACCATCAAAAG	996
2527	CJMLST_ST1_1380_141_1_F	TGCTTTCCTATGGCTTATCCAAATTT AGATCG	534	CJMLST_ST1_1486_1520_R	TGCATGAAGCATAAAAACTGTATCAAGT GCTTTTA	1205
2528	CJMLST_ST1_3413_343_7_F	TTGTAAATGCCGGTGCTTCAGATCC	692	CJMLST_ST1_3511_3542_R	TGCTTGCTCAAATCATCATAAACAATTA AAGC	1257
2529	CJMLST_ST1_1130_115_6_F	TACGCGTCTTGAAGCGTTTCGTTATG A	189	CJMLST_ST1_1203_1230_R	TAGGATGAGCATTATCAGGGAAGAATC	920
2530	CJMLST_ST1_2840_287_2_F	TGGGGCTTTGCTTTATAGTTTTTTAC ATTTAAG	591	CJMLST_ST1_2940_2973_R	TAGCGATTTCTACTCCTAGAGTTGAAAT TTCAGG	917
2531	CJMLST_ST1_2058_208_4_F	TATTCAAGGTGGTCCTTTGATGCATG T	241	CJMLST_ST1_2131_2162_R	TTGGTTCTTCTTACTTGTTTTGCATAAACTT TCCA	1417
2532	CJMLST_ST1_553_585_1_F	TCCTGATGCTCAAAGTGCTTTTTTAG ATCCTTT	344	CJMLST_ST1_655_685_R	TATTGCTTTGTTTTTGCTATGCTTCTTGGA CAT	942
2564	GLTA_NC002163-1604930-1604529_306_338_F	TCATGTTGAGCTTAAACCTATAGAAG TAAAAGC	299	GLTA_NC002163-1604930-1604529_352_380_R	TTTTGCTCATGATCTGCATGAAGCATAA A	1443
2565	UNCA_NC002163-	TCCCCCACGCTTTAATTGTTTATGAT	322	UNCA_NC002163-112166-	TCGACCTGGAGGACGACGTAAAATCA	1065

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward Name (112166-112647_80_113_F)	GATTTGAG	No.	112647_146_171_R	Reverse Sequence	No.
2566	UNCA_NC002163-112647_233_259_F	TAATGATGAATTAGGTGCGGGTTCTT	170	UNCA_NC002163-112647_294_329_R	TGGGATAACATTGGTTGGAATATAAGCAGAAACATC	1285
2567	PGM_NC002163-328270_273_305_F	TCTTGATACTTGTAATGTGGGCGATAAATATGT	414	PGM_NC002163-328270_365_396_R	TCCATCGCCAGTTTTTGCATAATCGCTAAAAA	1012
2568	TKT_NC002163-1569873_255_284_F	TTATGAAGCGTGTTCTTTAGCAGGACTTCA	661	TKT_NC002163-1569873_350_383_R	TCAAAACGCATTTTACATCTTCGTTAAAGGCTA	946
2570	GLTA_NC002163-1604529_39_68_F	TCGTCTTTTTGATTCTTTCCCTGATAATGC	381	GLTA_NC002163-1604930-1604529_109_142_R	TGTTCATGTTTAAATGATCAGGATAAAAAGCACT	1347
2571	TKT_NC002163-1569903_33_62_F	TGATCTTAAAAATTCCGCCAACTTCATTC	472	TKT_NC002163-1569903_139_162_R	TGCCATAGCAAAGCCTACAGCATT	1214
2572	TKT_NC002163-1569903_207_239_F	TAAGGTTTATTGTCTTTGTGGAGATGGGGATTT	164	TKT_NC002163-1569903_313_345_R	TACATCTCCTTCGATAGAAATTTCATTGCTATC	886
2573	TKT_NC002163-1569903_350_383_F	TAGCCTTTAACGAAAATGTAAAAATGCGTTTTGA	213	TKT_NC002163-1569903_449_481_R	TAAGACAAGGTTTTGTGGATTTTTAGCTTGTT	865
2574	TKT_NC002163-1569903_60_92_F	TTCAAAAACTCCAGGCCATCCTGAAATTTTCAAC	665	TKT_NC002163-1569903_139_163_R	TTGCCATAGCAAAGCCTACAGCATT	1405
2575	GLTA_NC002163-1604930-1604529_39_70_F	TCGTCTTTTTGATTCTTTCCCTGATAATGCTC	382	GLTA_NC002163-1604930-1604529_139_168_R	TGCCATTTCCATGTACTCTCTCTACCATT	1216
2576	GLYA_NC002163-367572-368079_386_414_F	TCAGCTATTTTTCCAGGTATCCAAGGTGG	281	GLYA_NC002163-368079_476_508_R	ATTGCTTCTTACTTGCTTAGCATAAATTTTCCA	756
2577	GLYA_NC002163-367572-368079_148_174_F	TGGTGCGGAGTGCTTATGCTCGTATTAT	611	GLYA_NC002163-368079_242_270_R	TGTTCACCTGCTACAACAGTCCAGCAAT	1246
2578	GLYA_NC002163-367572-368079_298_327_F	TGTAAGCTCTACACCCACAAAACCTTACG	622	GLYA_NC002163-368079_384_416_R	TTCACCTTGATACCTGAAAAATAGCTGAAT	1381
2579	GLYA_NC002163-367572-368079_1_27_F	TGGTGGACATTTAACACATGGTGCAAA	614	GLYA_NC002163-368079_52_81_R	TCAAGCTCTACACCATAAAAAAGCTCTCA	961
2580	PGM_NC002163-327746-328270_254_285_F	TGAGCAATGGGGCTTTGAAAGAATTTTTAAAT	455	PGM_NC002163-328270_356_379_R	TTTGCTCTCCCGCCAAAGTTCCAC	1438
2581	PGM_NC002163-327746-	TGAAAAGGGTGAAGTAGCAAATGGAGATAG	425	PGM_NC002163-328270_241_267_R	TGCCCCATTGCTCATGATGAGTAGCTAC	1219

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward primer name	Forward sequence		Reverse primer name	Reverse sequence	
2582	328270_153_182_F PGM_NC002163-327746-328270_19_50_F	TGGCCTAATGGGCTTAATATCAATGAAAATTG	568	PGM_NC002163-327746-328270_79_102_R	TGCACGCAAACGCTTACTTCAGC	1200
2583	UNCA_NC002163-112166-112647_114_141_F	TAAGCATGCTGTGGCTTATCGTGAAATG	160	UNCA_NC002163-112166-112647_196_225_R	TGCCCTTTCTAAAAGTCTTGAGTGAAGATA	1220
2584	UNCA_NC002163-112166-112647_3_29_F	TGCTTCGGATCCAGCGAGCACTTCAATA	532	UNCA_NC002163-112166-112647_88_123_R	TGCATGCTTACTCAAATCATCATCATAAACAATTAAAGC	1206
2585	ASPA_NC002163-96692-97166_308_335_F	TTAATTGCCAAAAATGCAACCAGGTAG	652	ASPA_NC002163-96692-97166_403_432_R	TGCAAAGTAACGGTTACATCTGCTCCAAT	1192
2586	ASPA_NC002163-96692-97166_228_258_F	TCGCGTTGCAACAAAACTTTCTAAAGTATGT	370	ASPA_NC002163-96692-97166_316_346_R	TCATGATAGAACTACCTGGTTGCATTTTGG	991
2587	GLNA_NC002163-658085-657609_244_275_F	TGGAATGATGATAAAGATTTCGCAGATAGCTA	547	GLNA_NC002163-658085-657609_340_371_R	TGAGTTTGAACCATTTCAGAGCGAATATCTAC	1176
2588	TKT_NC002163-1569415-1569903_107_130_F	TCGCTACAGGCCCTTTAGGACAAG	371	TKT_NC002163-1569415-1569903_212_236_R	TCCCCATCTCCGCAAAGACAAATAAA	1020
2589	TKT_NC002163-1569415-1569903_265_296_F	TGTTCTTTAGCAGGACTTCACAAACTTGATAA	642	TKT_NC002163-1569415-1569903_361_393_R	TCCTTGTGCTTCAAAACGCATTTTTACATTTTC	1057
2590	GLYA_NC002163-367572-368095_214_246_F	TGCCTATCTTTTTGCTGATATAGCACATATTGC	505	GLYA_NC002163-367572-368095_317_340_R	TCCTCTTGGGCCACGCAAAGTTTT	1047
2591	GLYA_NC002163-367572-368095_415_444_F	TCCTTTGATGCATGTAATTGCTGCAAAAGC	353	GLYA_NC002163-367572-368095_485_516_R	TCTTGAGCATTGGTTCTTACTTGTTTTGCATA	1141
2592	PGM_NC002163_21_54_F	TCCTAAATGGACTTAATATCAATGAAAATTGTGGA	332	PGM_NC002163_116_142_R	TCAAACGATCCGCATCACCATCAAAAG	949
2593	PGM_NC002163_149_176_F	TAGATGAAAAAGGCGAAGTGGCTAATGG	207	PGM_NC002163_247_277_R	TCCCCTTTAAAGCACCATTACTCATTATAGT	1023
2594	GLNA_NC002163-658085-657609_79_106_F	TGTCCAAGAGCATAGCAAAAAAGCAA	633	GLNA_NC002163-658085-657609_148_179_R	TCAAAAACAAAGAATTCATTTTCTGGTCCAAA	945
2595	ASPA_NC002163-96685-97196_367_402_F	TCCTGTTATTCCTGAAGTAGTTAATCAAGTTTGTTA	347	ASPA_NC002163-96685-97196_467_497_R	TCAAGCTATATGCTACAACTGGTTCAAAAAC	960
2596	ASPA_NC002163-96685-97196_1_33_F	TGCCGTAATGATGATAGGTGAAGAATATACAAAGAGT	502	ASPA_NC002163-96685-97196_95_127_R	TACAACCTTCGGATAATCAGGATGAGAATTAAT	880
2597	ASPA_NC002163-96685-	TGGAACAGGAATTAATTCTTCATCCTGATTATCC	540	ASPA_NC002163-96685-97196_185_210_R	TAAGCTCCCGTATCTTGAGTCGCCTC	872

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Name (F)	Sequence	No.	Name (R)	Sequence	No.
2598	97196_85_117_F	TGGCAGCTAGAATAGTAGCTAAAATCCCTAC	563	PGM_NC002163-327746-328270_230_261_R	TCACGGATCTAAATTTGGATAAGCCATAGGAAA	975
2599	PGM_NC002163-327746-328270_165_195_F	TGGGTCGTGGTTTTACAGAAAATTTCTTATATATG	593	PGM_NC002163-327746-328270_353_381_R	TTTTGCTCATGATCTGCATGAAGCATAAA	1443
2600	PGM_NC002163-327746-328270_252_286_F	TGGGATGAAAAAGCGTTCTTTTATCCATGA	577	PGM_NC002163-327746-328270_95_123_R	TGATAAAAGCACTAAGCGATGAAACAGC	1178
2601	PGM_NC002163-327746-328270_1_30_F	TAAACACGGCTTTCCTATGGCTTATCCAAAT	146	PGM_NC002163-327746-328270_314_345_R	TCAAGTGCTTTTACTTCTATAGTTTAAGCTC	963
2602	UNCA_NC002163-112166-112647_123_152_F	TGTAGCTTATCGCGAAATGTCTTTGATTTT	628	UNCA_NC002163-112166-112647_199_229_R	TGCTTGCTCTTTCAGCAGTCTTGAATGAAG	1258
2603	UNCA_NC002163-112166-112647_333_365_F	TCCAGATGGACAAATTTCTTAGAAACTGATTT	313	UNCA_NC002163-112166-112647_430_461_R	TCCGAAACTTGTTTTGTAGCTTTAATTTGAGC	1031
2734	GYRA_AY291534_237_2_64_F	TCACCCTCATGTGATTCAGCTGTTTAT	265	GYRA_AY291534_268_288_R	TTGCGCCATACGTACCATCGT	1407
2735	GYRA_AY291534_224_2_52_F	TAATCGGTAAGTATCACCCTCATGGTGAT	167	GYRA_AY291534_256_285_R	TGCCATACGTACCATCGTTTCATAAACAGC	1213
2736	GYRA_AY291534_170_1_98_F	TAGGAATTACGGCTGATAAAGCGTATAAA	221	GYRA_AY291534_268_288_R	TTGCGCCATACGTACCATCGT	1407
2737	GYRA_AY291534_224_2_52_F	TAATCGGTAAGTATCACCCTCATGGTGAT	167	GYRA_AY291534_319_346_R	TATCGACAGATCCAAAGTTACCATGCCC	935
2738	GYRA_NC002953-7005-9668_166_195_F	TAAGGTATGACACCGGATAAATCATATAAA	163	GYRA_NC002953-7005-9668_265_287_R	TCTTGAGCCATACGTACCATTGC	1142
2739	GYRA_NC002953-7005-9668_221_249_F	TAATGGGTAAAATATCACCCTCATGGTGAC	171	GYRA_NC002953-7005-9668_316_343_R	TATCCATTGAACCAAAGTTACCTTGGCC	933
2740	GYRA_NC002953-7005-9668_221_249_F	TAATGGGTAAAATATCACCCTCATGGTGAC	171	GYRA_NC002953-7005-9668_253_283_R	TAGCCATACGTACCATTGCTTCATAAATAGA	912
2741	GYRA_NC002953-7005-9668_234_261_F	TCACCCTCATGTGACTCATCTCTATTTAT	264	GYRA_NC002953-7005-9668_265_287_R	TCTTGAGCCATACGTACCATTGC	1142
2842	CAPC_AF188935-56074-55628_271_304_F	TGGGATTATTGTTATCCTGTTATGCCATTTGAGA	578	CAPC_AF188935-56074-55628_348_378_R	TGGTAACCCTTGTCTTGTTGAATTGTATTTGCA	1299
2843	CAPC_AF188935-56074-55628_273_303P_F	TGATTATTGTTATCCTGTTATGCpCpATpTpGpGAG	476	CAPC_AF188935-56074-55628_349_377P_R	TGTAACCCTTGTCTTGTTGAATpTpGTATpTpTpGC	1314
2844	CAPC_AF188935-56074-55628_268_303_F	TCCGTTGATTATTGTTATCCTGTTATGCCATTTGAG	331	CAPC_AF188935-56074-55628_349_384_R	TGTTAATGGTAACCCTTGTCTTCTTTGAATTGTATTTGC	1344
2845	CAPC_AF188935-	TCCGTTGATTATTGTTATCCTGTTAT	331	CAPC_AF188935-56074-	TAACCCTTGTCTTTGAATTGTATTGCA	860

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	56074-55628_268_303_F	GCCATTGAG		55628_337_375_R	ATTAATCCTGG	
2846	PARC_X95819_33_58_F	TCCAAAAAAATCAGCGCCGTACAGTGG	302	PARC_X95819_121_153_R	TAAAGGATAGCGGTAACTAAATGGCTGA GCCAT	852
2847	PARC_X95819_65_92_F	TACTTGGTAAATACCACCCACATGGT GA	199	PARC_X95819_157_178_R	TACCCCAGTTCCCTGACCTTC	889
2848	PARC_X95819_69_93_F	TGGTAAATACCACCCACATGGTGAC	596	PARC_X95819_97_128_R	TGAGCCATGAGTACCATGGCTTCATAAC ATGC	1169
2849	PARC_NC003997-3362578-379_F	TTCCGTAAGTCGGCTAAAACAGTCG	668	PARC_NC003997-3362578-3365001_256_283_R	TCCAAGTTGACTTAAACGTACCATCGC	1001
2850	PARC_NC003997-3362578-3365001_217_240_F	TGTAACTATCACCCGCACGGTGAT	621	PARC_NC003997-3362578-3365001_304_335_R	TCGTCAACACTACCATTATTACCATGCA TCTC	1099
2851	PARC_NC003997-3362578-3365001_217_240_F	TGTAACTATCACCCGCACGGTGAT	621	PARC_NC003997-3362578-3365001_244_275_R	TGACTTAAACGTACCATCGCTTCATATA CAGA	1162
2852	GYRA_AY642140_1_24_F	TAAATCTGCCCGTGTCGTTGGTGAC	150	GYRA_AY642140_71_100_R	TGCTAAAGTCTTGAGCCATACGAACAAT GG	1242
2853	GYRA_AY642140_26_54_F	TAATCGGTAAATATCACCCGCATGGT GAC	166	GYRA_AY642140_121_146_R	TCGATCGAACCGAAGTTACCCTGACC	1069
2854	GYRA_AY642140_26_54_F	TAATCGGTAAATATCACCCGCATGGT GAC	166	GYRA_AY642140_58_89_R	TGAGCCATACGAACAATGGTTTCATAAA CAGC	1168
2860	CYA_AF065404_1348_1379_F	TCCAACGAAGTACAATACAAGACAAA AGAGG	305	CYA_AF065404_1448_1472_R	TCAGCTGTTAACGGCTTCAAGACCC	983
2861	LEF_BA_AF065404_751_781_F	TCGAAAGCTTTTGCATATTATATCGA GCCAC	354	LEF_BA_AF065404_843_881_R	TCTTTAAGTTCTTCCAAGGATAGATTTA TTTCTTGTTCG	1144
2862	LEF_BA_AF065404_762_788_F	TGCATATTATATCGAGCCACAGCATC G	498	LEF_BA_AF065404_843_881_R	TCTTTAAGTTCTTCCAAGGATAGATTTA TTTCTTGTTCG	1144
2917	MUTS_AY698802_106_125_F	TCCGGCTGAAATCTGTCGCGC	326	MUTS_AY698802_172_193_R	TGCGGTCTGCGCGCATATAGGTA	1237
2918	MUTS_AY698802_172_192_F	TACCTATATGCGCCAGACCGC	187	MUTS_AY698802_228_252_R	TCAATCTCGACTTTTTGTGCCGGTA	965
2919	MUTS_AY698802_228_252_F	TACCGGCGCAAAAAGTCGAGATTGG	186	MUTS_AY698802_314_342_R	TCGGTTTCAGTCATCTCCACCATAAAGG T	1097
2920	MUTS_AY698802_315_342_F	TCTTTATGGTGGGAGATGACTGAAACC GA	419	MUTS_AY698802_413_433_R	TGCCAGCGACAGAGACCATCGTA	1210
2921	MUTS_AY698802_394_411_F	TGGGGCGTGGAACGTCCAC	585	MUTS_AY698802_497_519_R	TCCGGTAACTGGGTCAGCTCGAA	1040
2922	AB_MLST-11-OIF007_991_1018_F	TGGGCGATGCTGCGAAATGGTTAAAA GA	583	AB_MLST-11-OIF007_1110_1137_R	TAGTATCACCACGTACACCCGGATCAGT	923
2927	GAPA_NC002505_694_7 21_F	TCAATGAACGACCAACAAGAGTGATTGA TG	259	GAPA_NC002505_29_58_R_1	TCCTTTATGCAACTTGGTATCAACAGGA AT	1060
2928	GAPA_NC002505_694_7 21_2_F	TCGATGAACGACCAACAAGAGTGATTGA TG	361	GAPA_NC002505_769_798_2_R	TCCTTTATGCAACTTGGTATCAACCGGA AT	1061

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

2929	GAPA_NC002505_694_7 21_2_F	TCGATGAACGACCAACAAGTGATTGA TG	361	GAPA_NC002505_769_798_3_R	TCCTTTATGCAACTTAGTATCAACCGGA AT	1059
2932	INFB_EC_1364_1394_F	TTGCTCGTGGTGCACAAGTAACGGAT ATTAC	688	INFB_EC_1439_1468_R	TTGCTGCTTTCGCATGGTTAATCGCTTC AA	1410
2933	INFB_EC_1364_1394_2 F	TTGCTCGTGGTGCATAAGTAACGGAT ATTAC	689	INFB_EC_1439_1468_R	TTGCTGCTTTCGCATGGTTAATCGCTTC AA	1410
2934	INFB_EC_80_110_F	TTGCCCGCGGTGCGGAAGTAACCGAT ATTAC	685	INFB_EC_1439_1468_R	TTGCTGCTTTCGCATGGTTAATCGCTTC AA	1410
2949	ACS_NC002516-970624-971013_299_316_F	TCGGCGCCTGCCTGATGA	376	ACS_NC002516-971013_364_383_R	TGGACCACCGCCGAGGAACGG	1265
2950	ARO_NC002516-26883-27380_4_26_F	TCACCGTGCCGTTCAAGGAAGAG	267	ARO_NC002516-26883-27380_111_128_R	TGTGTTGTCGCCGCGCAG	1341
2951	ARO_NC002516-26883-27380_356_377_F	TTTCGAAGGGCCTTTCGACCTG	705	ARO_NC002516-26883-27380_459_484_R	TCCTTGGCATACATCATGTCGTAGCA	1056
2952	GUA_NC002516-4226546-4226174_23_41_F	TGGACTCCTCGGTGGTCGC	551	GUA_NC002516-4226546-4226174_127_146_R	TCGGCGAACATGGCCATCAC	1091
2953	GUA_NC002516-4226546-4226174_120_142_F	TGACCAGGTGATGGCCATGTTCG	448	GUA_NC002516-4226546-4226174_214_233_R	TGCTTCTCTTCCGGGTCGGC	1256
2954	GUA_NC002516-4226546-4226174_155_178_F	TTTTGAAGGTGATCCGTGCCAACG	710	GUA_NC002516-4226546-4226174_265_287_R	TGCTTGGTGGCTTCTTCGTCGAA	1259
2955	GUA_NC002516-4226546-4226174_190_206_F	TTCCTCGGCCGCCTGGC	670	GUA_NC002516-4226546-4226174_288_309_R	TGCGAGGAACTTCACGTCCTGC	1229
2956	GUA_NC002516-4226546-4226174_242_263_F	TCGGCCGCACCTTCATCGAAGT	374	GUA_NC002516-4226546-4226174_355_371_R	TCGTGGGCCTTGCCCGGT	1111
2957	MUT_NC002516-5551158-5550717_5_26_F	TGGAAGTCATCAAGCGCCTGGC	545	MUT_NC002516-5551158-5550717_99_116_R	TCACGGGCCAGCTCGTCT	978
2958	MUT_NC002516-5551158-5550717_152_168_F	TCGAGCAGGCGCTGCCG	358	MUT_NC002516-5551158-5550717_256_277_R	TCACCATGCGCCCGTTCACATA	971
2959	NUO_NC002516-2984589-2984954_8_26_F	TCAACCTCGGCCCGAACCA	249	NUO_NC002516-2984589-2984954_97_117_R	TCGGTGGTGGTAGCCGATCTC	1095
2960	NUO_NC002516-2984589-2984954_218_239_F	TACTTCCGGTGGTGAGAAGCTCGC	195	NUO_NC002516-2984589-2984954_301_326_R	TTCAGGTACAGCAGGTGGTTCAGGAT	1376
2961	PPS_NC002516-1915014-1915383_44_63_F	TCCACGGTCATGGAGCGCTA	311	PPS_NC002516-1915014-1915383_140_165_R	TCCATTTCCGACACGTCGTTGATCAC	1014

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward	Forward Sequence	No.	Reverse	Reverse Sequence	Len
2962	PPS NC002516-1915014-1915383 240 258 F	TCGCCATCGTCACCAACCG	365	PPS NC002516-1915014-1915383 341 360 R	TCCTGGCCATCCTGCAGGAT	1052
2963	TRP NC002516-671831-672273 24 42 F	TGCTGGTACGGGTCGAGGA	527	TRP NC002516-671831-672273 131 150 R	TCGATCTCCTTGGCGTCCGA	1071
2964	TRP NC002516-671831-672273 261 282 F	TGCACATCGTGTCCAACGTCAC	490	TRP NC002516-671831-672273 362 383 R	TGATCTCCATGCGCGGGATCTT	1182
2972	AB MLST-11-OIF007 1007 1034 F	TGGGTGATGCTGCTAAATGGTTAAAAGA	592	AB MLST-11-OIF007 1126 1153 R	TAGTATCACCACGTACTCCTGGATCAGT	924
2993	OMPU NC002505-674828-675880 428 455 F	TTCCCACCGATATCATGGCTTACCACGG	667	OMPU NC002505 544 567 R	TCGGTCAGCAAAACGGTAGCTTGC	1094
2994	GAPA NC002505-506780-507937 691 721 F	TCCTCAATGAACGATCAACAAGTGATTGATG	335	GAPA NC002505-506780-507937 769 802 R	TTTTCCCTTTATGCAACTTAGTATCAACTCGGAAT	1442
2995	GAPA NC002505-506780-507937 691 721 2 F	TCCTCTATGAACGATCAACAAGTGATTGATG	339	GAPA NC002505-506780-507937 769 803 R	TCCAATACCTTTATGCAACTTGTATCAACTCGGAAT	1008
2996	GAPA NC002505-506780-507937 692 721 F	TCTCGGATGAACGACCAACAAGTGATTGATG	396	GAPA NC002505-506780-507937 785 817 R	TCGGAAATATTCTTTCAATACCTTTATGCAACT	1085
2997	GAPA NC002505-506780-507937 691 721 3 F	TCCTCGGATGAACGATCAACAAGTTATTGATG	337	GAPA NC002505-506780-507937 785 817 R	TCGGAAATATTCTTTCAATACCTTTATGCAACT	1085
2998	GAPA NC002505-506780-507937 691 721 4 F	TCCTCAATGAATGATCAACAAGTGATTGATG	336	GAPA NC002505-506780-507937 784 817 R	TCGGAAATATTCTTTCAATTCCTTTTGCAACTT	1087
2999	GAPA NC002505-506780-507937 691 721 5 F	TCCTCTATGAATGATCAACAAGTTATTGATG	340	GAPA NC002505-506780-507937 784 817 2 R	TCGGAAATATTCTTTCAATACCTTTATGCAACTT	1086
3000	GAPA NC002505-506780-507937 691 721 6 F	TCCTCGGATGAATGATCAACAAGTTATTGATG	338	GAPA NC002505-506780-507937 769 805 R	TTTCAATACCTTTATGCAACTTGTATCAACTGGAAT	1430
3001	CTXB NC002505-1566967-1567341 46 71 F	TCAGCCATATGCACATGGAACACCTCA	275	CTXB NC002505-1566967-1567341 139 163 R	TCCCGGCTAGAGATTCTGTATACGA	1025
3002	CTXB NC002505-1566967-1567341 46 70 F	TCAGCCATATGCACATGGAACACCTC	274	CTXB NC002505-1566967-1567341 132 162 R	TCCGGCTAGAGATTCTGTATACGAAAATATC	1038
3003	CTXB NC002505-1566967-1567341 46 70 F	TCAGCCATATGCACATGGAACACCTC	274	CTXB NC002505-1566967-1567341 118 150 R	TGCCGTATACGAAAATATCTTATCATTTAGCGT	1225
3004	TUFB NC002758-615038-616222 778 809 F	TACAGGCCGTCTTGTGAACGTGG	180	TUFB NC002758-615038-616222 778 809 R	TCAGCGTAGTCTAATAATTTACGGAACATTTTC	982

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

ID	Forward name	Forward sequence	No.	Reverse name	Reverse sequence	No.
3005	TUFB_NC002758-615038-616222_688_710_F	TGGCGTGTTGAACGTGGTCAAAT	503	TUFB_NC002758-615038-616222_783_813_R	TGCTTCAGCGTAGTCTAATAATTTACGGAAC	1255
3006	TUFB_NC002758-615038-616222_700_726_F	TGTGGTCAAATCAAAGTTGGTGAAGAA	638	TUFB_NC002758-615038-616222_778_807_R	TGCGTAGTCTAATAATTTACGGAACATTTC	1238
3007	TUFB_NC002758-615038-616222_702_726_F	TGGTCAAATCAAAGTTGGTGAAGAA	607	TUFB_NC002758-615038-616222_778_807_R	TGCGTAGTCTAATAATTTACGGAACATTTC	1238
3008	TUFB_NC002758-615038-616222_696_726_F	TGAACGTGGTCAAATCAAAGTTGGTGAAGAA	431	TUFB_NC002758-615038-616222_785_818_R	TCACCAGCTTCAGCGTAGTCTAATAATTTACGGA	970
3009	TUFB_NC002758-615038-616222_690_716_F	TCGTGTTGAACGTGGTCAAATCAAAGT	386	TUFB_NC002758-615038-616222_778_812_R	TCTTCAGCGTAGTCTAATAATTTACGGAACATTTC	1134
3010	MECI-R_NC003923-41798-41609_36_59_F	TCACATATCGTGAGCAATGAACTG	261	MECI-R_NC003923-41798-41609_89_112_R	TGTGCATATGGAGGTGTAGAAGGTG	1332
3011	MECI-R_NC003923-41798-41609_40_66_F	TGGGCCGTGAGCAATGAACTGATTATAC	584	MECI-R_NC003923-41798-41609_81_110_R	TGGGATGGAGGTGTAGAAGGTGTTATCATC	1287
3012	MECI-R_NC003923-41798-41609_33_60_2_F	TGGACACATATCGTGAGCAATGAACTGA	549	MECI-R_NC003923-41798-41609_81_110_R	TGGGATGGAGGTGTAGAAGGTGTTATCATC	1286
3013	MECI-R_NC003923-41798-41609_29_60_F	TGGGTTTACACATATCGTGAGCAATGAACTGA	595	MECI-R_NC003923-41798-41609_81_113_R	TGGGGATATGGAGGTGTAGAAGGTGTTATCATC	1290
3014	MUPR_X75439_2490_25_14_F	TGGGCTCTTTCTCGCTTAAACACCT	587	MUPR_X75439_2548_2570_R	TCTGGCTGCGGAAGTGAAATCGT	1130
3015	MUPR_X75439_2490_25_13_F	TGGGCTCTTTCTCGCTTAAACACC	586	MUPR_X75439_2547_2568_R	TGGCTGCGGAAGTGAAATCGTA	1281
3016	MUPR_X75439_2482_25_10_F	TAGATAATTGGGCTCTTTCTCGCTTAAAC	205	MUPR_X75439_2551_2573_R	TAATCTGGCTGCGGAAGTGAAAT	876
3017	MUPR_X75439_2490_25_14_F	TGGGCTCTTTCTCGCTTAAACACCT	587	MUPR_X75439_2549_2573_R	TAATCTGGCTGCGGAAGTGAAATCG	877
3018	MUPR_X75439_2482_25_10_F	TAGATAATTGGGCTCTTTCTCGCTTAAAC	205	MUPR_X75439_2559_2589_R	TGGTATATTCGTTAATTAATCTGGCTGCGGA	1303
3019	MUPR_X75439_2490_25_14_F	TGGGCTCTTTTCTCGCTTAAACACCT	587	MUPR_X75439_2554_2581_R	TCGTTAATTAATCTGGCTGCGGAAGTGA	1112
3020	AROE_NC003923-1674726-1674277_204_232_F	TGATGGCAAGTGGATAGGGTATAATACAG	474	AROE_NC003923-1674726-1674277_309_335_R	TAAGCAATACCTTTACTTGCACCACCT	868
3021	AROE_NC003923-1674726-1674277_207_232_F	TGGGCAGTGGATAGGGTATAATACAG	570	AROE_NC003923-1674726-1674277_311_339_R	TTCATAAGCAATACCTTTACTTGCACCAC	1378
3022	AROE_NC003923-1674726-	TGGCpAAGTpGGATpGGGGTpATpAG	572	AROE_NC003923-1674726-1674277_311_335P_R	TAAGCAATACCpTpTpTpACTpTpGCpACpCpAC	867

99

DOCKET NO.: DIBIS-0083US1 (COUNSEL DOCKET NO: 10593)

	1674277_207_232P_F					
3023	ARCC_NC003923-2725050-2724595_124_155_F	TCTGAAATGAATAGTGATAGAACTGT AGGCAC	398	ARCC_NC003923-2725050-2724595_214_245_R	TCTTCTTCTTTCGTATAAAAGGACCAA TTGG	1137
3024	ARCC_NC003923-2725050-2724595_131_161_F	TGAATAGTGATAGAACTGTAGGCACA ATCGT	437	ARCC_NC003923-2725050-2724595_212_242_R	TCTTCTTTCGTATAAAAGGACCAATTG GTT	1139
3025	ARCC_NC003923-2725050-2724595_131_161_F	TGAATAGTGATAGAACTGTAGGCACA ATCGT	437	ARCC_NC003923-2725050-2724595_232_260_R	TGCGCTAATTCTTCAACTTCTTCTTTCG T	1232
3026	PTA_NC003923-628885-629355_231_259_F	TACAATGCTTGTTTATGCTGGTAAAG CAG	177	PTA_NC003923-628885-629355_322_351_R	TGTTCTTGATACACCTGGTTTCGTTTTG AT	1350
3027	PTA_NC003923-628885-629355_231_259_F	TACAATGCTTGTTTATGCTGGTAAAG CAG	177	PTA_NC003923-628885-629355_314_345_R	TGGTACACCTGGTTTCGTTTTGATGATT TGTA	1301
3028	PTA_NC003923-628885-629355_237_263_F	TCTTGTTTATGCTGGTAAAGCAGATG G	418	PTA_NC003923-628885-629355_322_351_R	TGTTCTTGATACACCTGGTTTCGTTTTG AT	1350

[370]   Primer pair name codes and reference sequences are shown in Table 3. The primer name code typically represents the gene to which the given primer pair is targeted. The primer pair name may include specific coordinates with respect to a reference sequence defined by an extraction of a section of sequence or defined by a GenBank gi number, or the corresponding complementary sequence of the extraction, or the entire GenBank gi number as indicated by the label "no extraction." Where "no extraction" is indicated for a reference sequence, the coordinates of a primer pair named to the reference sequence are with respect to the GenBank gi listing. Gene abbreviations are shown in bold type in the "Gene Name" column.

[371]   To determine the exact primer hybridization coordinates of a given pair of primers on a given bioagent nucleic acid sequence and to determine the sequences, molecular masses and base compositions of an amplification product to be obtained upon amplification of nucleic acid of a known bioagent with known sequence information in the region of interest with a given pair of primers, one with ordinary skill in bioinformatics is capable of obtaining alignments of the primers of the present invention with the GenBank gi number of the relevant nucleic acid sequence of the known bioagent. For example, the reference sequence GenBank gi numbers (Table 3) provide the identities of the sequences which can be obtained from GenBank. Alignments can be done using a bioinformatics tool such as BLASTn provided to the public by NCBI (Bethesda, MD). Alternatively, a relevant GenBank sequence may be downloaded and imported into custom programmed or commercially available bioinformatics programs wherein the alignment can be carried out to determine the primer hybridization coordinates and the sequences, molecular masses and base compositions of the amplification product. For example, to obtain the hybridization coordinates of primer pair number 2095 (SEQ ID NOs: 456:1261), First the forward primer (SEQ ID NO: 456) is subjected to a BLASTn search on the publicly available NCBI BLAST website. "RefSeq_Genomic" is chosen as the BLAST database since the gi numbers refer to genomic sequences. The BLAST query is then performed. Among the top results returned is a match to GenBank gi number 21281729 (Accession Number NC_003923). The result shown below, indicates that the forward primer hybridizes to positions 1530282..1530307 of the genomic sequence of *Staphylococcus aureus* subsp. aureus MW2 (represented by gi number 21281729).

```
Staphylococcus aureus subsp. aureus MW2, complete genome
Length=2820462

Features in this part of subject sequence:
   Panton-Valentine leukocidin chain F precursor

Score = 52.0 bits (26),  Expect = 2e-05
Identities = 26/26 (100%), Gaps = 0/26 (0%)
```

```
Strand=Plus/Plus

Query    1          TGAGCTGCATCAACTGTATTGGATAG    26
                    |||||||||||||||||||||||||||
Sbjct    1530282    TGAGCTGCATCAACTGTATTGGATAG    1530307
```

[372]   The hybridization coordinates of the reverse primer (SEQ ID NO: 1261) can be determined in

a similar manner and thus, the bioagent identifying amplicon can be defined in terms of genomic

coordinates. The query/subject arrangement of the result would be presented in Strand = Plus/Minus

format because the reverse strand hybridizes to the reverse complement of the genomic sequence. HThe

preceding sequence analyses are well known to one with ordinary skill in bioinformatics and thus, Table

3 contains sufficient information to determine the primer hybridization coordinates of any of the primers

of Table 2 to the applicable reference sequences described therein.

Table 3: Primer Name Codes and Reference Sequence

Primer name code	Gene Name	Organism	Reference GenBank gi number
16S_EC	16S rRNA (16S ribosomal RNA gene)	*Escherichia coli*	16127994
23S_EC	23S rRNA (23S ribosomal RNA gene)	*Escherichia coli*	16127994
CAPC_BA	capC (capsule biosynthesis gene)	*Bacillus anthracis*	6470151
CYA_BA	cya (cyclic AMP gene)	*Bacillus anthracis*	4894216
DNAK_EC	dnaK (chaperone dnaK gene)	*Escherichia coli*	16127994
GROL_EC	groL (chaperonin groL)	*Escherichia coli*	16127994
HFLB_EC	hflb (cell division protein peptidase ftsH)	*Escherichia coli*	16127994
INFB_EC	infB (protein chain initiation factor infB gene)	*Escherichia coli*	16127994
LEF_BA	lef (lethal factor)	*Bacillus anthracis*	21392688
PAG_BA	pag (protective antigen)	*Bacillus anthracis*	21392688
RPLB_EC	rplB (50S ribosomal protein L2)	*Escherichia coli*	16127994
RPOB_EC	rpoB (DNA-directed RNA polymerase beta chain)	*Escherichia coli*	6127994
RPOC_EC	rpoC (DNA-directed RNA polymerase beta' chain)	*Escherichia coli*	16127994
SP101ET_SPET_11	Artificial Sequence Concatenation comprising: gki (glucose kinase) gtr (glutamine transporter protein) murI (glutamate racemase) mutS (DNA mismatch repair protein) xpt (xanthine phosphoribosyl transferase) yqiL (acetyl-CoA-acetyl transferase) tkt (transketolase)	Artificial Sequence* – partial gene sequences of *Streptococcus pyogenes*	15674250
SSPE_BA	sspE (small acid-soluble spore protein)	*Bacillus anthracis*	30253828
TUFB_EC	tufB (Elongation factor Tu)	*Escherichia coli*	16127994

VALS_EC	valS (Valyl-tRNA synthetase)	Escherichia coli	16127994
ASPS_EC	aspS (Aspartyl-tRNA synthetase)	Escherichia coli	16127994
CAF1_AF053947	caf1 (capsular protein caf1)	Yersinia pestis	2996286
INV_U22457	inv (invasin)	Yersinia pestis	1256565
LL_NC003143	Y. pestis specific chromosomal genes – difference region	Yersinia pestis	16120353
BONTA_X52066	BoNT/A (neurotoxin type A)	Clostridium botulinum	40381
MECA_Y14051	mecA methicillin resistance gene	Staphylococcus aureus	2791983
TRPE_AY094355	trpE (anthranilate synthase (large component))	Acinetobacter baumanii	20853695
RECA_AF251469	recA (recombinase A)	Acinetobacter baumanii	9965210
GYRA_AF100557	gyrA (DNA gyrase subunit A)	Acinetobacter baumanii	4240540
GYRB_AB008700	gyrB (DNA gyrase subunit B)	Acinetobacter baumanii	4514436
WAAA_Z96925	waaA (3-deoxy-D-manno-octulosonic-acid transferase)	Acinetobacter baumanii	2765828
CJST_CJ	Artificial Sequence Concatenation comprising: tkt (transketolase) glyA (serine hydroxymethyltransferase) gltA (citrate synthase) aspA (aspartate ammonia lyase) glnA (glutamine synthase) pgm (phosphoglycerate mutase) uncA (ATP synthetase alpha chain)	Artificial Sequence* – partial gene sequences of Campylobacter jejuni	15791399
RNASEP_BDP	RNase P (ribonuclease P)	Bordetella pertussis	33591275
RNASEP_BKM	RNase P (ribonuclease P)	Burkholderia mallei	53723370
RNASEP_BS	RNase P (ribonuclease P)	Bacillus subtilis	16077068
RNASEP_CLB	RNase P (ribonuclease P)	Clostridium perfringens	18308982
RNASEP_EC	RNase P (ribonuclease P)	Escherichia coli	16127994
RNASEP_RKP	RNase P (ribonuclease P)	Rickettsia prowazekii	15603881
RNASEP_SA	RNase P (ribonuclease P)	Staphylococcus aureus	15922990
RNASEP_VBC	RNase P (ribonuclease P)	Vibrio cholerae	15640032
ICD_CXB	icd (isocitrate dehydrogenase)	Coxiella burnetii	29732244
IS1111A	multi-locus IS1111A insertion element	Acinetobacter baumannii	29732244
OMPA_AY485227	ompA (outer membrane protein A)	Rickettsia prowazekii	40287451
OMPB_RKP	ompB (outer membrane protein B)	Rickettsia prowazekii	15603881
GLTA_RKP	gltA (citrate synthase)	Vibrio cholerae	15603881
TOXR_VBC	toxR (transcription regulator toxR)	Francisella tularensis	15640032
ASD_FRT	asd (Aspartate semialdehyde dehydrogenase)	Francisella tularensis	56707187
GALE_FRT	galE (UDP-glucose 4-epimerase)	Shigella flexneri	56707187
IPAH_SGF	ipaH (invasion plasmid antigen)	Campylobacter jejuni	30061571
HUPB_CJ	hupB (DNA-binding protein Hu-beta)	Coxiella burnetii	15791399
AB_MLST	Artificial Sequence Concatenation comprising: trpE (anthranilate synthase component	Artificial Sequence* – partial gene	Sequenced in-house (SEQ ID NO: 1444)

	I))	sequences of *Acinetobacter baumannii*	
	adk (adenylate kinase)		
	mutY (adenine glycosylase)		
	fumC (fumarate hydratase)		
	efp (elongation factor p)		
	ppa (pyrophosphate phospho-hydratase		
MUPR_X75439	mupR (mupriocin resistance gene)	*Staphylococcus aureus*	438226
PARC_X95819	parC (topoisomerase IV)	*Acinetobacter baumannii*	1212748
SED_M28521	sed (enterotoxin D)	*Staphylococcus aureus*	1492109
PLA_AF053945	pla (plasminogen activator)	*Yersinia pestis*	2996216
SEJ_AF053140	sej (enterotoxin J)	*Staphylococcus aureus*	3372540
GYRA_NC000912	gyrA (DNA gyrase subunit A)	*Mycoplasma pneumoniae*	13507739
ACS_NC002516	acsA (Acetyl CoA Synthase)	*Pseudomonas aeruginosa*	15595198
ARO_NC002516	aroE (shikimate 5-dehydrogenase	*Pseudomonas aeruginosa*	15595198
GUA_NC002516	guaA (GMP synthase)	*Pseudomonas aeruginosa*	15595198
MUT_NC002516	mutL (DNA mismatch repair protein)	*Pseudomonas aeruginosa*	15595198
NUO_NC002516	nuoD (NADH dehydrogenase I chain C, D)	*Pseudomonas aeruginosa*	15595198
PPS_NC002516	ppsA (Phosphoenolpyruvate synthase)	*Pseudomonas aeruginosa*	15595198
TRP_NC002516	trpE (Anthranilate synthetase component I)	*Pseudomonas aeruginosa*	15595198
OMP2_NC000117	ompB (outer membrane protein B)	*Chlamydia trachomatis*	15604717
OMPA_NC000117	ompA (outer membrane protein B)	*Chlamydia trachomatis*	15604717
GYRA_NC000117	gyrA (DNA gyrase subunit A)	*Chlamydia trachomatis*	15604717
CTXA_NC002505	ctxA (Cholera toxin A subunit)	*Vibrio cholerae*	15640032
CTXB_NC002505	ctxB (Cholera toxin B subunit)	*Vibrio cholerae*	15640032
FUR_NC002505	fur (ferric uptake regulator protein)	*Vibrio cholerae*	15640032
GAPA_NC_002505	gapA (glyceraldehyde-3-phosphate dehydrogenase)	*Vibrio cholerae*	15640032
GYRB_NC002505	gyrB (DNA gyrase subunit B)	*Vibrio cholerae*	15640032
OMPU_NC002505	ompU (outer membrane protein)	*Vibrio cholerae*	15640032
TCPA_NC002505	tcpA (toxin-coregulated pilus)	*Vibrio cholerae*	15640032
ASPA_NC002163	aspA (aspartate ammonia lyase)	*Campylobacter jejuni*	15791399
GLNA_NC002163	glnA (glutamine synthetase)	*Campylobacter jejuni*	15791399
GLTA_NC002163	gltA (glutamate synthase)	*Campylobacter jejuni*	15791399
GLYA_NC002163	glyA (serine hydroxymethyltransferase)	*Campylobacter jejuni*	15791399
PGM_NC002163	pgm (phosphoglyceromutase)	*Campylobacter jejuni*	15791399
TKT_NC002163	tkt (transketolase)	*Campylobacter jejuni*	15791399
UNCA_NC002163	uncA (ATP synthetase alpha chain)	*Campylobacter jejuni*	15791399
AGR-III_NC003923	agr-III (accessory gene regulator-III)	*Staphylococcus aureus*	21281729
ARCC_NC003923	arcC (carbamate kinase)	*Staphylococcus aureus*	21281729
AROE_NC003923	aroE (shikimate 5-dehydrogenase	*Staphylococcus*	21281729

		aureus	
BSA-A_NC003923	bsa-a (glutathione peroxidase)	Staphylococcus aureus	21281729
BSA-B_NC003923	bsa-b (epidermin biosynthesis protein EpiB)	Staphylococcus aureus	21281729
GLPF_NC003923	glpF (glycerol transporter)	Staphylococcus aureus	21281729
GMK_NC003923	gmk (guanylate kinase)	Staphylococcus aureus	21281729
MECI-R_NC003923	mecR1 (truncated methicillin resistance protein)	Staphylococcus aureus	21281729
PTA_NC003923	pta (phosphate acetyltransferase)	Staphylococcus aureus	21281729
PVLUK_NC003923	pvluk (Panton-Valentine leukocidin chain F precursor)	Staphylococcus aureus	21281729
SA442_NC003923	sa442 gene	Staphylococcus aureus	21281729
SEA_NC003923	sea (staphylococcal enterotoxin A precursor)	Staphylococcus aureus	21281729
SEC_NC003923	sec4 (enterotoxin type C precursor)	Staphylococcus aureus	21281729
TPI_NC003923	tpi (triosephosphate isomerase)	Staphylococcus aureus	21281729
YQI_NC003923	yqi (acetyl-CoA C-acetyltransferase homologue)	Staphylococcus aureus	21281729
GALE_AF513299	galE (galactose epimerase)	Francisella tularensis	23506418
VVHA_NC004460	vVhA (cytotoxin, cytolysin precursor)	Vibrio vulnificus	27366463
TDH_NC004605	tdh (thermostable direct hemolysin A)	Vibrio parahaemolyticus	28899855
AGR-II_NC002745	agr-II (accessory gene regulator-II)	Staphylococcus aureus	29165615
PARC_NC003997	parC (topoisomerase IV)	Bacillus anthracis	30260195
GYRA_AY291534	gyrA (DNA gyrase subunit A)	Bacillus anthracis	31323274
AGR-I_AJ617706	agr-I (accessory gene regulator-I)	Staphylococcus aureus	46019543
AGR-IV_AJ617711	agr-IV (accessory gene regulator-III)	Staphylococcus aureus	46019563
BLAZ_NC002952	blaZ (beta lactamase III)	Staphylococcus aureus	49482253
ERMA_NC002952	ermA (rRNA methyltransferase A)	Staphylococcus aureus	49482253
ERMB_Y13600	ermB (rRNA methyltransferase B)	Staphylococcus aureus	49482253
SEA-SEE_NC002952	sea (staphylococcal enterotoxin A precursor)	Staphylococcus aureus	49482253
SEA-SEE_NC002952	sea (staphylococcal enterotoxin A precursor)	Staphylococcus aureus	49482253
SEE_NC002952	sea (staphylococcal enterotoxin A precursor)	Staphylococcus aureus	49482253
SEH_NC002953	seh (staphylococcal enterotoxin H)	Staphylococcus aureus	49484912
ERMC_NC005908	ermC (rRNA methyltransferase C)	Staphylococcus aureus	49489772
MUTS_AY698802	mutS (DNA mismatch repair protein)	Shigella boydii	52698233
NUC_NC002758	nuc (staphylococcal nuclease)	Staphylococcus aureus	57634611
SEB_NC002758	seb (enterotoxin type B precursor)	Staphylococcus aureus	57634611
SEG_NC002758	seg (staphylococcal enterotoxin G)	Staphylococcus aureus	57634611
SEI_NC002758	sei (staphylococcal enterotoxin I)	Staphylococcus aureus	57634611
TSST_NC002758	tsst (toxic shock syndrome toxin-1)	Staphylococcus aureus	57634611
TUFB_NC002758	tufB (Elongation factor Tu)	Staphylococcus aureus	57634611

[373]   Note: artificial reference sequences represent concatenations of partial gene extractions from the indicated reference gi number. Partial sequences were used to create the concatenated sequence because complete gene sequences were not necessary for primer design.

Example 2: Sample Preparation and PCR

[374]   Genomic DNA was prepared from samples using the DNeasy Tissue Kit (Qiagen, Valencia, CA) according to the manufacturer's protocols.

[375]   All PCR reactions were assembled in 50 μL reaction volumes in a 96-well microtiter plate format using a Packard MPII liquid handling robotic platform and M.J. Dyad thermocyclers (MJ research, Waltham, MA) or Eppendorf Mastercycler thermocyclers (Eppendorf, Westbury, NY). The PCR reaction mixture consisted of 4 units of Amplitaq Gold, 1x buffer II (Applied Biosystems, Foster City, CA), 1.5 mM $MgCl_2$, 0.4 M betaine, 800 μM dNTP mixture and 250 nM of each primer. The following typical PCR conditions were used: 95°C for 10 min followed by 8 cycles of 95°C for 30 seconds, 48°C for 30 seconds, and 72°C 30 seconds with the 48°C annealing temperature increasing 0.9°C with each of the eight cycles. The PCR was then continued for 37 additional cycles of 95°C for 15 seconds, 56°C for 20 seconds, and 72°C 20 seconds.

Example 3: Purification of PCR Products for Mass Spectrometry with Ion Exchange Resin-Magnetic Beads

[376]   For solution capture of nucleic acids with ion exchange resin linked to magnetic beads, 25 μl of a 2.5 mg/mL suspension of BioClone amine terminated superparamagnetic beads were added to 25 to 50 μl of a PCR (or RT-PCR) reaction containing approximately 10 pM of a typical PCR amplification product. The above suspension was mixed for approximately 5 minutes by vortexing or pipetting, after which the liquid was removed after using a magnetic separator. The beads containing bound PCR amplification product were then washed three times with 50mM ammonium bicarbonate/50% MeOH or 100mM ammonium bicarbonate/50% MeOH, followed by three more washes with 50% MeOH. The bound PCR amplicon was eluted with a solution of 25mM piperidine, 25mM imidazole, 35% MeOH which included peptide calibration standards.

Example 4: Mass Spectrometry and Base Composition Analysis

[377]   The ESI-FTICR mass spectrometer is based on a Bruker Daltonics (Billerica, MA) Apex II 70e electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer that employs an actively shielded 7 Tesla superconducting magnet. The active shielding constrains the majority of the fringing magnetic field from the superconducting magnet to a relatively small volume. Thus,

components that might be adversely affected by stray magnetic fields, such as CRT monitors, robotic
components, and other electronics, can operate in close proximity to the FTICR spectrometer. All
aspects of pulse sequence control and data acquisition were performed on a 600 MHz Pentium II data
station running Bruker's Xmass software under Windows NT 4.0 operating system. Sample aliquots,
typically 15 μl, were extracted directly from 96-well microtiter plates using a CTC HTS PAL
autosampler (LEAP Technologies, Carrboro, NC) triggered by the FTICR data station. Samples were
injected directly into a 10 μl sample loop integrated with a fluidics handling system that supplies the 100
μl /hr flow rate to the ESI source. Ions were formed via electrospray ionization in a modified Analytica
(Branford, CT) source employing an off axis, grounded electrospray probe positioned approximately 1.5
cm from the metalized terminus of a glass desolvation capillary. The atmospheric pressure end of the
glass capillary was biased at 6000 V relative to the ESI needle during data acquisition. A counter-
current flow of dry N_2 was employed to assist in the desolvation process. Ions were accumulated in an
external ion reservoir comprised of an rf-only hexapole, a skimmer cone, and an auxiliary gate electrode,
prior to injection into the trapped ion cell where they were mass analyzed. Ionization duty cycles greater
than 99% were achieved by simultaneously accumulating ions in the external ion reservoir during ion
detection. Each detection event consisted of 1M data points digitized over 2.3 s. To improve the signal-
to-noise ratio (S/N), 32 scans were co-added for a total data acquisition time of 74 s.

[378]   The ESI-TOF mass spectrometer is based on a Bruker Daltonics MicroTOF™. Ions from the
ESI source undergo orthogonal ion extraction and are focused in a reflectron prior to detection. The
TOF and FTICR are equipped with the same automated sample handling and fluidics described above.
Ions are formed in the standard MicroTOF™ ESI source that is equipped with the same off-axis sprayer
and glass capillary as the FTICR ESI source. Consequently, source conditions were the same as those
described above. External ion accumulation was also employed to improve ionization duty cycle during
data acquisition. Each detection event on the TOF was comprised of 75,000 data points digitized over
75 μs.

[379]   The sample delivery scheme allows sample aliquots to be rapidly injected into the
electrospray source at high flow rate and subsequently be electrosprayed at a much lower flow rate for
improved ESI sensitivity. Prior to injecting a sample, a bolus of buffer was injected at a high flow rate
to rinse the transfer line and spray needle to avoid sample contamination/carryover. Following the rinse
step, the autosampler injected the next sample and the flow rate was switched to low flow. Following a
brief equilibration delay, data acquisition commenced. As spectra were co-added, the autosampler
continued rinsing the syringe and picking up buffer to rinse the injector and sample transfer line. In
general, two syringe rinses and one injector rinse were required to minimize sample carryover. During a

routine screening protocol a new sample mixture was injected every 106 seconds. More recently a fast wash station for the syringe needle has been implemented which, when combined with shorter acquisition times, facilitates the acquisition of mass spectra at a rate of just under one spectrum/minute.

[380]   Raw mass spectra were post-calibrated with an internal mass standard and deconvoluted to monoisotopic molecular masses. Unambiguous base compositions were derived from the exact mass measurements of the complementary single-stranded oligonucleotides. Quantitative results are obtained by comparing the peak heights with an internal PCR calibration standard present in every PCR well at 500 molecules per well. Calibration methods are commonly owned and disclosed in U.S. Provisional Patent Application Serial No. 60/545,425 which is incorporated herein by reference in entirety.

Example 5: *De Novo* Determination of Base Composition of Amplification Products using Molecular Mass Modified Deoxynucleotide Triphosphates

[381]   Because the molecular masses of the four natural nucleobases have a relatively narrow molecular mass range (A = 313.058, G = 329.052, C = 289.046, T = 304.046 — See Table 4), a persistent source of ambiguity in assignment of base composition can occur as follows: two nucleic acid strands having different base composition may have a difference of about 1 Da when the base composition difference between the two strands is G $\leftrightarrow$ A (-15.994) combined with C $\leftrightarrow$ T (+15.000). For example, one 99-mer nucleic acid strand having a base composition of $A_{27}G_{30}C_{21}T_{21}$ has a theoretical molecular mass of 30779.058 while another 99-mer nucleic acid strand having a base composition of $A_{26}G_{31}C_{22}T_{20}$ has a theoretical molecular mass of 30780.052. A 1 Da difference in molecular mass may be within the experimental error of a molecular mass measurement and thus, the relatively narrow molecular mass range of the four natural nucleobases imposes an uncertainty factor.

[382]   The present invention provides for a means for removing this theoretical 1 Da uncertainty factor through amplification of a nucleic acid with one mass-tagged nucleobase and three natural nucleobases. The term "nucleobase" as used herein is synonymous with other terms in use in the art including "nucleotide," "deoxynucleotide," "nucleotide residue," "deoxynucleotide residue," "nucleotide triphosphate (NTP)," or deoxynucleotide triphosphate (dNTP).

[383]   Addition of significant mass to one of the 4 nucleobases (dNTPs) in an amplification reaction, or in the primers themselves, will result in a significant difference in mass of the resulting amplification product (significantly greater than 1 Da) arising from ambiguities arising from the G $\leftrightarrow$ A combined with C $\leftrightarrow$ T event (Table 4). Thus, the same the G $\leftrightarrow$ A (-15.994) event combined with 5-Iodo-C $\leftrightarrow$ T (-110.900) event would result in a molecular mass difference of 126.894. If the molecular mass of the

base composition $A_{27}G_{30}$ 5-Iodo-$C_{21}T_{21}$ (33422.958) is compared with $A_{26}G_{31}$5-Iodo-$C_{22}T_{20}$, (33549.852) the theoretical molecular mass difference is +126.894. The experimental error of a molecular mass measurement is not significant with regard to this molecular mass difference. Furthermore, the only base composition consistent with a measured molecular mass of the 99-mer nucleic acid is $A_{27}G_{30}$5-Iodo-$C_{21}T_{21}$. In contrast, the analogous amplification without the mass tag has 18 possible base compositions.

Table 4: Molecular Masses of Natural Nucleobases and the Mass-Modified Nucleobase 5-Iodo-C and Molecular Mass Differences Resulting from Transitions

Nucleobase	Molecular Mass	Transition	Δ Molecular Mass
A	313.058	A-->T	-9.012
A	313.058	A-->C	-24.012
A	313.058	A-->5-Iodo-C	101.888
A	313.058	A-->G	15.994
T	304.046	T-->A	9.012
T	304.046	T-->C	-15.000
T	304.046	T-->5-Iodo-C	110.900
T	304.046	T-->G	25.006
C	289.046	C-->A	24.012
C	289.046	C-->T	15.000
C	289.046	C-->G	40.006
5-Iodo-C	414.946	5-Iodo-C-->A	-101.888
5-Iodo-C	414.946	5-Iodo-C-->T	-110.900
5-Iodo-C	414.946	5-Iodo-C-->G	-85.894
G	329.052	G-->A	-15.994
G	329.052	G-->T	-25.006
G	329.052	G-->C	-40.006
G	329.052	G-->5-Iodo-C	85.894

[384]   Mass spectra of bioagent-identifying amplicons were analyzed independently using a maximum-likelihood processor, such as is widely used in radar signal processing. This processor, referred to as GenX, first makes maximum likelihood estimates of the input to the mass spectrometer for each primer by running matched filters for each base composition aggregate on the input data. This includes the GenX response to a calibrant for each primer.

[385]   The algorithm emphasizes performance predictions culminating in probability-of-detection versus probability-of-false-alarm plots for conditions involving complex backgrounds of naturally occurring organisms and environmental contaminants. Matched filters consist of *a priori* expectations of signal values given the set of primers used for each of the bioagents. A genomic sequence database is

used to define the mass base count matched filters. The database contains the sequences of known bacterial bioagents and includes threat organisms as well as benign background organisms. The latter is used to estimate and subtract the spectral signature produced by the background organisms. A maximum likelihood detection of known background organisms is implemented using matched filters and a running-sum estimate of the noise covariance. Background signal strengths are estimated and used along with the matched filters to form signatures which are then subtracted. The maximum likelihood process is applied to this "cleaned up" data in a similar manner employing matched filters for the organisms and a running-sum estimate of the noise-covariance for the cleaned up data.

[386]   The amplitudes of all base compositions of bioagent-identifying amplicons for each primer are calibrated and a final maximum likelihood amplitude estimate per organism is made based upon the multiple single primer estimates. Models of all system noise are factored into this two-stage maximum likelihood calculation. The processor reports the number of molecules of each base composition contained in the spectra. The quantity of amplification product corresponding to the appropriate primer set is reported as well as the quantities of primers remaining upon completion of the amplification reaction.

[387]   Base count blurring can be carried out as follows. "Electronic PCR" can be conducted on nucleotide sequences of the desired bioagents to obtain the different expected base counts that could be obtained for each primer pair. See for example, ncbi.nlm.nih.gov/sutils/e-pcr/; Schuler, *Genome Res.* 7:541-50, 1997. In one illustrative embodiment, one or more spreadsheets, such as Microsoft Excel workbooks contain a plurality of worksheets. First in this example, there is a worksheet with a name similar to the workbook name; this worksheet contains the raw electronic PCR data. Second, there is a worksheet named "filtered bioagents base count" that contains bioagent name and base count; there is a separate record for each strain after removing sequences that are not identified with a genus and species and removing all sequences for bioagents with less than 10 strains. Third, there is a worksheet, "Sheet1" that contains the frequency of substitutions, insertions, or deletions for this primer pair. This data is generated by first creating a pivot table from the data in the "filtered bioagents base count" worksheet and then executing an Excel VBA macro. The macro creates a table of differences in base counts for bioagents of the same species, but different strains. One of ordinary skill in the art may understand additional pathways for obtaining similar table differences without undo experimentation.

[388]   Application of an exemplary script, involves the user defining a threshold that specifies the fraction of the strains that are represented by the reference set of base counts for each bioagent. The reference set of base counts for each bioagent may contain as many different base counts as are needed

to meet or exceed the threshold. The set of reference base counts is defined by taking the most abundant strain's base type composition and adding it to the reference set and then the next most abundant strain's base type composition is added until the threshold is met or exceeded. The current set of data was obtained using a threshold of 55%, which was obtained empirically.

[389]   For each base count not included in the reference base count set for that bioagent, the script then proceeds to determine the manner in which the current base count differs from each of the base counts in the reference set. This difference may be represented as a combination of substitutions, $Si=Xi$, and insertions, $Ii=Yi$, or deletions, $Di=Zi$. If there is more than one reference base count, then the reported difference is chosen using rules that aim to minimize the number of changes and, in instances with the same number of changes, minimize the number of insertions or deletions. Therefore, the primary rule is to identify the difference with the minimum sum $(Xi+Yi)$ or $(Xi+Zi)$, *e.g.*, one insertion rather than two substitutions. If there are two or more differences with the minimum sum, then the one that will be reported is the one that contains the most substitutions.

[390]   Differences between a base count and a reference composition are categorized as one, two, or more substitutions, one, two, or more insertions, one, two, or more deletions, and combinations of substitutions and insertions or deletions. The different classes of nucleobase changes and their probabilities of occurrence have been delineated in U.S. Patent Application Publication No. 2004209260 (U.S. Application Serial No. 10/418,514) which is incorporated herein by reference in entirety.

Example 6: Use of Broad Range Survey and Division Wide Primer Pairs for Identification of Bacteria in an Epidemic Surveillance Investigation

[391]   This investigation employed a set of 16 primer pairs which is herein designated the "surveillance primer set" and comprises broad range survey primer pairs, division wide primer pairs and a single *Bacillus* clade primer pair. The surveillance primer set is shown in Table 5 and consists of primer pairs originally listed in Table 2. This surveillance set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row. Primer pair 449 (non-T modified) has been modified twice. Its predecessors are primer pairs 70 and 357, displayed below in the same row. Primer pair 360 has also been modified twice and its predecessors are primer pairs 17 and 118.

Table 5: Bacterial Primer Pairs of the Surveillance Primer Set

Primer Pair	Forward Primer Name	Forward Primer	Reverse Primer Name	Reverse Primer	Target Gene

No.		(SEQ ID NO:)		(SEQ ID NO:)	
346	16S_EC_713_732_TMOD_F	202	16S_EC_789_809_TMOD_R	1110	16S rRNA
10	16S_EC_713_732_F	21	16S_EC_789_809	798	16S rRNA
347	16S_EC_785_806_TMOD_F	560	16S_EC_880_897_TMOD_R	1278	16S rRNA
11	16S_EC_785_806_F	118	16S_EC_880_897_R	830	16S rRNA
348	16S_EC_960_981_TMOD_F	706	16S_EC_1054_1073_TMOD_R	895	16S rRNA
14	16S_EC_960_981_F	672	16S_EC_1054_1073_R	735	16S rRNA
349	23S_EC_1826_1843_TMOD_F	401	23S_EC_1906_1924_TMOD_R	1156	23S rRNA
16	23S_EC_1826_1843_F	80	23S_EC_1906_1924_R	805	23S rRNA
352	INFB_EC_1365_1393_TMOD_F	687	INFB_EC_1439_1467_TMOD_R	1411	infB
34	INFB_EC_1365_1393_F	524	INFB_EC_1439_1467_R	1248	infB
354	RPOC_EC_2218_2241_TMOD_F	405	RPOC_EC_2313_2337_TMOD_R	1072	rpoC
52	RPOC_EC_2218_2241_F	81	RPOC_EC_2313_2337_R	790	rpoC
355	SSPE_BA_115_137_TMOD_F	255	SSPE_BA_197_222_TMOD_R	1402	sspE
58	SSPE_BA_115_137_F	45	SSPE_BA_197_222_R	1201	sspE
356	RPLB_EC_650_679_TMOD_F	232	RPLB_EC_739_762_TMOD_R	592	rplB
66	RPLB_EC_650_679_F	98	RPLB_EC_739_762_R	999	rplB
358	VALS_EC_1105_1124_TMOD_F	385	VALS_EC_1195_1218_TMOD_R	1093	valS
71	VALS_EC_1105_1124_F	77	VALS_EC_1195_1218_R	795	valS
359	RPOB_EC_1845_1866_TMOD_F	659	RPOB_EC_1909_1929_TMOD_R	1250	rpoB
72	RPOB_EC_1845_1866_F	233	RPOB_EC_1909_1929_R	825	rpoB
360	23S_EC_2646_2667_TMOD_F	409	23S_EC_2745_2765_TMOD_R	1434	23S rRNA
118	23S_EC_2646_2667_F	84	23S_EC_2745_2765_R	1389	23S rRNA
17	23S_EC_2645_2669_F	408	23S_EC_2744_2761_R	1252	23S rRNA
361	16S_EC_1090_1111_2_TMOD_F	697	16S_EC_1175_1196_TMOD_R	1398	16S rRNA
3	16S_EC_1090_1111_2_F	651	16S_EC_1175_1196_R	1159	16S rRNA
362	RPOB_EC_3799_3821_TMOD_F	581	RPOB_EC_3862_3888_TMOD_R	1325	rpoB
289	RPOB_EC_3799_3821_F	124	RPOB_EC_3862_3888_R	840	rpoB
363	RPOC_EC_2146_2174_TMOD_F	284	RPOC_EC_2227_2245_TMOD_R	898	rpoC
290	RPOC_EC_2146_2174_F	52	RPOC_EC_2227_2245_R	736	rpoC
367	TUFB_EC_957_979_TMOD_F	308	TUFB_EC_1034_1058_TMOD_R	1276	tufB
293	TUFB_EC_957_979_F	55	TUFB_EC_1034_1058_R	829	tufB
449	RPLB_EC_690_710_F	309	RPLB_EC_737_758_R	1336	rplB
357	RPLB_EC_688_710_TMOD_F	296	RPLB_EC_736_757_TMOD_R	1337	rplB
67	RPLB_EC_688_710_F	54	RPLB_EC_736_757_R	842	rplB

[392] The 16 primer pairs of the surveillance set are used to produce bioagent identifying amplicons whose base compositions are sufficiently different amongst all known bacteria at the species level to identify, at a reasonable confidence level, any given bacterium at the species level. As shown in Tables 6A-E, common respiratory bacterial pathogens can be distinguished by the base compositions of bioagent identifying amplicons obtained using the 16 primer pairs of the surveillance set. In some cases, triangulation identification improves the confidence level for species assignment. For example, nucleic acid from *Streptococcus pyogenes* can be amplified by nine of the sixteen surveillance primer pairs and *Streptococcus pneumoniae* can be amplified by ten of the sixteen surveillance primer pairs. The base

compositions of the bioagent identifying amplicons are identical for only one of the analogous bioagent identifying amplicons and differ in all of the remaining analogous bioagent identifying amplicons by up to four bases per bioagent identifying amplicon. The resolving power of the surveillance set was confirmed by determination of base compositions for 120 isolates of respiratory pathogens representing 70 different bacterial species and the results indicated that natural variations (usually only one or two base substitutions per bioagent identifying amplicon) amongst multiple isolates of the same species did not prevent correct identification of major pathogenic organisms at the species level.

[393]   *Bacillus anthracis* is a well known biological warfare agent which has emerged in domestic terrorism in recent years. Since it was envisioned to produce bioagent identifying amplicons for identification of *Bacillus anthracis,* additional drill-down analysis primers were designed to target genes present on virulence plasmids of *Bacillus anthracis* so that additional confidence could be reached in positive identification of this pathogenic organism. Three drill-down analysis primers were designed and are listed in Tables 2 and 6. In Table 6, the drill-down set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 6: Drill-Down Primer Pairs for Confirmation of Identification of *Bacillus anthracis*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
350	CAPC_BA_274_303_TMOD_F	476	CAPC_BA_349_376_TMOD_R	1314	capC
24	CAPC_BA_274_303_F	109	CAPC_BA_349_376_R	837	capC
351	CYA_BA_1353_1379_TMOD_F	355	CYA_BA_1448_1467_TMOD_R	1423	cyA
30	CYA_BA_1353_1379_F	64	CYA_BA_1448_1467_R	1342	cyA
353	LEF_BA_756_781_TMOD_F	220	LEF_BA_843_872_TMOD_R	1394	lef
37	LEF_BA_756_781_F	26	LEF_BA_843_872_R	1135	lef

[394]   Phylogenetic coverage of bacterial space of the sixteen surveillance primers of Table 5 and the three *Bacillus* anthracis drill-down primers of Table 6 is shown in Figure 3 which lists common pathogenic bacteria. Figure 3 is not meant to be comprehensive in illustrating all species identified by the primers. Only pathogenic bacteria are listed as representative examples of the bacterial species that can be identified by the primers and methods of the present invention. Nucleic acid of groups of bacteria enclosed within the polygons of Figure 3 can be amplified to obtain bioagent identifying amplicons using the primer pair numbers listed in the upper right hand corner of each polygon. Primer coverage for polygons within polygons is additive. As an illustrative example, bioagent identifying amplicons can be obtained for *Chlamydia trachomatis* by amplification with, for example, primer pairs 346-349, 360 and

361, but not with any of the remaining primers of the surveillance primer set. On the other hand, bioagent identifying amplicons can be obtained from nucleic acid originating from *Bacillus anthracis* (located within 5 successive polygons) using, for example, any of the following primer pairs: 346-349, 360, 361 (base polygon), 356, 449 (second polygon), 352 (third polygon), 355 (fourth polygon), 350, 351 and 353 (fifth polygon). Multiple coverage of a given organism with multiple primers provides for increased confidence level in identification of the organism as a result of enabling broad triangulation identification.

[395]   In Tables 7A-E, base compositions of respiratory pathogens for primer target regions are shown. Two entries in a cell, represent variation in ribosomal DNA operons. The most predominant base composition is shown first and the minor (frequently a single operon) is indicated by an asterisk (*). Entries with NO DATA mean that the primer would not be expected to prime this species due to mismatches between the primer and target region, as determined by theoretical PCR.

Table 7A – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 346, 347 and 348

Organism	Strain	Primer 346 [A G C T]	Primer 347 [A G C T]	Primer 348 [A G C T]
Klebsiella pneumoniae	MGH78578	[29 32 25 13] [29 31 25 13]*	[23 38 28 26] [23 37 28 26]*	[26 32 28 30] [26 31 28 30]*
Yersinia pestis	CO-92 Biovar Orientalis	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[29 32 25 13]	[22 39 28 26]	[29 30 28 29]
Yersinia pestis	91001	[29 32 25 13]	[22 39 28 26]	[29 30 28 29] [30 30 27 29]*
Haemophilus influenzae	KW20	[28 31 23 17]	[24 37 25 27]	[29 30 28 29]
Pseudomonas aeruginosa	PAO1	[30 31 23 15]	[26 36 29 24] [27 36 29 23]*	[26 32 29 29]
Pseudomonas fluorescens	Pf0-1	[30 31 23 15]	[26 35 29 25]	[28 31 28 29]
Pseudomonas putida	KT2440	[30 31 23 15]	[28 33 27 27]	[27 32 29 28]
Legionella pneumophila	Philadelphia-1	[30 30 24 15]	[33 33 23 27]	[29 28 28 31]
Francisella tularensis	schu 4	[32 29 22 16]	[28 38 26 26]	[25 32 28 31]
Bordetella pertussis	Tohama I	[30 29 24 16]	[23 37 30 24]	[30 32 30 26]
Burkholderia cepacia	J2315	[29 29 27 14]	[27 32 26 29]	[27 36 31 24] [20 42 35 19]*
Burkholderia pseudomallei	K96243	[29 29 27 14]	[27 32 26 29]	[27 36 31 24]
Neisseria gonorrhoeae	FA 1090, ATCC 700825	[29 28 24 18]	[27 34 26 28]	[24 36 29 27]
Neisseria meningitidis	MC58 (serogroup B)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Neisseria meningitidis	serogroup C, FAM18	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Neisseria meningitidis	Z2491 (serogroup A)	[29 28 26 16]	[27 34 27 27]	[25 35 30 26]
Chlamydophila pneumoniae	TW-183	[31 27 22 19]	NO DATA	[32 27 27 29]

Chlamydophila pneumoniae	AR39	[31 27 22 19]	NO DATA	[32 27 27 29]
Chlamydophila pneumoniae	CWL029	[31 27 22 19]	NO DATA	[32 27 27 29]
Chlamydophila pneumoniae	J138	[31 27 22 19]	NO DATA	[32 27 27 29]
Corynebacterium diphtheriae	NCTC13129	[29 34 21 15]	[22 38 31 25]	[22 33 25 34]
Mycobacterium avium	k10	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium avium	104	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	CSU#93	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	CDC 1551	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycobacterium tuberculosis	H37Rv (lab strain)	[27 36 21 15]	[22 37 30 28]	[21 36 27 30]
Mycoplasma pneumoniae	M129	[31 29 19 20]	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [29 31 30 29]*
Staphylococcus aureus	MSSA476	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	COL	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	Mu50	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	MW2	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	N315	[27 30 21 21]	[25 35 30 26]	[30 29 30 29] [30 29 29 30]*
Staphylococcus aureus	NCTC 8325	[27 30 21 21]	[25 35 30 26] [25 35 31 26]*	[30 29 30 29] [30 29 29 30]
Streptococcus agalactiae	NEM316	[26 32 23 18]	[24 36 31 25] [24 36 30 26]*	[25 32 29 30]
Streptococcus equi	NC_002955	[26 32 23 18]	[23 37 31 25]	[29 30 25 32]
Streptococcus pyogenes	MGAS8232	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	MGAS315	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	SSI-1	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	MGAS10394	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	Manfredo (M5)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pyogenes	SF370 (M1)	[26 32 23 18]	[24 37 30 25]	[25 31 29 31]
Streptococcus pneumoniae	670	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
Streptococcus pneumoniae	R6	[26 32 23 18]	[25 35 28 28]	[25 32 29 30]
Streptococcus pneumoniae	TIGR4	[26 32 23 18]	[25 35 28 28]	[25 32 30 29]
Streptococcus gordonii	NCTC7868	[25 33 23 18]	[24 36 31 25]	[25 31 29 31]
Streptococcus mitis	NCTC 12261	[26 32 23 18]	[25 35 30 26]	[25 32 29 30] [24 31 35 29]*
Streptococcus mutans	UA159	[24 32 24 19]	[25 37 30 24]	[28 31 26 31]

Table 7B – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying

Amplicons Corresponding to Primer Pair Nos: 349, 360, and 356

Organism	Strain	Primer 349	Primer 360	Primer 356

		[A G C T]	[A G C T]	[A G C T]
Klebsiella pneumoniae	MGH78578	[25 31 25 22]	[33 37 25 27]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[25 31 27 20] [25 32 26 20]*	[34 35 25 28]	NO DATA
Yersinia pestis	91001	[25 31 27 20]	[34 35 25 28]	NO DATA
Haemophilus influenzae	KW20	[28 28 25 20]	[32 38 25 27]	NO DATA
Pseudomonas aeruginosa	PAO1	[24 31 26 20]	[31 36 27 27]* [31 36 27 28]*	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[30 37 27 28] [30 37 27 28]	NO DATA
Pseudomonas putida	KT2440	[24 31 26 20]	[30 37 27 28]	NO DATA
Legionella pneumophila	Philadelphia-1	[23 30 25 23]	[30 39 29 24]	NO DATA
Francisella tularensis	schu 4	[26 31 25 19]	[32 36 27 27]	NO DATA
Bordetella pertussis	Tohama I	[21 29 24 18]	[33 36 26 27]	NO DATA
Burkholderia cepacia	J2315	[23 27 22 20]	[31 37 28 26]	NO DATA
Burkholderia pseudomallei	K96243	[23 27 22 20]	[31 37 28 26]	NO DATA
Neisseria gonorrhoeae	FA 1090, ATCC 700825	[24 27 24 17]	[34 37 25 26]	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	[25 27 22 18]	[34 37 25 26]	NO DATA
Neisseria meningitidis	serogroup C, FAM18	[25 26 23 18]	[34 37 25 26]	NO DATA
Neisseria meningitidis	Z2491 (serogroup A)	[25 26 23 18]	[34 37 25 26]	NO DATA
Chlamydophila pneumoniae	TW-183	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	[30 28 27 18]	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	[30 28 27 18]	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	[29 40 28 25]	NO DATA
Mycobacterium avium	k10	NO DATA	[33 35 32 22]	NO DATA
Mycobacterium avium	104	NO DATA	[33 35 32 22]	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	[30 36 34 22]	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	[30 36 34 22]	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	[30 36 34 22]	NO DATA
Mycoplasma pneumoniae	M129	[28 30 24 19]	[34 31 29 28]	NO DATA
Staphylococcus aureus	MRSA252	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	MSSA476	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	COL	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	Mu50	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	MW2	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus aureus	N315	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]
Staphylococcus	NCTC 8325	[26 30 25 20]	[31 38 24 29]	[33 30 31 27]

aureus				
Streptococcus agalactiae	NEM316	[28 31 22 20]	[33 37 24 28]	[37 30 28 26]
Streptococcus equi	NC_002955	[28 31 23 19]	[33 38 24 27]	[37 31 28 25]
Streptococcus pyogenes	MGAS8232	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	MGAS315	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	SSI-1	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	MGAS10394	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	Manfredo (M5)	[28 31 23 19]	[33 37 24 28]	[38 31 29 23]
Streptococcus pyogenes	SF370 (M1)	[28 31 23 19] [28 31 22 20]*	[33 37 24 28]	[38 31 29 23]
Streptococcus pneumoniae	670	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus pneumoniae	R6	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus pneumoniae	TIGR4	[28 31 22 20]	[34 36 24 28]	[37 30 29 25]
Streptococcus gordonii	NCTC7868	[28 32 23 20]	[34 36 24 28]	[36 31 29 25]
Streptococcus mitis	NCTC 12261	[28 31 22 20] [29 30 22 20]*	[34 36 24 28]	[37 30 29 25]
Streptococcus mutans	UA159	[26 32 23 22]	[34 37 24 27]	NO DATA

Table 7C – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying

Amplicons Corresponding to Primer Pair Nos: 449, 354, and 352

Organism	Strain	Primer 449 [A G C T]	Primer 354 [A G C T]	Primer 352 [A G C T]
Klebsiella pneumoniae	MGH78578	NO DATA	[27 33 36 26]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	NO DATA	[29 31 33 29]	[32 28 20 25]
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[29 31 33 29]	[32 28 20 25]
Yersinia pestis	91001	NO DATA	[29 31 33 29]	NO DATA
Haemophilus influenzae	KW20	NO DATA	[30 29 31 32]	NO DATA
Pseudomonas aeruginosa	PAO1	NO DATA	[26 33 39 24]	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[26 33 34 29]	NO DATA
Pseudomonas putida	KT2440	NO DATA	[25 34 36 27]	NO DATA
Legionella pneumophila	Philadelphia-1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	[33 32 25 32]	NO DATA
Bordetella pertussis	Tohama I	NO DATA	[26 33 39 24]	NO DATA
Burkholderia cepacia	J2315	NO DATA	[25 37 33 27]	NO DATA
Burkholderia pseudomallei	K96243	NO DATA	[25 37 34 26]	NO DATA
Neisseria gonorrhoeae	FA 1090, ATCC 700825	[17 23 22 10]	[29 31 32 30]	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	NO DATA	[29 30 32 31]	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	[29 30 32 31]	NO DATA

Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	[29 30 32 31]	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	NO DATA	NO DATA	NO DATA
Mycobacterium avium	104	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	MSSA476	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	COL	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
Staphylococcus aureus	Mu50	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	MW2	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	N315	[17 20 21 17]	[30 27 30 35]	[36 24 19 26]
Staphylococcus aureus	NCTC 8325	[17 20 21 17]	[30 27 30 35]	[35 24 19 27]
Streptococcus agalactiae	NEM316	[22 20 19 14]	[26 31 27 38]	[29 26 22 28]
Streptococcus equi	NC_002955	[22 21 19 13]	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	MGAS315	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	SSI-1	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	MGAS10394	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	Manfredo (M5)	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pyogenes	SF370 (M1)	[23 21 19 12]	[24 32 30 36]	NO DATA
Streptococcus pneumoniae	670	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus pneumoniae	R6	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus pneumoniae	TIGR4	[22 20 19 14]	[25 33 29 35]	[30 29 21 25]
Streptococcus gordonii	NCTC7868	[21 21 19 14]	NO DATA	[29 26 22 28]
Streptococcus mitis	NCTC 12261	[22 20 19 14]	[26 30 32 34]	NO DATA
Streptococcus mutans	UA159	NO DATA	NO DATA	NO DATA

Table 7D – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 355, 358, and 359

Organism	Strain	Primer 355 [A G C T]	Primer 358 [A G C T]	Primer 359 [A G C T]
Klebsiella pneumoniae	MGH78578	NO DATA	[24 39 33 20]	[25 21 24 17]
Yersinia pestis	CO-92 Biovar Orientalis	NO DATA	[26 34 35 21]	[23 23 19 22]
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	NO DATA	[26 34 35 21]	[23 23 19 22]
Yersinia pestis	91001	NO DATA	[26 34 35 21]	[23 23 19 22]
Haemophilus influenzae	KW20	NO DATA	NO DATA	NO DATA
Pseudomonas aeruginosa	PAO1	NO DATA	NO DATA	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	NO DATA	NO DATA
Pseudomonas putida	KT2440	NO DATA	[21 37 37 21]	NO DATA
Legionella pneumophila	Philadelphia-1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	NO DATA	NO DATA
Bordetella pertussis	Tohama I	NO DATA	NO DATA	NO DATA
Burkholderia cepacia	J2315	NO DATA	NO DATA	NO DATA
Burkholderia pseudomallei	K96243	NO DATA	NO DATA	NO DATA
Neisseria gonorrhoeae	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	NO DATA	NO DATA	NO DATA
Mycobacterium avium	104	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CSU#93	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	CDC 1551	NO DATA	NO DATA	NO DATA
Mycobacterium tuberculosis	H37Rv (lab strain)	NO DATA	NO DATA	NO DATA
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MSSA476	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	COL	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	Mu50	NO DATA	NO DATA	NO DATA

Staphylococcus aureus	MW2	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	N315	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	NCTC 8325	NO DATA	NO DATA	NO DATA
Streptococcus agalactiae	NEM316	NO DATA	NO DATA	NO DATA
Streptococcus equi	NC_002955	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS315	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SSI-1	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS10394	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	Manfredo (M5)	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SF370 (M1)	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	670	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	R6	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	TIGR4	NO DATA	NO DATA	NO DATA
Streptococcus gordonii	NCTC7868	NO DATA	NO DATA	NO DATA
Streptococcus mitis	NCTC 12261	NO DATA	NO DATA	NO DATA
Streptococcus mutans	UA159	NO DATA	NO DATA	NO DATA

Table 7E – Base Compositions of Common Respiratory Pathogens for Bioagent Identifying Amplicons Corresponding to Primer Pair Nos: 362, 363, and 367

Organism	Strain	Primer 362 [A G C T]	Primer 363 [A G C T]	Primer 367 [A G C T]
Klebsiella pneumoniae	MGH78578	[21 33 22 16]	[16 34 26 26]	NO DATA
Yersinia pestis	CO-92 Biovar Orientalis	[20 34 18 20]	NO DATA	NO DATA
Yersinia pestis	KIM5 P12 (Biovar Mediaevalis)	[20 34 18 20]	NO DATA	NO DATA
Yersinia pestis	91001	[20 34 18 20]	NO DATA	NO DATA
Haemophilus influenzae	KW20	NO DATA	NO DATA	NO DATA
Pseudomonas aeruginosa	PAO1	[19 35 21 17]	[16 36 28 22]	NO DATA
Pseudomonas fluorescens	Pf0-1	NO DATA	[18 35 26 23]	NO DATA
Pseudomonas putida	KT2440	NO DATA	[16 35 28 23]	NO DATA
Legionella pneumophila	Philadelphia-1	NO DATA	NO DATA	NO DATA
Francisella tularensis	schu 4	NO DATA	NO DATA	NO DATA
Bordetella pertussis	Tohama I	[20 31 24 17]	[15 34 32 21]	[26 25 34 19]
Burkholderia cepacia	J2315	[20 33 21 18]	[15 36 26 25]	[25 27 32 20]
Burkholderia pseudomallei	K96243	[19 34 19 20]	[15 37 28 22]	[25 27 32 20]
Neisseria gonorrhoeae	FA 1090, ATCC 700825	NO DATA	NO DATA	NO DATA

Neisseria meningitidis	MC58 (serogroup B)	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	serogroup C, FAM18	NO DATA	NO DATA	NO DATA
Neisseria meningitidis	Z2491 (serogroup A)	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	TW-183	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	AR39	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	CWL029	NO DATA	NO DATA	NO DATA
Chlamydophila pneumoniae	J138	NO DATA	NO DATA	NO DATA
Corynebacterium diphtheriae	NCTC13129	NO DATA	NO DATA	NO DATA
Mycobacterium avium	k10	[19 34 23 16]	NO DATA	[24 26 35 19]
Mycobacterium avium	104	[19 34 23 16]	NO DATA	[24 26 35 19]
Mycobacterium tuberculosis	CSU#93	[19 31 25 17]	NO DATA	[25 25 34 20]
Mycobacterium tuberculosis	CDC 1551	[19 31 24 18]	NO DATA	[25 25 34 20]
Mycobacterium tuberculosis	H37Rv (lab strain)	[19 31 24 18]	NO DATA	[25 25 34 20]
Mycoplasma pneumoniae	M129	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MRSA252	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MSSA476	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	COL	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	Mu50	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	MW2	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	N315	NO DATA	NO DATA	NO DATA
Staphylococcus aureus	NCTC 8325	NO DATA	NO DATA	NO DATA
Streptococcus agalactiae	NEM316	NO DATA	NO DATA	NO DATA
Streptococcus equi	NC_002955	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS8232	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS315	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SSI-1	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	MGAS10394	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	Manfredo (M5)	NO DATA	NO DATA	NO DATA
Streptococcus pyogenes	SF370 (M1)	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	670	NO DATA	NO DATA	NO DATA
Streptococcus pneumoniae	R6	[20 30 19 23]	NO DATA	NO DATA
Streptococcus pneumoniae	TIGR4	[20 30 19 23]	NO DATA	NO DATA
Streptococcus gordonii	NCTC7868	NO DATA	NO DATA	NO DATA
Streptococcus mitis	NCTC 12261	NO DATA	NO DATA	NO DATA
Streptococcus	UA159	NO DATA	NO DATA	NO DATA

mutans				

[396]   Four sets of throat samples from military recruits at different military facilities taken at
different time points were analyzed using the primers of the present invention. The first set was
collected at a military training center from November 1 to December 20, 2002 during one of the most
severe outbreaks of pneumonia associated with group A *Streptococcus* in the United States since 1968.
During this outbreak, fifty-one throat swabs were taken from both healthy and hospitalized recruits and
plated on blood agar for selection of putative group A *Streptococcus* colonies. A second set of 15
original patient specimens was taken during the height of this group A *Streptococcus* -associated
respiratory disease outbreak. The third set were historical samples, including twenty-seven isolates of
group A *Streptococcus*, from disease outbreaks at this.and other military training facilities during
previous years. The fourth set of samples was collected from five geographically separated military
facilities in the continental U.S. in the winter immediately following the severe November/December
2002 outbreak.

[397]   Pure colonies isolated from group A *Streptococcus*-selective media from all four collection
periods were analyzed with the surveillance primer set. All samples showed base compositions that
precisely matched the four completely sequenced strains of *Streptococcus pyogenes*. Shown in Figure 4
is a 3D diagram of base composition (axes A, G and C) of bioagent identifying amplicons obtained with
primer pair number 14 (a precursor of primer pair number 348 which targets 16S rRNA). The diagram
indicates that the experimentally determined base compositions of the clinical samples closely match the
base compositions expected for *Streptococcus pyogenes* and are distinct from the expected base
compositions of other organisms.

[398]   In addition to the identification of *Streptococcus pyogenes*, other potentially pathogenic
organisms were identified concurrently. Mass spectral analysis of a sample whose nucleic acid was
amplified by primer pair number 349 (SEQ ID NOs: 401:1156) exhibited signals of bioagent identifying
amplicons with molecular masses that were found to correspond to analogous base compositions of
bioagent identifying amplicons of *Streptococcus pyogenes* (A27 G32 C24 T18), *Neisseria meningitidis*
(A25 G27 C22 T18), and *Haemophilus influenzae* (A28 G28 C25 T20) (see Figure 5 and Table 7B).
These organisms were present in a ratio of 4:5:20 as determined by comparison of peak heights with
peak height of an internal PCR calibration standard as described in commonly owned U.S. Patent
Application Serial No: 60/545,425 which is incorporated herein by reference in its entirety.

[399]   Since certain division-wide primers that target housekeeping genes are designed to provide
coverage of specific divisions of bacteria to increase the confidence level for identification of bacterial
species, they are not expected to yield bioagent identifying amplicons for organisms outside of the
specific divisions. For example, primer pair number 356 (SEQ ID NOs: 449:1380) primarily amplifies
the nucleic acid of members of the classes *Bacilli* and *Clostridia* and is not expected to amplify
proteobacteria such as *Neisseria meningitidis* and *Haemophilus influenzae*. As expected, analysis of the
mass spectrum of amplification products obtained with primer pair number 356 does not indicate the
presence of *Neisseria meningitidis* and *Haemophilus influenzae* but does indicate the presence of
Streptococcus pyogenes (Figures 3 and 6, Table 7B). Thus, these primers or types of primers can
confirm the absence of particular bioagents from a sample.

[400]   The 15 throat swabs from military recruits were found to contain a relatively small set of
microbes in high abundance. The most common were *Haemophilus influenza, Neisseria meningitides*,
and *Streptococcus pyogenes. Staphylococcus epidermidis, Moraxella cattarhalis, Corynebacterium
pseudodiphtheriticum*, and *Staphylococcus aureus* were present in fewer samples. An equal number of
samples from healthy volunteers from three different geographic locations, were identically analyzed.
Results indicated that the healthy volunteers have bacterial flora dominated by multiple, commensal
non-beta-hemolytic *Streptococcal* species, including the viridans group *streptococci* (*S. parasangunis, S.
vestibularis, S. mitis, S. oralis* and *S. pneumoniae*; data not shown), and none of the organisms found in
the military recruits were found in the healthy controls at concentrations detectable by mass
spectrometry. Thus, the military recruits in the midst of a respiratory disease outbreak had a dramatically
different microbial population than that experienced by the general population in the absence of
epidemic disease.

**Example 7: Triangulation Genotyping Analysis for Determination of emm-Type of *Streptococcus
pyogenes* in Epidemic Surveillance**

[401]   As a continuation of the epidemic surveillance investigation of Example 6, determination of
sub-species characteristics (genotyping) of *Streptococcus pyogenes*, was carried out based on a strategy
that generates strain-specific signatures according to the rationale of Multi-Locus Sequence Typing
(MLST). In classic MLST analysis, internal fragments of several housekeeping genes are amplified and
sequenced (Enright et al. Infection and Immunity, 2001, 69, 2416-2427). In classic MLST analysis,
internal fragments of several housekeeping genes are amplified and sequenced. In the present
investigation, bioagent identifying amplicons from housekeeping genes were produced using drill-down
primers and analyzed by mass spectrometry. Since mass spectral analysis results in molecular mass,

from which base composition can be determined, the challenge was to determine whether resolution of *emm* classification of strains of *Streptococcus pyogenes* could be determined.

[402]   For the purpose of development of a triangulation genotyping assay, an alignment was constructed of concatenated alleles of seven MLST housekeeping genes (glucose kinase (gki), glutamine transporter protein (gtr), glutamate racemase (murI), DNA mismatch repair protein (mutS), xanthine phosphoribosyl transferase (xpt), and acetyl-CoA acetyl transferase (yqiL)) from each of the 212 previously *emm*-typed strains of *Streptococcus pyogenes*. From this alignment, the number and location of primer pairs that would maximize strain identification via base composition was determined. As a result, 6 primer pairs were chosen as standard drill-down primers for determination of *emm*-type of *Streptococcus pyogenes*. These six primer pairs are displayed in Table 8. This drill-down set comprises primers with T modifications (note TMOD designation in primer names) which constitutes a functional improvement with regard to prevention of non-templated adenylation (*vide supra*) relative to originally selected primers which are displayed below in the same row.

Table 8: Triangulation Genotyping Analysis Primer Pairs for Group A *Streptococcus* Drill-Down

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
442	SP101_SPET11_358_387_TMOD_F	588	SP101_SPET11_448_473_TMOD_R	998	gki
80	SP101_SPET11_358_387_F	126	SP101_SPET11_448_473_TMOD_R	766	gki
443	SP101_SPET11_600_629_TMOD_F	348	SP101_SPET11_686_714_TMOD_R	1018	gtr
81	SP101_SPET11_600_629_F	62	SP101_SPET11_686_714_R	772	gtr
426	SP101_SPET11_1314_1336_TMOD_F	363	SP101_SPET11_1403_1431_TMOD_R	849	murI
86	SP101_SPET11_1314_1336_F	68	SP101_SPET11_1403_1431_R	711	murI
430	SP101_SPET11_1807_1835_TMOD_F	235	SP101_SPET11_1901_1927_TMOD_R	1439	mutS
90	SP101_SPET11_1807_1835_F	33	SP101_SPET11_1901_1927_R	1412	mutS
438	SP101_SPET11_3075_3103_TMOD_F	473	SP101_SPET11_3168_3196_TMOD_R	875	xpt
96	SP101_SPET11_3075_3103_F	108	SP101_SPET11_3168_3196_R	715	xpt
441	SP101_SPET11_3511_3535_TMOD_F	531	SP101_SPET11_3605_3629_TMOD_R	1294	yqiL
98	SP101_SPET11_3511_3535_F	116	SP101_SPET11_3605_3629_R	832	yqiL

[403]   The primers of Table 8 were used to produce bioagent identifying amplicons from nucleic acid present in the clinical samples. The bioagent identifying amplicons which were subsequently analyzed by mass spectrometry and base compositions corresponding to the molecular masses were calculated.

[404]   Of the 51 samples taken during the peak of the November/December 2002 epidemic (Table 9A-C rows 1-3), all except three samples were found to represent *emm3*, a Group A *Streptococcus* genotype previously associated with high respiratory virulence. The three outliers were from samples obtained from healthy individuals and probably represent non-epidemic strains. Archived samples (Tables 9A-C rows 5-13) from historical collections showed a greater heterogeneity of base compositions and *emm* types as would be expected from different epidemics occurring at different places and dates. The results of the mass spectrometry analysis and *emm* gene sequencing were found to be concordant for the epidemic and historical samples.

Table 9A: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 426 and 430

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	murI (Primer Pair No. 426)	mutS (Primer Pair No. 430)
48	3	3	MCRD San Diego (Cultured)	2002	A39 G25 C20 T34	A38 G27 C23 T33
2	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
15	3	ND			A39 G25 C20 T34	A38 G27 C23 T33
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A39 G25 C20 T34	A38 G27 C23 T33
3	5,58	5			A40 G24 C20 T34	A38 G27 C23 T33
6	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
3	12	12			A40 G24 C20 T34	A38 G26 C24 T33
1	22	22			A39 G25 C20 T34	A38 G27 C23 T33
3	25,75	75			A39 G25 C20 T34	A38 G27 C23 T33
4	44/61,82,9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	53,91	91			A39 G25 C20 T34	A38 G27 C23 T33
1	2	2	Ft. Leonard Wood (Cultured)	2003	A39 G25 C20 T34	A38 G27 C24 T32
2	3	3			A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	6	6			A40 G24 C20 T34	A38 G27 C23 T33
11	25 or 75	75			A39 G25 C20 T34	A38 G27 C23 T33
1	25,75, 33, 34,4,52,84	75			A39 G25 C20 T34	A38 G27 C23 T33
1	44/61 or 82 or 9	44/61			A40 G24 C20 T34	A38 G26 C24 T33
2	5 or 58	5			A40 G24 C20 T34	A38 G27 C23 T33
3	1	1	Ft. Sill (Cultured)	2003	A40 G24 C20 T34	A38 G27 C23 T33
2	3	3			A39 G25 C20 T34	A38 G27 C23 T33
1	4	4			A39 G25 C20 T34	A38 G27 C23 T33
1	28	28			A39 G25 C20 T34	A38 G27 C23 T33
1	3	3	Ft.	2003	A39 G25 C20 T34	A38 G27 C23 T33

1	4	4	Benning (Cultured)		A39 G25 C20 T34	A38 G27 C23 T33
3	6	6			A40 G24 C20 T34	A38 G27 C23 T33
1	11	11			A39 G25 C20 T34	A38 G27 C23 T33
1	13	94**			A40 G24 C20 T34	A38 G27 C23 T33
1	44/61 or 82 or 9	82			A40 G24 C20 T34	A38 G26 C24 T33
1	5 or 58	58			A40 G24 C20 T34	A38 G27 C23 T33
1	78 or 89	89			A39 G25 C20 T34	A38 G27 C23 T33
2	5 or 58		Lackland AFB (Throat Swabs)	2003	A40 G24 C20 T34	A38 G27 C23 T33
1	2				A39 G25 C20 T34	A38 G27 C24 T32
1	81 or 90	ND			A40 G24 C20 T34	A38 G27 C23 T33
1	78				A38 G26 C20 T34	A38 G27 C23 T33
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego (Throat Swabs)	2002	A39 G25 C20 T34	A38 G27 C23 T33
1	3	ND			No detection	A38 G27 C23 T33
1	3	ND			No detection	No detection
1	3	ND			No detection	No detection
2	3	ND			No detection	A38 G27 C23 T33
3	No detection	ND			No detection	No detection

Table 9B: Base Composition Analysis of Bioagent Identifying Amplicons of Group A *Streptococcus* samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	xpt (Primer Pair No. 438)	yqiL (Primer Pair No. 441)
48	3	3	MCRD San Diego (Cultured)	2002	A30 G36 C20 T36	A40 G29 C19 T31
2	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
15	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
6	3	3	NHRC San Diego-Archive (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
3	5,58	5			A30 G36 C20 T36	A40 G29 C19 T31
6	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11			A30 G36 C20 T36	A40 G29 C19 T31
3	12	12			A30 G36 C19 T37	A40 G29 C19 T31
1	22	22			A30 G36 C20 T36	A40 G29 C19 T31
3	25,75	75			A30 G36 C20 T36	A40 G29 C19 T31
4	44/61,82,9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	53,91	91			A30 G36 C19 T37	A40 G29 C19 T31
1	2	2	Ft. Leonard Wood (Cultured)	2003	A30 G36 C20 T36	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
1	6	6			A30 G36 C20 T36	A40 G29 C19 T31
11	25 or 75	75			A30 G36 C20 T36	A40 G29 C19 T31
1	25,75, 33, 34,4,52,84	75			A30 G36 C19 T37	A40 G29 C19 T31
1	44/61 or 82 or 9	44/61			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58	5			A30 G36 C20 T36	A40 G29 C19 T31
3	1	1	Ft. Sill (Cultured)	2003	A30 G36 C19 T37	A40 G29 C19 T31
2	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	gki	gtr
1	28	28			A30 G36 C20 T36	A41 G28 C18 T32
1	3	3			A30 G36 C20 T36	A40 G29 C19 T31
1	4	4			A30 G36 C19 T37	A41 G28 C19 T31
3	6	6			A30 G36 C20 T36	A40 G29 C19 T31
1	11	11	Ft. Benning	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	13	94**	(Cultured)		A30 G36 C20 T36	A41 G28 C19 T31
1	44/61 or 82 or 9	82			A30 G36 C20 T36	A41 G28 C19 T31
1	5 or 58	58			A30 G36 C20 T36	A40 G29 C19 T31
1	78 or 89	89			A30 G36 C20 T36	A41 G28 C19 T31
2	5 or 58		Lackland AFB		A30 G36 C20 T36	A40 G29 C19 T31
1	2				A30 G36 C20 T36	A40 G29 C19 T31
1	81 or 90	ND	(Throat Swabs)	2003	A30 G36 C20 T36	A40 G29 C19 T31
1	78				A30 G36 C20 T36	A41 G28 C19 T31
3***	No detection				No detection	No detection
7	3	ND	MCRD San Diego		A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
1	3	ND	(Throat Swabs)	2002	A30 G36 C20 T36	No detection
1	3	ND			No detection	A40 G29 C19 T31
2	3	ND			A30 G36 C20 T36	A40 G29 C19 T31
3	No detection	ND			No detection	No detection

Table 9C: Base Composition Analysis of Bioagent Identifying Amplicons of Group A Streptococcus samples from Six Military Installations Obtained with Primer Pair Nos. 438 and 441

# of Instances	emm-type by Mass Spectrometry	emm-Gene Sequencing	Location (sample)	Year	gki (Primer Pair No. 442)	gtr ((Primer Pair No. 443)
48	3	3	MCRD San Diego		A32 G35 C17 T32	A39 G28 C16 T32
2	6	6		2002	A31 G35 C17 T33	A39 G28 C15 T33
1	28	28	(Cultured)		A30 G36 C17 T33	A39 G28 C16 T32
15	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
6	3	3			A32 G35 C17 T32	A39 G28 C16 T32
3	5,58	5			A30 G36 C20 T30	A39 G28 C15 T33
6	6	6	NHRC San Diego-Archive		A31 G35 C17 T33	A39 G28 C15 T33
1	11	11			A30 G36 C20 T30	A39 G28 C16 T32
3	12	12		2003	A31 G35 C17 T33	A39 G28 C15 T33
1	22	22	(Cultured)		A31 G35 C17 T33	A38 G29 C15 T33
3	25,75	75			A30 G36 C17 T33	A39 G28 C15 T33
4	44/61,82,9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	53,91	91			A32 G35 C17 T32	A39 G28 C16 T32
1	2	2			A30 G36 C17 T33	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
1	6	6	Ft. Leonard Wood		A31 G35 C17 T33	A39 G28 C15 T33
11	25 or 75	75		2003	A30 G36 C17 T33	A39 G28 C15 T33
1	25,75, 33, 34,4,52,84	75	(Cultured)		A30 G36 C17 T33	A39 G28 C15 T33
1	44/61 or 82 or 9	44/61			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58	5			A30 G36 C20 T30	A39 G28 C15 T33
3	1	1	Ft. Sill	2003	A30 G36 C18 T32	A39 G28 C15 T33
2	3	3			A32 G35 C17 T32	A39 G28 C16 T32

1	4	4	(Cultured)		A31 G35 C17 T33	A39 G28 C15 T33
1	28	28			A30 G36 C17 T33	A39 G28 C16 T32
1	3	3			A32 G35 C17 T32	A39 G28 C16 T32
1	4	4			A31 G35 C17 T33	A39 G28 C15 T33
3	6	6			A31 G35 C17 T33	A39 G28 C15 T33
1	11	11	Ft. Benning	2003	A30 G36 C20 T30	A39 G28 C16 T32
1	13	94**			A30 G36 C19 T31	A39 G28 C15 T33
1	44/61 or 82 or 9	82	(Cultured)		A30 G36 C18 T32	A39 G28 C15 T33
1	5 or 58	58			A30 G36 C20 T30	A39 G28 C15 T33
1	78 or 89	89			A30 G36 C18 T32	A39 G28 C15 T33
2	5 or 58		Lackland AFB		A30 G36 C20 T30	A39 G28 C15 T33
1	2				A30 G36 C17 T33	A39 G28 C15 T33
1	81 or 90	ND		2003	A30 G36 C17 T33	A39 G28 C15 T33
1	78		(Throat Swabs)		A30 G36 C18 T32	A39 G28 C15 T33
3***	No detection				No detection	No detection
7	3	ND			A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND	MCRD San Diego		No detection	No detection
1	3	ND		2002	A32 G35 C17 T32	A39 G28 C16 T32
1	3	ND	(Throat Swabs)		A32 G35 C17 T32	No detection
2	3	ND			A32 G35 C17 T32	No detection
3	No detection	ND			No detection	No detection

Example 8: Design of Calibrant Polynucleotides based on Bioagent Identifying Amplicons for Identification of Species of Bacteria (Bacterial Bioagent Identifying Amplicons)

[405]   This example describes the design of 19 calibrant polynucleotides based on bacterial bioagent identifying amplicons corresponding to the primers of the broad surveillance set (Table 5) and the *Bacillus anthracis* drill-down set (Table 6).

[406]   Calibration sequences were designed to simulate bacterial bioagent identifying amplicons produced by the T modified primer pairs shown in Tables 5 and 6 (primer names have the designation "TMOD"). The calibration sequences were chosen as a representative member of the section of bacterial genome from specific bacterial species which would be amplified by a given primer pair. The model bacterial species upon which the calibration sequences are based are also shown in Table 10. For example, the calibration sequence chosen to correspond to an amplicon produced by primer pair no. 361 is SEQ ID NO: 1445. In Table 10, the forward (_F) or reverse (_R) primer name indicates the coordinates of an extraction representing a gene of a standard reference bacterial genome to which the primer hybridizes e.g.: the forward primer name 16S_EC_713_732_TMOD_F indicates that the forward primer hybridizes to residues 713-732 of the gene encoding 16S ribosomal RNA in an *E. coli* reference sequence (in this case, the reference sequence is an extraction consisting of residues 4033120-4034661 of the genomic sequence of *E. coli* K12 (GenBank gi number 16127994). Additional gene coordinate reference information is shown in Table 11. The designation "TMOD" in the primer names indicates that the 5' end of the primer has been modified with a non-matched template T residue which

128

prevents the PCR polymerase from adding non-templated adenosine residues to the 5' end of the amplification product, an occurrence which may result in miscalculation of base composition from molecular mass data (*vide supra*).

[0143] The 19 calibration sequences described in Tables 10 and 11 were combined into a single calibration polynucleotide sequence (SEQ ID NO: 1464 - which is herein designated a "combination calibration polynucleotide") which was then cloned into a pCR®-Blunt vector (Invitrogen, Carlsbad, CA). This combination calibration polynucleotide can be used in conjunction with the primers of Tables 5 or 6 as an internal standard to produce calibration amplicons for use in determination of the quantity of any bacterial bioagent. Thus, for example, when the combination calibration polynucleotide vector is present in an amplification reaction mixture, a calibration amplicon based on primer pair 346 (16S rRNA) will be produced in an amplification reaction with primer pair 346 and a calibration amplicon based on primer pair 363 (rpoC) will be produced with primer pair 363. Coordinates of each of the 19 calibration sequences within the calibration polynucleotide (SEQ ID NO: 1464) are indicated in Table 11.

Table 10: Bacterial Primer Pairs for Production of Bacterial Bioagent Identifying

Amplicons and Corresponding Representative Calibration Sequences

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Calibration Sequence Model Species	Calibration Sequence (SEQ ID NO:)
361	16S_EC_1090_1111_2_TMOD_F	697	16S_EC_1175_1196_TMOD_R	1398	*Bacillus anthracis*	1445
346	16S_EC_713_732_TMOD_F	202	16S_EC_789_809_TMOD_R	1110	*Bacillus anthracis*	1446
347	16S_EC_785_806_TMOD_F	560	16S_EC_880_897_TMOD_R	1278	*Bacillus anthracis*	1447
348	16S_EC_960_981_TMOD_F	706	16S_EC_1054_1073_TMOD_R	895	*Bacillus anthracis*	1448
349	23S_EC_1826_1843_TMOD_F	401	23S_EC_1906_1924_TMOD_R	1156	*Bacillus anthracis*	1449
360	23S_EC_2646_2667_TMOD_F	409	23S_EC_2745_2765_TMOD_R	1434	*Bacillus anthracis*	1450
350	CAPC_BA_274_303_TMOD_F	476	CAPC_BA_349_376_TMOD_R	1314	*Bacillus anthracis*	1451
351	CYA_BA_1353_1379_TMOD_F	355	CYA_BA_1448_1467_TMOD_R	1423	*Bacillus anthracis*	1452
352	INFB_EC_1365_1393_TMOD_F	687	INFB_EC_1439_1467_TMOD_R	1411	*Bacillus anthracis*	1453
353	LEF_BA_756_781_TMOD_F	220	LEF_BA_843_872_TMOD_R	1394	*Bacillus anthracis*	1454
356	RPLB_EC_650_679_TMOD_F	449	RPLB_EC_739_762_TMOD_R	1380	*Clostridium botulinum*	1455
449	RPLB_EC_690_710_F	309	RPLB_EC_737_758_R	1336	*Clostridium botulinum*	1456
359	RPOB_EC_1845_1866_TMOD_F	659	RPOB_EC_1909_1929_TMOD_R	1250	*Yersinia Pestis*	1457
362	RPOB_EC_3799_3821_TMOD_F	581	RPOB_EC_3862_3888_TMOD_R	1325	*Burkholderia mallei*	1458
363	RPOC_EC_2146_2174_TMOD_F	284	RPOC_EC_2227_2245_TMOD_R	898	*Burkholderia mallei*	1459

354	RPOC_EC_2218_2241_TM OD_F	405	RPOC_EC_2313_2337_TMOD_ R	1072	*Bacillus anthracis*	1460
355	SSPE_BA_115_137_TMOD _F	255	SSPE_BA_197_222_TMOD_R	1402	*Bacillus anthracis*	1461
367	TUFB_EC_957_979_TMOD _F	308	TUFB_EC_1034_1058_TMOD_ R	1276	*Burkholderia mallei*	1462
358	VALS_EC_1105_1124_TM OD_F	385	VALS_EC_1195_1218_TMOD_ R	1093	*Yersinia Pestis*	1463

Table 11: Primer Pair Gene Coordinate References and Calibration Polynucleotide Sequence Coordinates within the Combination Calibration Polynucleotide

Bacterial Gene and Species	Gene Extraction Coordinates of Genomic or Plasmid Sequence	Reference GenBank GI No. of Genomic (G) or Plasmid (P) Sequence	Primer Pair No.	Coordinates of Calibration Sequence in Combination Calibration Polynucleotide (SEQ ID NO: 1464)
16S *E. coli*	4033120..4034661	16127994 (G)	346	16..109
16S *E. coli*	4033120..4034661	16127994 (G)	347	83..190
16S *E. coli*	4033120..4034661	16127994 (G)	348	246..353
16S *E. coli*	4033120..4034661	16127994 (G)	361	368..469
23S *E. coli*	4166220..4169123	16127994 (G)	349	743..837
23S *E. coli*	4166220..4169123	16127994 (G)	360	865..981
rpoB *E. coli.*	4178823..4182851 (complement strand)	16127994 (G)	359	1591..1672
rpoB *E. coli*	4178823..4182851 (complement strand)	16127994 (G)	362	2081..2167
rpoC *E. coli*	4182928..4187151	16127994 (G)	354	1810..1926
rpoC *E. coli*	4182928..4187151	16127994 (G)	363	2183..2279
infB *E. coli*	3313655..3310983 (complement strand)	16127994 (G)	352	1692..1791
tufB *E. coli*	4173523..4174707	16127994 (G)	367	2400..2498
rplB *E. coli*	3449001..3448180	16127994 (G)	356	1945..2060
rplB *E. coli*	3449001..3448180	16127994 (G)	449	1986..2055
valS *E. coli*	4481405..4478550 (complement strand)	16127994 (G)	358	1462..1572
capC *B. anthracis*	56074..55628 (complement strand)	6470151 (P)	350	2517..2616
cya *B. anthracis*	156626..154288 (complement strand)	4894216 (P)	351	1338..1449
lef *B. anthracis*	127442..129921	4894216 (P)	353	1121..1234
sspE *B. anthracis*	226496..226783	30253828 (G)	355	1007-1104

Example 9: Use of a Calibration Polynucleotide for Determining the Quantity of *Bacillus Anthracis* in a Sample Containing a Mixture of Microbes

[407]   The process described in this example is shown in Figure 2. The capC gene is a gene involved in capsule synthesis which resides on the pX02 plasmid of *Bacillus anthracis*. Primer pair number 350 (see Tables 10 and 11) was designed to identify *Bacillus anthracis* via production of a bacterial bioagent identifying amplicon. Known quantities of the combination calibration polynucleotide vector described in Example 8 were added to amplification mixtures containing bacterial bioagent nucleic acid from a mixture of microbes which included the Ames strain of *Bacillus anthracis*. Upon amplification of the bacterial bioagent nucleic acid and the combination calibration polynucleotide vector with primer pair no. 350, bacterial bioagent identifying amplicons and calibration amplicons were obtained and characterized by mass spectrometry. A mass spectrum measured for the amplification reaction is shown in Figure 7. The molecular masses of the bioagent identifying amplicons provided the means for identification of the bioagent from which they were obtained (Ames strain of *Bacillus*

anthracis) and the molecular masses of the calibration amplicons provided the means for their identification as well. The relationship between the abundance (peak height) of the calibration amplicon signals and the bacterial bioagent identifying amplicon signals provides the means of calculation of the copies of the pX02 plasmid of the Ames strain of *Bacillus anthracis*. Methods of calculating quantities of molecules based on internal calibration procedures are well known to those of ordinary skill in the art.

[408]   Averaging the results of 10 repetitions of the experiment described above, enabled a calculation that indicated that the quantity of Ames strain of *Bacillus anthracis* present in the sample corresponds to approximately 10 copies of pX02 plasmid.

Example 10: Triangulation Genotyping Analysis of *Campylobacter* Species

[409]   A series of triangulation genotyping analysis primers were designed as described in Example 1 with the objective of identification of different strains of *Campylobacter jejuni*. The primers are listed in Table 12 with the designation "CJST_CJ." Housekeeping genes to which the primers hybridize and produce bioagent identifying amplicons include: tkt (transketolase), glyA (serine hydroxymethyltransferase), gltA (citrate synthase), aspA (aspartate ammonia lyase), glnA (glutamine synthase), pgm (phosphoglycerate mutase), and uncA (ATP synthetase alpha chain).

Table 12: *Campylobacter* Genotyping Primer Pairs

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
1053	CJST_CJ_1080_1110_F	681	CJST_CJ_1166_1198_R	1022	gltA
1047	CJST_CJ_584_616_F	315	CJST_CJ_663_692_R	1379	glnA
1048	CJST_CJ_360_394_F	346	CJST_CJ_442_476_R	955	aspA
1049	CJST_CJ_2636_2668_F	504	CJST_CJ_2753_2777_R	1409	tkt
1054	CJST_CJ_2060_2090_F	323	CJST_CJ_2148_2174_R	1068	pgm
1064	CJST_CJ_1680_1713_F	479	CJST_CJ_1795_1822_R	938	glyA

[410]   The primers were used to amplify nucleic acid from 50 food product samples provided by the USDA, 25 of which contained *Campylobacter jejuni* and 25 of which contained *Campylobacter coli*. Primers used in this study were developed primarily for the discrimination of *Campylobacter jejuni* clonal complexes and for distinguishing *Campylobacter jejuni* from *Campylobacter coli*. Finer discrimination between *Campylobacter coli* types is also possible by using specific primers targeted to loci where closely-related *Campylobacter coli* isolates demonstrate polymorphisms between strains. The conclusions of the comparison of base composition analysis with sequence analysis are shown in Tables 13A-C.

Table 13A – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1048 and 1047

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1048 (aspA)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1047 (glnA)
J-1	C. jejuni	Goose	ST 690 /692/707/991	ST 991	RM3673	A30 G25 C16 T46	A47 G21 C16 T25
J-2	C. jejuni	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A30 G25 C16 T46	A48 G21 C17 T23
J-3	C. jejuni	Human	Complex 354/179	ST 436	RM4194	A30 G25 C15 T47	A48 G21 C18 T22
J-4	C. jejuni	Human	Complex 257	ST 257, complex 257	RM4197	A30 G25 C16 T46	A48 G21 C18 T22
J-5	C. jejuni	Human	Complex 52	ST 52, complex 52	RM4277	A30 G25 C16 T46	A48 G21 C17 T23
J-6	C. jejuni	Human	Complex 443	ST 51, complex 443	RM4275	A30 G25 C15 T47	A48 G21 C17 T23
					RM4279	A30 G25 C15 T47	A48 G21 C17 T23
J-7	C. jejuni	Human	Complex 42	ST 604, complex 42	RM1864	A30 G25 C15 T47	A48 G21 C18 T22
J-8	C. jejuni	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A30 G25 C15 T47	A48 G21 C18 T22
J-9	C. jejuni	Human	Complex 45/283	ST 147, Complex 45	RM3203	A30 G25 C15 T47	A47 G21 C18 T23
	C. jejuni			ST 828	RM4183	A31 G27 C20 T39	A48 G21 C16 T24
		Human		ST 832	RM1169	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1056	RM1857	A31 G27 C20 T39	A48 G21 C16 T24
				ST 889	RM1166	A31 G27 C20 T39	A48 G21 C16 T24
				ST 829	RM1182	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1050	RM1518	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1051	RM1521	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1053	RM1523	A31 G27 C20 T39	A48 G21 C16 T24
			Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 1055	RM1527	A31 G27 C20 T39	A48 G21 C16 T24
		Poultry		ST 1017	RM1529	A31 G27 C20 T39	A48 G21 C16 T24
C-1	C. coli			ST 860	RM1840	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1063	RM2219	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1066	RM2241	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1067	RM2243	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1068	RM2439	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1016	RM3230	A31 G27 C20 T39	A48 G21 C16 T24
		Swine		ST 1069	RM3231	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1061	RM1904	A31 G27 C20 T39	A48 G21 C16 T24
		Unknown		ST 825	RM1534	A31 G27 C20 T39	A48 G21 C16 T24
				ST 901	RM1505	A31 G27 C20 T39	A48 G21 C16 T24
C-2	C. coli	Human	ST 895	ST 895	RM1532	A31 G27 C19 T40	A48 G21 C16 T24
C-3	C. coli	Poultry	Consistent	ST 1064	RM2223	A31 G27 C20 T39	A48 G21 C16 T24

			MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition 1053	Base Composition 1064
			with 63 closely related sequence types (none belong to a clonal complex)	ST 1082	RM1178	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1054	RM1525	A31 G27 C20 T39	A48 G21 C16 T24
				ST 1049	RM1517	A31 G27 C20 T39	A48 G21 C16 T24
		Marmoset		ST 891	RM1531	A31 G27 C20 T39	A48 G21 C16 T24

Table 13B – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1053 and 1064

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1053 (gltA)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1064 (glyA)
J-1	C. jejuni	Goose	ST 690/692/707/991	ST 991	RM3673	A24 G25 C23 T47	A40 G29 C29 T45
J-2	C. jejuni	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A24 G25 C23 T47	A40 G29 C29 T45
J-3	C. jejuni	Human	Complex 354/179	ST 436	RM4194	A24 G25 C23 T47	A40 G29 C29 T45
J-4	C. jejuni	Human	Complex 257	ST 257, complex 257	RM4197	A24 G25 C23 T47	A40 G29 C29 T45
J-5	C. jejuni	Human	Complex 52	ST 52, complex 52	RM4277	A24 G25 C23 T47	A39 G30 C26 T48
J-6	C. jejuni	Human	Complex 443	ST 51, complex 443	RM4275	A24 G25 C23 T47	A39 G30 C28 T46
					RM4279	A24 G25 C23 T47	A39 G30 C28 T46
J-7	C. jejuni	Human	Complex 42	ST 604, complex 42	RM1864	A24 G25 C23 T47	A39 G30 C26 T48
J-8	C. jejuni	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A24 G25 C23 T47	A38 G31 C28 T46
J-9	C. jejuni	Human	Complex 45/283	ST 147, Complex 45	RM3203	A24 G25 C23 T47	A38 G31 C28 T46
	C. jejuni	Human	Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 828	RM4183	A23 G24 C26 T46	A39 G30 C27 T47
C-1	C. coli			ST 832	RM1169	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1056	RM1857	A23 G24 C26 T46	A39 G30 C27 T47
		Poultry		ST 889	RM1166	A23 G24 C26 T46	A39 G30 C27 T47
				ST 829	RM1182	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1050	RM1518	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1051	RM1521	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1053	RM1523	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1055	RM1527	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1017	RM1529	A23 G24 C26 T46	A39 G30 C27 T47
				ST 860	RM1840	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1063	RM2219	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1066	RM2241	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1067	RM2243	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1068	RM2439	A23 G24 C26 T46	A39 G30 C27 T47
		Swine		ST 1016	RM3230	A23 G24 C26 T46	A39 G30 C27 T47

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition Primer Pair No: 1054	Base Composition Primer Pair No: 1049
				ST 1069	RM3231	A23 G24 C26 T46	NO DATA
				ST 1061	RM1904	A23 G24 C26 T46	A39 G30 C27 T47
		Unknown		ST 825	RM1534	A23 G24 C26 T46	A39 G30 C27 T47
				ST 901	RM1505	A23 G24 C26 T46	A39 G30 C27 T47
C-2	C. coli	Human	ST 895	ST 895	RM1532	A23 G24 C26 T46	A39 G30 C27 T47
C-3	C. coli	Poultry	Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1082	RM1178	A23 G24 C26 T46	A39 G30 C27 T47
				ST 1054	RM1525	A23 G24 C25 T47	A39 G30 C27 T47
				ST 1049	RM1517	A23 G24 C26 T46	A39 G30 C27 T47
		Marmoset		ST 891	RM1531	A23 G24 C26 T46	A39 G30 C27 T47

Table 13C – Results of Base Composition Analysis of 50 *Campylobacter* Samples with Drill-down MLST Primer Pair Nos: 1054 and 1049

Group	Species	Isolate origin	MLST type or Clonal Complex by Base Composition analysis	MLST Type or Clonal Complex by Sequence analysis	Strain	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1054 (pgm)	Base Composition of Bioagent Identifying Amplicon Obtained with Primer Pair No: 1049 (tkt)
J-1	C. jejuni	Goose	ST 690 /692/707/991	ST 991	RM3673	A26 G33 C18 T38	A41 G28 C35 T38
J-2	C. jejuni	Human	Complex 206/48/353	ST 356, complex 353	RM4192	A26 G33 C19 T37	A41 G28 C36 T37
J-3	C. jejuni	Human	Complex 354/179	ST 436	RM4194	A27 G32 C19 T37	A42 G28 C36 T36
J-4	C. jejuni	Human	Complex 257	ST 257, complex 257	RM4197	A27 G32 C19 T37	A41 G29 C35 T37
J-5	C. jejuni	Human	Complex 52	ST 52, complex 52	RM4277	A26 G33 C18 T38	A41 G28 C36 T37
J-6	C. jejuni	Human	Complex 443	ST 51, complex 443	RM4275	A27 G31 C19 T38	A41 G28 C36 T37
					RM4279	A27 G31 C19 T38	A41 G28 C36 T37
J-7	C. jejuni	Human	Complex 42	ST 604, complex 42	RM1864	A27 G32 C19 T37	A42 G28 C35 T37
J-8	C. jejuni	Human	Complex 42/49/362	ST 362, complex 362	RM3193	A26 G33 C19 T37	A42 G28 C35 T37
J-9	C. jejuni	Human	Complex 45/283	ST 147, Complex 45	RM3203	A28 G31 C19 T37	A43 G28 C36 T35
C-1	C. jejuni	Human	Consistent with 74 closely related sequence types (none belong to a clonal complex)	ST 828	RM4183	A27 G30 C19 T39	A46 G28 C32 T36
	C. coli			ST 832	RM1169	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1056	RM1857	A27 G30 C19 T39	A46 G28 C32 T36
		Poultry		ST 889	RM1166	A27 G30 C19 T39	A46 G28 C32 T36
				ST 829	RM1182	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1050	RM1518	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1051	RM1521	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1053	RM1523	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1055	RM1527	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1017	RM1529	A27 G30 C19 T39	A46 G28 C32 T36

				ST 860	RM1840	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1063	RM2219	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1066	RM2241	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1067	RM2243	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1068	RM2439	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1016	RM3230	A27 G30 C19 T39	A46 G28 C32 T36
		Swine		ST 1069	RM3231	A27 G30 C19 T39	A46 G28 C32 T36
				ST 1061	RM1904	A27 G30 C19 T39	A46 G28 C32 T36
				ST 825	RM1534	A27 G30 C19 T39	A46 G28 C32 T36
		Unknown		ST 901	RM1505	A27 G30 C19 T39	A46 G28 C32 T36
C-2	C. coli	Human	ST 895	ST 895	RM1532	A27 G30 C19 T39	A45 G29 C32 T36
			Consistent with 63 closely related sequence types (none belong to a clonal complex)	ST 1064	RM2223	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1082	RM1178	A27 G30 C19 T39	A45 G29 C32 T36
C-3	C. coli	Poultry		ST 1054	RM1525	A27 G30 C19 T39	A45 G29 C32 T36
				ST 1049	RM1517	A27 G30 C19 T39	A45 G29 C32 T36
		Marmoset		ST 891	RM1531	A27 G30 C19 T39	A45 G29 C32 T36

[411]   The base composition analysis method was successful in identification of 12 different strain groups. *Campylobacter jejuni* and *Campylobacter coli* are generally differentiated by all loci. Ten clearly differentiated *Campylobacter jejuni* isolates and 2 major *Campylobacter coli* groups were identified even though the primers were designed for strain typing of *Campylobacter jejuni*. One isolate (RM4183) which was designated as *Campylobacter jejuni* was found to group with *Campylobacter coli* and also appears to actually be *Campylobacter coli* by full MLST sequencing.

Example 11: Identification of *Acinetobacter baumannii* Using Broad Range Survey and Division-Wide Primers in Epidemiological Surveillance

[412]   To test the capability of the broad range survey and division-wide primer sets of Table 5 in identification of *Acinetobacter* species, 183 clinical samples were obtained from individuals participating in, or in contact with individuals participating in Operation Iraqi Freedom (including US service personnel, US civilian patients at the Walter Reed Army Institute of Research (WRAIR), medical staff, Iraqi civilians and enemy prisoners. In addition, 34 environmental samples were obtained from hospitals in Iraq, Kuwait, Germany, the United States and the USNS Comfort, a hospital ship.

[413]   Upon amplification of nucleic acid obtained from the clinical samples, primer pairs 346-349, 360, 361, 354, 362 and 363 (Table 5) all produced bacterial bioagent amplicons which identified *Acinetobacter baumannii* in 215 of 217 samples. The organism *Klebsiella pneumoniae* was identified in the remaining two samples. In addition, 14 different strain types (containing single nucleotide polymorphisms relative to a reference strain of *Acinetobacter baumannii*) were identified and assigned

arbitrary numbers from 1 to 14. Strain type 1 was found in 134 of the sample isolates and strains 3 and 7 were found in 46 and 9 of the isolates respectively.

[414]   The epidemiology of strain type 7 of *Acinetobacter baumannii* was investigated. Strain 7 was found in 4 patients and 5 environmental samples (from field hospitals in Iraq and Kuwait). The index patient infected with strain 7 was a pre-war patient who had a traumatic amputation in March of 2003 and was treated at a Kuwaiti hospital. The patient was subsequently transferred to a hospital in Germany and then to WRAIR. Two other patients from Kuwait infected with strain 7 were found to be non-infectious and were not further monitored. The fourth patient was diagnosed with a strain 7 infection in September of 2003 at WRAIR. Since the fourth patient was not related involved in Operation Iraqi Freedom, it was inferred that the fourth patient was the subject of a nosocomial infection acquired at WRAIR as a result of the spread of strain 7 from the index patient.

[415]   The epidemiology of strain type 3 of *Acinetobacter baumannii* was also investigated. Strain type 3 was found in 46 samples, all of which were from patients (US service members, Iraqi civilians and enemy prisoners) who were treated on the USNS Comfort hospital ship and subsequently returned to Iraq or Kuwait. The occurrence of strain type 3 in a single locale may provide evidence that at least some of the infections at that locale were a result of nosocomial infections.

[416]   This example thus illustrates an embodiment of the present invention wherein the methods of analysis of bacterial bioagent identifying amplicons provide the means for epidemiological surveillance.

Example 12: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for
Acinetobacter baumanii

[417]   To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, an additional 21 primer pairs were selected based on analysis of housekeeping genes of the genus *Acinetobacter*. Genes to which the drill-down triangulation genotyping analysis primers hybridize for production of bacterial bioagent identifying amplicons include anthranilate synthase component I (trpE), adenylate kinase (adk), adenine glycosylase (mutY), fumarate hydratase (fumC), and pyrophosphate phospho-hydratase (ppa). These 21 primer pairs are indicated with reference to sequence listings in Table 14. Primer pair numbers 1151-1154 hybridize to and amplify segments of trpE. Primer pair numbers 1155-1157 hybridize to and amplify segments of adk. Primer pair numbers 1158-1164 hybridize to and amplify segments of mutY. Primer pair numbers 1165-1170 hybridize to and amplify segments of fumC. Primer pair number 1171 hybridizes to and amplifies a segment of ppa.

Primer pair numbers: 2846-2848 hybridize to and amplify segments of the parC gene of DNA topoisomerase which include a codon known to confer quinolone drug resistance upon sub-types of *Acinetobacter baumannii*. Primer pair numbers 2852-2854 hybridize to and amplify segments of the gyrA gene of DNA gyrase which include a codon known to confer quinolone drug resistance upon sub-types of *Acinetobacter baumannii*. Primer pair numbers 2922 and 2972 are speciating primers which are useful for identifying different species members of the genus *Acinetobacter*. The primer names given in Table 14A (with the exception of primer pair numbers 2846-2848, 2852-2854) indicate the coordinates to which the primers hybridize to a reference sequence which comprises a concatenation of the genes TrpE, efp (elongation factor p), adk, mutT, fumC, and ppa. For example, the forward primer of primer pair 1151 is named AB_MLST-11-OIF007_62_91_F because it hybridizes to the *Acinetobacter* primer reference sequence of strain type 11 in sample 007 of Operation Iraqi Freedom (OIF) at positions 62 to 91. DNA was sequenced from strain type 11 and from this sequence data and an artificial concatenated sequence of partial gene extractions was assembled for use in design of the triangulation genotyping analysis primers. The stretches of arbitrary residues "N"s in the concatenated sequence were added for the convenience of separation of the partial gene extractions (40N for AB_MLST (SEQ ID NO: 1444)).

[418]   The hybridization coordinates of primer pair numbers 2846-2848 are with respect to GenBank Accession number X95819. The hybridization coordinates of primer pair numbers 2852-2854 are with respect to GenBank Accession number AY642140. Sequence residue "I" appearing in the forward and reverse primers of primer pair number 2972 represents inosine.

Table 14A: Triangulation Genotyping Analysis Primer Pairs for Identification of Sub-species characteristics (Strain Type) of Members of the Bacterial Genus *Acinetobacter*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)
1151	AB_MLST-11-OIF007_62_91_F	454	AB_MLST-11-OIF007_169_203_R	1418
1152	AB_MLST-11-OIF007_185_214_F	243	AB_MLST-11-OIF007_291_324_R	969
1153	AB_MLST-11-OIF007_260_289_F	541	AB_MLST-11-OIF007_364_393_R	1400
1154	AB_MLST-11-OIF007_206_239_F	436	AB_MLST-11-OIF007_318_344_R	1036
1155	AB_MLST-11-OIF007_522_552_F	378	AB_MLST-11-OIF007_587_610_R	1392
1156	AB_MLST-11-OIF007_547_571_F	250	AB_MLST-11-OIF007_656_686_R	902
1157	AB_MLST-11-OIF007_601_627_F	256	AB_MLST-11-OIF007_710_736_R	881
1158	AB_MLST-11-OIF007_1202_1225_F	384	AB_MLST-11-OIF007_1266_1296_R	878
1159	AB_MLST-11-OIF007_1202_1225_F	384	AB_MLST-11-OIF007_1299_1316_R	1199
1160	AB_MLST-11-OIF007_1234_1264_F	694	AB_MLST-11-OIF007_1335_1362_R	1215

1161	AB_MLST-11-OIF007_1327_1356_F	225	AB_MLST-11-OIF007_1422_1448_R	1212
1162	AB_MLST-11-OIF007_1345_1369_F	383	AB_MLST-11-OIF007_1470_1494_R	1083
1163	AB_MLST-11-OIF007_1351_1375_F	662	AB_MLST-11-OIF007_1470_1494_R	1083
1164	AB_MLST-11-OIF007_1387_1412_F	422	AB_MLST-11-OIF007_1470_1494_R	1083
1165	AB_MLST-11-OIF007_1542_1569_F	194	AB_MLST-11-OIF007_1656_1680_R	1173
1166	AB_MLST-11-OIF007_1566_1593_F	684	AB_MLST-11-OIF007_1656_1680_R	1173
1167	AB_MLST-11-OIF007_1611_1638_F	375	AB_MLST-11-OIF007_1731_1757_R	890
1168	AB_MLST-11-OIF007_1726_1752_F	182	AB_MLST-11-OIF007_1790_1821_R	1195
1169	AB_MLST-11-OIF007_1792_1826_F	656	AB_MLST-11-OIF007_1876_1909_R	1151
1170	AB_MLST-11-OIF007_1792_1826_F	656	AB_MLST-11-OIF007_1895_1927_R	1224
1171	AB_MLST-11-OIF007_1970_2002_F	618	AB_MLST-11-OIF007_2097_2118_R	1157
2846	PARC_X95819_33_58_F	302	PARC_X95819_121_153_R	852
2847	PARC_X95819_33_58_F	199	PARC_X95819_157_178_R	889
2848	PARC_X95819_33_58_F	596	PARC_X95819_97_128_R	1169
2852	GYRA_AY642140_-1_24_F	150	GYRA_AY642140_71_100_R	1242
2853	GYRA_AY642140_26_54_F	166	GYRA_AY642140_121_146_R	1069
2854	GYRA_AY642140_26_54_F	166	GYRA_AY642140_58_89_R	1168
2922	AB_MLST-11-OIF007_991_1018_F	583	AB_MLST-11-OIF007_1110_1137_R	923
2972	AB_MLST-11-OIF007_1007_1034_F	592	AB_MLST-11-OIF007_1126_1153_R	924

Table 14B: Triangulation Genotyping Analysis Primer Pairs for Identification of Sub-species characteristics (Strain Type) of Members of the Bacterial Genus *Acinetobacter*

Primer Pair No.	Forward Primer (SEQ ID NO:)	SEQUENCE	Reverse Primer (SEQ ID NO:)	SEQUENCE
1151	454	TGAGATTGCTGAACATTTAATGCTGATTGA	1418	TTGTACATTTGAAACAATATGCATGACATGTGAAT
1152	243	TATTGTTTCAAATGTACAAGGTGAAGTGCG	969	TCACAGGTTCTACTTCATCAATAATTTCCATTGC
1153	541	TGGAACGTTATCAGGTGCCCCAAAAATTCG	1400	TTGCAATCGACATATCCATTTCACCATGCC
1154	436	TGAAGTGCGTGATGATATCGATGCACTTGATGTA	1036	TCCGCCAAAAACTCCCCTTTTCACAGG
1155	378	TCGGTTTAGTAAAAGAACGTATTGCTCAACC	1392	TTCTGCTTGAGGAATAGTGCGTGG
1156	250	TCAACCTGACTGCGTGAATGGTTGT	902	TACGTTCTACGATTTCTTCATCAGGTACATC
1157	256	TCAAGCAGAAGCTTTGGAAGAAGAAGG	881	TACAACGTGATAAACACGACCAGAAGC
1158	384	TCGTGCCCGCAATTTGCATAAAGC	878	TAATGCCGGGTAGTGCAATCCATTCTTCTAG
1159	384	TCGTGCCCGCAATTTGCATAAAGC	1199	TGCACCTGCGGTCGAGCG
1160	694	TTGTAGCACAGCAAGGCAAATTTCCTGAAAC	1215	TGCCATCCATAATCACGCCATACTGACG
1161	225	TAGGTTTACGTCAGTATGGCGTGATTATGG	1212	TGCCAGTTTCCACATTTCACGTTCGTG
1162	383	TCGTGATTATGGATGGCAACGTGAA	1083	TCGCTTGAGTGTAGTCATGATTGCG

1163	662	TTATGGATGGCAACGTGAAACGCGT	1083	TCGCTTGAGTGTAGTCATGATTGCG
1164	422	TCTTTGCCATTGAAGATGACTTAAGC	1083	TCGCTTGAGTGTAGTCATGATTGCG
1165	194	TACTAGCGGTAAGCTTAAACAAGATTGC	1173	TGAGTCGGGTTCACTTTACCTGGCA
1166	684	TTGCCAATGATATTCGTTGGTTAGCAAG	1173	TGAGTCGGGTTCACTTTACCTGGCA
1167	375	TCGGCGAAATCCGTATTCCTGAAAATGA	890	TACCGGAAGCACCAGCGACATTAATAG
1168	182	TACCACTATTAATGTCGCTGGTGCTTC	·1195	TGCAACTGAATAGATTGCAGTAAGTTATAAGC
1169	656	TTATAACTTACTGCAATCTATTCAGTTGCTTGGTG	1151	TGAATTATGCAAGAAGTGATCAATTTTCTCACGA
1170	656	TTATAACTTACTGCAATCTATTCAGTTGCTTGGTG	1224	TGCCGTAACTAACATAAGAGAATTATGCAAGAA
1171	618	TGGTTATGTACCAAATACTTTGTCTGAAGATGG	1157	TGACGGCATCGATACCACCGTC
2846	302	TCCAAAAAAATCAGCGCGTACAGTGG	852	TAAAGGATAGCGGTAACTAAATGGCTGAGCCAT
2847	199	TACTTGGTAAATACCACCCACATGGTGA	889	TACCCCAGTTCCCCTGACCTTC
2848	596	TGGTAAATACCACCCACATGGTGAC	1169	TGAGCCATGAGTACCATGGCTTCATAACATGC
2852	150	TAAATCTGCCCGTGTCGTTGGTGAC	1242	TGCTAAAGTCTTGAGCCATACGAACAATGG
2853	166	TAATCGGTAAATATCACCCGCATGGTGAC	1069	TCGATCGAACCGAAGTTACCCTGACC
2854	166	TAATCGGTAAATATCACCCGCATGGTGAC	1168	TGAGCCATACGAACAATGGTTTCATAAACAGC
2922	583	TGGGCGATGCTGCGAAATGGTTAAAAGA	923	TAGTATCACCACGTACACCCGGATCAGT
2972	592	TGGGIGATGCTGCIAAATGGTTAAAAGA	924	TAGTATCACCACGTACICCIGGATCAGT

[419]   Analysis of bioagent identifying amplicons obtained using the primers of Table 14B for over 200 samples from Operation Iraqi Freedom resulted in the identification of 50 distinct strain type clusters. The largest cluster, designated strain type 11 (ST11) includes 42 sample isolates, all of which were obtained from US service personnel and Iraqi civilians treated at the 28[th] Combat Support Hospital in Baghdad. Several of these individuals were also treated on the hospital ship USNS Comfort. These observations are indicative of significant epidemiological correlation/linkage.

[420]   All of the sample isolates were tested against a broad panel of antibiotics to characterize their antibiotic resistance profiles. As an example of a representative result from antibiotic susceptibility testing, ST11 was found to consist of four different clusters of isolates, each with a varying degree of sensitivity/resistance to the various antibiotics tested which included penicillins, extended spectrum penicillins, cephalosporins, carbepenem, protein synthesis inhibitors, nucleic acid synthesis inhibitors, anti-metabolites, and anti-cell membrane antibiotics. Thus, the genotyping power of bacterial bioagent identifying amplicons, particularly drill-down bacterial bioagent identifying amplicons, has the potential to increase the understanding of the transmission of infections in combat casualties, to identify the source of infection in the environment, to track hospital transmission of nosocomial infections, and to

rapidly characterize drug-resistance profiles which enable development of effective infection control measures on a time-scale previously not achievable.

Example 13: Triangulation Genotyping Analysis and Codon Analysis of *Acinetobacter baumannii* Samples from Two Health Care Facilities

[421]   In this investigation, 88 clinical samples were obtained from Walter Reed Hospital and 95 clinical samples were obtained from Northwestern Medical Center. All samples from both healthcare facilities were suspected of containing sub-types of *Acinetobacter baumannii*, at least some of which were expected to be resistant to quinolone drugs. Each of the 183 samples was analyzed by the method of the present invention. DNA was extracted from each of the samples and amplified with eight triangulation genotyping analysis primer pairs represented by primer pair numbers: 1151, 1156, 1158, 1160, 1165, 1167, 1170, and 1171. The DNA was also amplified with speciating primer pair number 2922 and codon analysis primer pair numbers 2846-2848 which interrogate a codon present in the parC gene, and primer pair numbers 2852-2854 which bracket a codon present in the gyrA gene. The parC and gyrA codon mutations are both responsible for causing drug resistance in *Acinetobacter baumannii*. During evolution of drug resistant strains, the gyrA mutation usually occurs before the parC mutation. Amplification products were measured by ESI-TOF mass spectrometry as indicated in Example 4. The base compositions of the amplification products were calculated from the average molecular masses of the amplification products and are shown in Tables 15-18. The entries in each of the tables are grouped according to strain type number, which is an arbitrary number assigned to *Acinetobacter baumannii* strains in the order of observance beginning from the triangulation genotyping analysis OIF genotyping study described in Example 12. For example, strain type 11 which appears in samples from the Walter Reed Hospital is the same strain as the strain type 11 mentioned in Example 12. Ibis# refers to the order in which each sample was analyzed. Isolate refers to the original sample isolate numbering system used at the location from which the samples were obtained (either Walter Reed Hospital or Northwestern Medical Center). ST = strain type. ND = not detected. Base compositions highlighted with **bold** type indicate that the base composition is a unique base composition for the amplification product obtained with the pair of primers indicated.

Table 15A: Base Compositions of Amplification Products of 88 *A. baumannii* Samples Obtained from Walter Reed Hospital and Amplified with Codon Analysis Primer Pairs Targeting the gyrA Gene

Species	Ibis#	Isolate	ST	PP No: 2852 gyrA	PP No: 2853 gyrA	PP No: 2854 gyrA
A. baumannii	20	1082	1	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	13	854	10	A25G23C21T32	A29G28C21T43	A17G13C13T21

A. baumannii	22	1162	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	27	1230	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	31	1367	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	37	1459	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	55	1700	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	64	1777	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	73	1861	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	74	1877	10	ND	A29G28C21T43	A17G13C13T21
A. baumannii	86	1972	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	3	684	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	6	720	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	7	726	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	19	1079	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	21	1123	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	23	1188	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	33	1417	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	34	1431	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	38	1496	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	40	1523	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	42	1640	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	50	1666	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	51	1668	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	52	1695	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	65	1781	11	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	44	1649	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	49A	1658.1	12	A25G23C22T31	A29G28C21T43	A17G13C13T21
A. baumannii	49B	1658.2	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	56	1707	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	80	1893	12	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	5	693	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	8	749	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	10	839	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	14	865	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	16	888	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	29	1326	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	35	1440	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	41	1524	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	46	1652	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	47	1653	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	48	1657	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	57	1709	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	61	1727	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	63	1762	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	67	1806	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	75	1881	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	77	1886	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	1	649	46	A25G23C21T32	A29G28C21T43	A17G13C13T21

A. baumannii	2	653	46	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	39	1497	16	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	24	1198	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	28	1243	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	43	1648	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	62	1746	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	4	689	15	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	68	1822	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	69	1823A	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	70	1823B	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	71	1826	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	72	1860	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	81	1924	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	82	1929	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	85	1966	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	11	841	3	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	32	1415	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	45	1651	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	54	1697	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	58	1712	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	60	1725	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	66	1802	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	76	1883	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	78	1891	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	79	1892	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	83	1947	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	84	1964	24	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	53	1696	24	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	36	1458	49	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	59	1716	9	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	9	805	30	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	18	967	39	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	30	1322	48	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. baumannii	26	1218	50	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. sp. 13TU	15	875	A1	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. sp. 13TU	17	895	A1	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. sp. 3	12	853	B7	A25G22C22T32	A30G29C22T40	A17G13C14T20
A. johnsonii	25	1202	NEW1	A25G22C22T32	A30G29C22T40	A17G13C14T20
A. sp. 2082	87	2082	NEW2	A25G22C22T32	**A31G28C22T40**	A17G13C14T20

Table 15B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Codon Analysis Primer Pairs Targeting the parC Gene

Species	Ibis#	Isolate	ST	PP No: 2846 parC	PP No: 2847 parC	PP No: 2848 parC
A. baumannii	20	1082	1	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	13	854	10	A33G26C28T34	A29G28C25T32	A16G14C14T16

A. baumannii	22	1162	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	27	1230	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	31	1367	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	37	1459	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	55	1700	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	64	1777	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	73	1861	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	74	1877	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	86	1972	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	3	684	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	6	720	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	7	726	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	19	1079	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	21	1123	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	23	1188	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	33	1417	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	34	1431	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	38	1496	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	40	1523	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	42	1640	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	50	1666	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	51	1668	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	52	1695	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	65	1781	11	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	44	1649	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	49A	1658.1	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	49B	1658.2	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	56	1707	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	80	1893	12	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	5	693	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	8	749	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	10	839	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	14	865	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	16	888	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	29	1326	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	35	1440	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	41	1524	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	46	1652	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	47	1653	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	48	1657	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	57	1709	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	61	1727	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	63	1762	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	67	1806	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	75	1881	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	77	1886	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	1	649	46	A33G26C28T34	A29G28C25T32	A16G14C14T16

A. baumannii	2	653	46	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	39	1497	16	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	24	1198	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
A. baumannii	28	1243	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
A. baumannii	43	1648	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
A. baumannii	62	1746	15	A33G26C28T34	A29G29C23T33	A16G14C14T16
A. baumannii	4	689	15	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	68	1822	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	69	1823A	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	70	1823B	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	71	1826	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	72	1860	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	81	1924	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	82	1929	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	85	1966	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	11	841	3	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	32	1415	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	45	1651	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	54	1697	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	58	1712	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	60	1725	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	66	1802	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	76	1883	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	78	1891	24	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	79	1892	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	83	1947	24	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	84	1964	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	53	1696	24	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	36	1458	49	A34G26C29T32	A30G28C24T32	A16G14C15T15
A. baumannii	59	1716	9	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	9	805	30	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	18	967	39	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	30	1322	48	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	26	1218	50	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. sp. 13TU	15	875	A1	A32G26C28T35	A28G28C24T34	A16G14C15T15
A. sp. 13TU	17	895	A1	A32G26C28T35	A28G28C24T34	A16G14C15T15
A. sp. 3	12	853	B7	A29G26C27T39	A26G32C21T35	A16G14C15T15
A. johnsonii	25	1202	NEW1	A32G28C26T35	A29G29C22T34	A16G14C15T15
A. sp. 2082	87	2082	NEW2	**A33G27C26T35**	**A31G28C20T35**	A16G14C15T15

Table 16A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Codon Analysis Primer Pairs Targeting the gyrA Gene

Species	Ibis#	Isolate	ST	PP No: 2852 gyrA	PP No: 2853 gyrA	PP No: 2854 gyrA

A. baumannii	54	536	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	87	665	3	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	8	80	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	9	91	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	10	92	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	11	131	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	12	137	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	21	218	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	26	242	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	94	678	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	1	9	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	2	13	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	3	19	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	4	24	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	5	36	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	6	39	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	13	139	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	15	165	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	16	170	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	17	186	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	20	202	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	22	221	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	24	234	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	25	239	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	33	370	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	34	389	10	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	19	201	14	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	27	257	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	29	301	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	31	354	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	36	422	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	37	424	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	38	434	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	39	473	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	40	482	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	44	512	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	45	516	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	47	522	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	48	526	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	50	528	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	52	531	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	53	533	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	56	542	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	59	550	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	62	556	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	64	557	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	70	588	51	A25G23C21T32	A29G28C21T43	A17G13C13T21

A. baumannii	73	603	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	74	605	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	75	606	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	77	611	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	79	622	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	83	643	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	85	653	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	89	669	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	93	674	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	23	228	51	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	32	369	52	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	35	393	52	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	30	339	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	41	485	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	42	493	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	43	502	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	46	520	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	49	527	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	51	529	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	65	562	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	68	579	53	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	57	546	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	58	548	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	60	552	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	61	555	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	63	557	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	66	570	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	67	578	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	69	584	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	71	593	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	72	602	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	76	609	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	78	621	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	80	625	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	81	628	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	82	632	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	84	649	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	86	655	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	88	668	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	90	671	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	91	672	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	92	673	54	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	18	196	55	A25G23C22T31	A29G28C21T43	A17G13C13T21
A. baumannii	55	537	27	A25G23C21T32	A29G28C21T43	A17G13C13T21
A. baumannii	28	263	27	A25G23C22T31	A29G28C22T42	A17G13C14T20
A. sp. 3	14	164	B7	A25G22C22T32	A30G29C22T40	A17G13C14T20
mixture	7	71	-	ND	ND	**A17G13C15T19**

146

Table 16B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Codon Analysis Primer Pairs Targeting the parC Gene

Species	Ibis#	Isolate	ST	PP No: 2846 parC	PP No: 2847 parC	PP No: 2848 parC
A. baumannii	54	536	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	87	665	3	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	8	80	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	9	91	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	10	92	10	A33G26C28T34	A29G28C25T32	ND
A. baumannii	11	131	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	12	137	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	21	218	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	26	242	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	94	678	10	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	1	9	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	2	13	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	3	19	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	4	24	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	5	36	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	6	39	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	13	139	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	15	165	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	16	170	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	17	186	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	20	202	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	22	221	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	24	234	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	25	239	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	33	370	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	34	389	10	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	19	201	14	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	27	257	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	29	301	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	31	354	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	36	422	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	37	424	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	38	434	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	39	473	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	40	482	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	44	512	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	45	516	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	47	522	51	A33G26C28T34	A29G28C25T32	A16G14C14T16

A. baumannii	48	526	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	50	528	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	52	531	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	53	533	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	56	542	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	59	550	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	62	556	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	64	557	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	70	588	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	73	603	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	74	605	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	75	606	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	77	611	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	79	622	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	83	643	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	85	653	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	89	669	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	93	674	51	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	23	228	51	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	32	369	52	A34G25C28T34	A30G27C25T32	A16G14C14T16
A. baumannii	35	393	52	A34G25C28T34	A30G27C25T32	A16G14C14T16
A. baumannii	30	339	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	41	485	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	42	493	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	43	502	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	46	520	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	49	527	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	51	529	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	65	562	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	68	579	53	A34G25C29T33	A30G27C26T31	A16G14C15T15
A. baumannii	57	546	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	58	548	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	60	552	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	61	555	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	63	557	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	66	570	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	67	578	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	69	584	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	71	593	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	72	602	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	76	609	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	78	621	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	80	625	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	81	628	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	82	632	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	84	649	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	86	655	54	A33G26C28T34	A29G28C25T32	A16G14C14T16

A. baumannii	88	668	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	90	671	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	91	672	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	92	673	54	A33G26C28T34	A29G28C25T32	A16G14C14T16
A. baumannii	18	196	55	A33G27C28T33	A29G28C25T31	A15G14C15T16
A. baumannii	55	537	27	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. baumannii	28	263	27	A33G26C29T33	A29G28C26T31	A16G14C15T15
A. sp. 3	14	164	B7	A35G25C29T32	A30G28C17T39	A16G14C15T15
mixture	7	71	-	ND	ND	A17G14C15T14

Table 17A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Speciating Primer Pair No. 2922 and Triangulation Genotyping Analysis Primer Pair Nos. 1151 and 1156

Species	Ibis#	Isolate	ST	PP No: 2922 efp	PP No: 1151 trpE	PP No: 1156 Adk
A. baumannii	20	1082	1	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	13	854	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	22	1162	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	27	1230	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	31	1367	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	37	1459	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	55	1700	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	64	1777	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	73	1861	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	74	1877	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	86	1972	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	3	684	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	6	720	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	7	726	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	19	1079	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	21	1123	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	23	1188	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	33	1417	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	34	1431	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	38	1496	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	40	1523	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	42	1640	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	50	1666	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	51	1668	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	52	1695	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	65	1781	11	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	44	1649	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	49A	1658.1	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	49B	1658.2	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	56	1707	12	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	80	1893	12	A45G34C25T43	A44G35C21T42	A44G32C26T38

A. baumannii	5	693	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	8	749	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	10	839	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	14	865	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	16	888	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	29	1326	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	35	1440	14	A44G35C25T43	ND	A44G32C27T37
A. baumannii	41	1524	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	46	1652	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	47	1653	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	48	1657	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	57	1709	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	61	1727	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	63	1762	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	67	1806	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	75	1881	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	77	1886	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	1	649	46	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	2	653	46	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	39	1497	16	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	24	1198	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	28	1243	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	43	1648	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	62	1746	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	4	689	15	A44G35C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	68	1822	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	69	1823A	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	70	1823B	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	71	1826	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	72	1860	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	81	1924	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	82	1929	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	85	1966	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	11	841	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	32	1415	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	45	1651	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	54	1697	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	58	1712	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	60	1725	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	66	1802	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	76	1883	24	ND	A43G36C20T43	A44G32C27T37
A. baumannii	78	1891	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	79	1892	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	83	1947	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	84	1964	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	53	1696	24	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	36	1458	49	A44G35C25T43	A44G35C22T41	A44G32C27T37

A. baumannii	59	1716	9	A44G35C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	9	805	30	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	18	967	39	A45G34C25T43	A44G35C22T41	A44G32C26T38
A. baumannii	30	1322	48	A44G35C25T43	A43G36C20T43	A44G32C27T37
A. baumannii	26	1218	50	A44G35C25T43	A44G35C21T42	A44G32C26T38
A. sp. 13TU	15	875	A1	A47G33C24T43	A46G32C20T44	A44G33C27T36
A. sp. 13TU	17	895	A1	A47G33C24T43	A46G32C20T44	A44G33C27T36
A. sp. 3	12	853	B7	A46G35C24T42	A42G34C20T46	A43G33C24T40
A. johnsonii	25	1202	NEW1	A46G35C23T43	A42G35C21T44	A43G33C23T41
A. sp. 2082	87	2082	NEW2	A46G36C22T43	A42G32C20T48	A42G34C23T41

Table 17B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1158 and 1160 and 1165

Species	Ibis#	Isolate	ST	PP No: 1158 mutY	PP No: 1160 mutY	PP No: 1165 fumC
A. baumannii	20	1082	1	A27G21C25T22	A32G35C29T33	A40G33C30T36
A. baumannii	13	854	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	22	1162	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	27	1230	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	31	1367	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	37	1459	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	55	1700	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	64	1777	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	73	1861	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	74	1877	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	86	1972	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	3	684	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	6	720	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	7	726	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	19	1079	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	21	1123	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	23	1188	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	33	1417	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	34	1431	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	38	1496	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	40	1523	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	42	1640	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	50	1666	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	51	1668	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	52	1695	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	65	1781	11	A27G21C25T22	A32G34C28T35	A40G33C30T36
A. baumannii	44	1649	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	49A	1658.1	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	49B	1658.2	12	A27G21C26T21	A32G34C29T34	A40G33C30T36

A. baumannii	56	1707	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	80	1893	12	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	5	693	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	8	749	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	10	839	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	14	865	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	16	888	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	29	1326	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	35	1440	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	41	1524	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	46	1652	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	47	1653	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	48	1657	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	57	1709	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	61	1727	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	63	1762	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	67	1806	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	75	1881	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	77	1886	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	1	649	46	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	2	653	46	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	39	1497	16	A29G19C26T21	A31G35C29T34	A40G34C29T36
A. baumannii	24	1198	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	28	1243	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	43	1648	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	62	1746	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	4	689	15	A29G19C26T21	A31G35C29T34	A40G33C29T37
A. baumannii	68	1822	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	69	1823A	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	70	1823B	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	71	1826	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	72	1860	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	81	1924	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	82	1929	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	85	1966	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	11	841	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	32	1415	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	45	1651	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	54	1697	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	58	1712	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	60	1725	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	66	1802	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	76	1883	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	78	1891	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	79	1892	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	83	1947	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	84	1964	24	A27G21C26T21	A32G35C28T34	A40G33C30T36

A. baumannii	53	1696	24	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	36	1458	49	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	59	1716	9	A27G21C25T22	A32G35C28T34	A39G33C30T37
A. baumannii	9	805	30	A27G21C25T22	A32G35C28T34	A39G33C30T37
A. baumannii	18	967	39	A27G21C26T21	A32G35C28T34	A39G33C30T37
A. baumannii	30	1322	48	A28G21C24T22	A32G35C29T33	A40G33C30T36
A. baumannii	26	1218	50	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. sp. 13TU	15	875	A1	A27G21C25T22	A30G36C26T37	A41G34C28T36
A. sp. 13TU	17	895	A1	A27G21C25T22	A30G36C26T37	A41G34C28T36
A. sp. 3	12	853	B7	A26G23C23T23	A30G36C27T36	A39G37C26T37
A. johnsonii	25	1202	NEW1	**A25G23C24T23**	A30G35C30T34	**A38G37C26T38**
A. sp. 2082	87	2082	NEW2	**A26G22C24T23**	A31G35C28T35	**A42G34C27T36**

Table 17C: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Walter Reed Hospital and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1167 and 1170 and 1171

Species	Ibis#	Isolate	ST	PP No: 1167 fumC	PP No: 1170 fumC	PP No: 1171 ppa
A. baumannii	20	1082	1	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	13	854	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	22	1162	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	27	1230	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	31	1367	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	37	1459	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	55	1700	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	64	1777	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	73	1861	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	74	1877	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	86	1972	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	3	684	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	6	720	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	7	726	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	19	1079	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	21	1123	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	23	1188	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	33	1417	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	34	1431	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	38	1496	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	40	1523	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	42	1640	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	50	1666	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	51	1668	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	52	1695	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	65	1781	11	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	44	1649	12	A41G34C34T38	A38G27C21T50	A35G37C33T44

A. baumannii	49A	1658.1	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	49B	1658.2	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	56	1707	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	80	1893	12	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	5	693	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	8	749	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	10	839	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	14	865	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	16	888	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	29	1326	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	35	1440	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	41	1524	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	46	1652	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	47	1653	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	48	1657	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	57	1709	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	61	1727	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	63	1762	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	67	1806	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	75	1881	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	77	1886	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	1	649	46	A41G35C32T39	A37G28C20T51	A35G37C32T45
A. baumannii	2	653	46	A41G35C32T39	A37G28C20T51	A35G37C32T45
A. baumannii	39	1497	16	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	24	1198	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	28	1243	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	43	1648	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	62	1746	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	4	689	15	A41G35C32T39	A37G28C20T51	A35G37C30T47
A. baumannii	68	1822	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	69	1823A	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	70	1823B	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	71	1826	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	72	1860	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	81	1924	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	82	1929	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	85	1966	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	11	841	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	32	1415	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	45	1651	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	54	1697	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	58	1712	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	60	1725	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	66	1802	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	76	1883	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	78	1891	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	79	1892	24	A40G35C34T38	A39G26C22T49	A35G37C33T44

A. baumannii	83	1947	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	84	1964	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	53	1696	24	A40G35C34T38	A39G26C22T49	A35G37C33T44
A. baumannii	36	1458	49	A40G35C34T38	A39G26C22T49	A35G37C30T47
A. baumannii	59	1716	9	A40G35C32T40	A38G27C20T51	**A36G35C31T47**
A. baumannii	9	805	30	A40G35C32T40	A38G27C21T50	A35G36C29T49
A. baumannii	18	967	39	A40G35C33T39	A38G27C20T51	A35G37C30T47
A. baumannii	30	1322	48	A40G35C35T37	A38G27C21T50	A35G37C30T47
A. baumannii	26	1218	50	A40G35C34T38	A38G27C21T50	A35G37C33T44
A. sp. 13TU	15	875	A1	A41G39C31T36	A37G26C24T49	A34G38C31T46
A. sp. 13TU	17	895	A1	A41G39C31T36	A37G26C24T49	A34G38C31T46
A. sp. 3	12	853	B7	A43G37C30T37	A36G27C24T49	A34G37C31T47
A. johnsonii	25	1202	NEW1	**A42G38C31T36**	**A40G27C19T50**	A35G37C32T45
A. sp. 2082	87	2082	NEW2	A43G37C32T35	**A37G26C21T52**	**A35G38C31T45**

Table 18A: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Speciating Primer Pair No. 2922 and Triangulation Genotyping Analysis Primer Pair Nos. 1151 and 1156

Species	Ibis#	Isolate	ST	PP No: 2922 efp	PP No: 1151 trpE	PP No: 1156 adk
A. baumannii	54	536	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	87	665	3	A44G35C24T44	A44G35C22T41	A44G32C26T38
A. baumannii	8	80	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	9	91	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	10	92	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	11	131	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	12	137	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	21	218	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	26	242	10	A45G34C25T43	**A44G35C21T42**	A44G32C26T38
A. baumannii	94	678	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	1	9	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	2	13	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	3	19	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	4	24	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	5	36	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	6	39	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	13	139	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	15	165	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	16	170	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	17	186	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	20	202	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	22	221	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	24	234	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	25	239	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	33	370	10	A45G34C25T43	A44G35C21T42	A44G32C26T38

A. baumannii	34	389	10	A45G34C25T43	A44G35C21T42	A44G32C26T38
A. baumannii	19	201	14	A44G35C25T43	A44G35C22T41	A44G32C27T37
A. baumannii	27	257	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	29	301	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	31	354	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	36	422	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	37	424	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	38	434	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	39	473	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	40	482	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	44	512	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	45	516	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	47	522	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	48	526	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	50	528	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	52	531	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	53	533	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	56	542	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	59	550	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	62	556	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	64	557	51	A44G35C25T43	A43G36C20T42	A44G32C26T38
A. baumannii	70	588	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	73	603	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	74	605	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	75	606	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	77	611	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	79	622	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	83	643	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	85	653	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	89	669	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	93	674	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	23	228	51	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	32	369	52	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	35	393	52	A44G35C25T43	A43G36C20T43	A44G32C26T38
A. baumannii	30	339	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	41	485	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	42	493	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	43	502	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	46	520	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	49	527	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	51	529	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	65	562	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	68	579	53	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	57	546	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	58	548	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	60	552	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	61	555	54	A44G35C25T43	A44G35C20T43	A44G32C26T38

A. baumannii	63	557	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	66	570	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	67	578	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	69	584	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	71	593	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	72	602	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	76	609	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	78	621	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	80	625	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	81	628	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	82	632	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	84	649	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	86	655	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
, *A. baumannii*	88	668	54	A44G35C25T43	A44G35C20T43 .	A44G32C26T38
A. baumannii	90	671	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	91	672	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	92	673	54	A44G35C25T43	A44G35C20T43	A44G32C26T38
A. baumannii	18	196	55	A44G35C25T43	A44G35C20T43	A44G32C27T37
A. baumannii	55	537	27	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. baumannii	28	263	27	A44G35C25T43	A44G35C19T44	A44G32C27T37
A. sp. 3	14	164	B7	A46G35C24T42	**A42G34C20T46**	A43G33C24T40
mixture	7	71	?	mixture	ND	ND

Table 18B: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1158, 1160 and 1165

Species	Ibis#	Isolate	ST	PP No: 1158 mutY	PP No: 1160 mutY	PP No: 1165 fumC
A. baumannii	54	536	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	87	665	3	A27G20C27T21	A32G35C28T34	A40G33C30T36
A. baumannii	8	80	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	9	91	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	10	92	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	11	131	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	12	137	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	21	218	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	26	242	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	94	678	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	1	9	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	2	13	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	3	19	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	4	24	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	5	36	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	6	39	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	13	139	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	15	165	10	A27G21C26T21	A32G35C28T34	A40G33C30T36

A. baumannii	16	170	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	17	186	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	20	202	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	22	221	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	24	234	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	25	239	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	33	370	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	34	389	10	A27G21C26T21	A32G35C28T34	A40G33C30T36
A. baumannii	19	201	14	A27G21C25T22	A31G36C28T34	A40G33C29T37
A. baumannii	27	257	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	29	301	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	31	354	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	36	422	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	37	424	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	38	434	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	39	473	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	40	482	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	44	512	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	45	516	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	47	522	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	48	526	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	50	528	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	52	531	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	53	533	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	56	542	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	59	550	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	62	556	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	64	557	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	70	588	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	73	603	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	74	605	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	75	606	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	77	611	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	79	622	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	83	643	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	85	653	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	89	669	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	93	674	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	23	228	51	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	32	369	52	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	35	393	52	A27G21C25T22	A32G35C28T34	A40G33C29T37
A. baumannii	30	339	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36
A. baumannii	41	485	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36
A. baumannii	42	493	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36
A. baumannii	43	502	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36
A. baumannii	46	520	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36
A. baumannii	49	527	53	**A28G20C26T21**	A32G34C29T34	A40G33C30T36

A. baumannii	51	529	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	65	562	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	68	579	53	A28G20C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	57	546	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	58	548	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	60	552	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	61	555	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	63	557	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	66	570	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	67	578	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	69	584	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	71	593	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	72	602	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	76	609	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	78	621	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	80	625	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	81	628	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	82	632	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	84	649	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	86	655	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	88	668	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	90	671	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	91	672	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	92	673	54	A27G21C26T21	A32G34C29T34	A40G33C30T36
A. baumannii	18	196	55	A27G21C25T22	A31G36C27T35	A40G33C29T37
A. baumannii	55	537	27	A27G21C25T22	A32G35C28T34	A40G33C30T36
A. baumannii	28	263	27	A27G21C25T22	A32G35C28T34	A40G33C30T36
A. sp. 3	14	164	B7	A26G23C23T23	A30G36C27T36	A39G37C26T37
mixture	7	71	?	ND	ND	ND

Table 18C: Base Compositions Determined from *A. baumannii* DNA Samples Obtained from Northwestern Medical Center and Amplified with Triangulation Genotyping Analysis Primer Pair Nos. 1167, 1170 and 1171

Species	Ibis#	Isolate	ST	PP No: 1167 fumC	PP No: 1170 fumC	PP No: 1171 ppa
A. baumannii	54	536	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	87	665	3	A41G34C35T37	A38G27C20T51	A35G37C31T46
A. baumannii	8	80	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	9	91	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	10	92	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	11	131	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	12	137	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	21	218	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	26	242	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	94	678	10	A41G34C34T38	A38G27C21T50	A35G37C33T44

A. baumannii	1	9	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	2	13	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	3	19	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	4	24	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	5	36	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	6	39	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	13	139	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	15	165	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	16	170	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	17	186	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	20	202	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	22	221	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	24	234	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	25	239	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	33	370	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	34	389	10	A41G34C34T38	A38G27C21T50	A35G37C33T44
A. baumannii	19	201	14	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	27	257	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	29	301	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	31	354	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	36	422	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	37	424	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	38	434	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	39	473	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	40	482	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	44	512	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	45	516	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	47	522	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	48	526	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	50	528	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	52	531	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	53	533	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	56	542	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	59	550	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	62	556	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	64	557	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	70	588	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	73	603	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	74	605	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	75	606	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	77	611	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	79	622	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	83	643	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	85	653	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	89	669	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	93	674	51	A40G35C34T38	A38G27C21T50	A35G37C30T47
A. baumannii	23	228	51	A40G35C34T38	A38G27C21T50	A35G37C30T47

A. baumannii	32	369	52	A40G35C34T38	A38G27C21T50	A35G37C31T46
A. baumannii	35	393	52	A40G35C34T38	A38G27C21T50	A35G37C31T46
A. baumannii	30	339	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	41	485	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	42	493	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	43	502	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	46	520	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	49	527	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	51	529	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	65	562	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	68	579	53	A40G35C35T37	A38G27C21T50	A35G37C31T46
A. baumannii	57	546	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	58	548	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	60	552	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	61	555	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	63	557	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	66	570	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	67	578	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	69	584	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	71	593	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	72	602	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	76	609	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	78	621	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	80	625	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	81	628	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	82	632	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	84	649	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	86	655	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	88	668	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	90	671	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	91	672	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	92	673	54	A40G35C34T38	A39G26C22T49	A35G37C31T46
A. baumannii	18	196	55	A42G34C33T38	A38G27C20T51	A35G37C31T46
A. baumannii	55	537	27	A40G35C33T39	A38G27C20T51	A35G37C33T44
A. baumannii	28	263	27	A40G35C33T39	A38G27C20T51	A35G37C33T44
A. sp. 3	14	164	B7	A43G37C30T37	A36G27C24T49	A34G37C31T47
mixture	7	71	-	ND	ND	ND

[422]   Base composition analysis of the samples obtained from Walter Reed hospital indicated that a majority of the strain types identified were the same strain types already characterized by the OIF study of Example 12. This is not surprising since at least some patients from which clinical samples were obtained in OIF were transferred to the Walter Reed Hospital (WRAIR). Examples of these common strain types include: ST10, ST11, ST12, ST14, ST15, ST16 and ST46. A strong correlation was noted between these strain types and the presence of mutations in the gyrA and parC which confer quinolone drug resistance.

[423]   In contrast, the results of base composition analysis of samples obtained from Northwestern Medical Center indicate the presence of 4 major strain types: ST10, ST51, ST53 and ST54. All of these strain types have the gyrA quinolone resistance mutation and most also have the parC quinolone resistance mutation, with the exception of ST35. This observation is consistent with the current understanding that the gyrA mutation generally appears before the parC mutation and suggests that the acquisition of these drug resistance mutations is rather recent and that resistant isolates are taking over the wild-type isolates. Another interesting observation was that a single isolate of ST3 (isolate 841) displays a triangulation genotyping analysis pattern similar to other isolates of ST3, but the codon analysis amplification product base compositions indicate that this isolate has not yet undergone the quinolone resistance mutations in gyrA and parC.

[424]   The six isolates that represent species other than *Acinetobacter baumannii* in the samples obtained from the Walter Reed Hospital were each found to not carry the drug resistance mutations.

[425]   The results described above involved analysis of 183 samples using the methods and compositions of the present invention. Results were provided to collaborators at the Walter Reed hospital and Northwestern Medical center within a week of obtaining samples. This example highlights the rapid throughput characteristics of the analysis platform and the resolving power of triangulation genotyping analysis and codon analysis for identification of and determination of drug resistance in bacteria.

Example 14:   Identification of Drug Resistance Genes and Virulence Factors in *Staphylococcus aureus*

[426]   An eight primer pair panel was designed for identification of drug resistance genes and virulence factors of *Staphylococcus aureus* and is shown in Table 19. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 19.

Table 19: Primer Pairs for Identification of Drug Resistance Genes and Virulence Factors in
Staphylococcus aureus

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
879	MECA_Y14051_4507_4530_F	288	MECA_Y14051_4555_4581_R	1269	mecA
2056	MECI-R_NC003923-41798-41609_33_60_F	698	MECI-R_NC003923-41798-41609_86_113_R	1420	MecI-R
2081	ERMA_NC002952-55890-	217	ERMA_NC002952-55890-	1167	ermA

	56621_366_395_F		56621_438_465_R		
2086	ERMC_NC005908-2004-2738_85_116_F	399	ERMC_NC005908-2004-2738_173_206_R	1041	ermC
2095	PVLUK_NC003923-1529595-1531285_688_713_F	456	PVLUK_NC003923-1529595-1531285_775_804_R	1261	Pv-luk
2249	TUFB_NC002758-615038-616222_696_725_F	430	TUFB_NC002758-615038-616222_793_820_R	1321	tufB
2256	NUC_NC002758-894288-894974_316_345_F	174	NUC_NC002758-894288-894974_396_421_R	853	Nuc
2313	MUPR_X75439_2486_2516_F	172	MUPR_X75439_2548_2574_R	1360	mupR

[427]   Primer pair numbers 2256 and 2249 are confirmation primers designed with the aim of high

level identification of *Staphylococcus aureus*. The nuc gene is a *Staphylococcus aureus*-specific marker

gene. The tufB gene is a universal housekeeping gene but the bioagent identifying amplicon defined by

primer pair number 2249 provides a unique base composition (A43 G28 C19 T35) which distinguishes

Staphylococcus aureus from other members of the genus *Staphylococcus*.

[428]   High level methicillin resistance in a given strain of *Staphylococcus aureus* is indicated by

bioagent identifying amplicons defined by primer pair numbers 879 and 2056. Analyses have indicated

that primer pair number 879 is not expected to prime *S. sciuri* homolog or *Enterococcus faecalis/faciem*

ampicillin-resistant PBP5 homologs.

[429]   Macrolide and erythromycin resistance in a given strain of *Staphylococcus aureus* is indicated

by bioagent identifying amplicons defined by primer pair numbers 2081 and 2086.

[430]   Resistance to mupriocin in a given strain of *Staphylococcus aureus* is indicated by bioagent

identifying amplicons defined by primer pair number 2313.

[431]   Virulence in a given strain of *Staphylococcus aureus* is indicated by bioagent identifying

amplicons defined by primer pair number 2095. This primer pair can simultaneously and identify the pvl

(lukS-PV) gene and the lukD gene which encodes a homologous enterotoxin. A bioagent identifying

amplicon of the lukD gene has a six nucleobase length difference relative to the lukS-PV gene.

[432]   A total of 32 blinded samples of different strains of *Staphylococcus aureus* were provided by

the Center for Disease Control (CDC). Each sample was analyzed by PCR amplification with the eight

primer pair panel, followed by purification and measurement of molecular masses of the amplification

products by mass spectrometry. Base compositions for the amplification products were calculated. The

base compositions provide the information summarized above for each primer pair. The results are

shown in Tables 20A and B. One result noted upon un-blinding of the samples is that each of the PVL+

identifications agreed with PVL+ identified in the same samples by standard PCR assays. These results

indicate that the panel of eight primer pairs is useful for identification of drug resistance and virulence sub-species characteristics for *Staphylococcus aureus*. It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Table 20A: Drug Resistance and Virulence Identified in Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2081, 2086, 2095 and 2256

Sample Index No.	Primer Pair No. 2081 (ermA)	Primer Pair No. 2086 (ermC)	Primer Pair No. 2095 (pv-luk)	Primer Pair No. 2256 (nuc)
CDC0010	-	-	PVL-/lukD+	+
CDC0015	-	-	PVL+/lukD+	+
CDC0019	-	+	PVL-/lukD+	+
CDC0026	+	-	PVL-/lukD+	+
CDC0030	+	-	PVL-/lukD+	+
CDC004	-	-	PVL+/lukD+	+
CDC0014	-	+	PVL+/lukD+	+
CDC008	-	-	PVL-/lukD+	+
CDC001	+	-	PVL-/lukD+	+
CDC0022	+	-	PVL-/lukD+	+
CDC006	+	-	PVL-/lukD+	+
CDC007	-	-	PVL-/lukD+	+
CDCVRSA1	+	-	PVL-/lukD+	+
CDCVRSA2	+	+	PVL-/lukD+	+
CDC0011	+	-	PVL-/lukD+	+
CDC0012	-	-	PVL+/lukD-	+
CDC0021	+	-	PVL-/lukD+	+
CDC0023	+	-	PVL-/lukD+	+
CDC0025	+	-	PVL-/lukD+	+
CDC005	-	-	PVL-/lukD+	+
CDC0018	+	-	PVL+/lukD-	+
CDC002	-	-	PVL-/lukD+	+
CDC0028	+	-	PVL-/lukD+	+
CDC003	-	-	PVL-/lukD+	+
CDC0013	-	-	PVL+/lukD+	+
CDC0016	-	-	PVL-/lukD+	+
CDC0027	+	-	PVL-/lukD+	+
CDC0029	-	-	PVL+/lukD+	+

CDC0020	–	+	PVL–/lukD+	+
CDC0024	–	–	PVL–/lukD+	+
CDC0031	–	–	PVL–/lukD+	+

Table 20B: Drug Resistance and Virulence Identified in Blinded Samples of Various Strains of Staphylococcus aureus with Primer Pair Nos. 2249, 879, 2056, and 2313

Sample Index No.	Primer Pair No. 2249 (tufB)	Primer Pair No. 879 (mecA)	Primer Pair No. 2056 (mecI-R)	Primer Pair No. 2313 (mupR)
CDC0010	Staphylococcus aureus	+	+	–
CDC0015	Staphylococcus aureus	–	–	–
CDC0019	Staphylococcus aureus	+	+	–
CDC0026	Staphylococcus aureus	+	+	–
CDC0030	Staphylococcus aureus	+	+	–
CDC004	Staphylococcus aureus	+	+	–
CDC0014	Staphylococcus aureus	+	+	–
CDC008	Staphylococcus aureus	+	+	–
CDC001	Staphylococcus aureus	+	+	–
CDC0022	Staphylococcus aureus	+	+	–
CDC006	Staphylococcus aureus	+	+	+
CDC007	Staphylococcus aureus	+	+	–
CDCVRSA1	Staphylococcus aureus	+	+	–
CDCVRSA2	Staphylococcus aureus	+	+	–
CDC0011	Staphylococcus aureus	–	–	–
CDC0012	Staphylococcus aureus	+	+	–
CDC0021	Staphylococcus aureus	+	+	–
CDC0023	Staphylococcus aureus	+	+	–
CDC0025	Staphylococcus aureus	+	+	–
CDC005	Staphylococcus aureus	+	+	–
CDC0018	Staphylococcus aureus	+	+	–
CDC002	Staphylococcus aureus	+	+	–
CDC0028	Staphylococcus aureus	+	+	–
CDC003	Staphylococcus aureus	+	+	–
CDC0013	Staphylococcus aureus	+	+	–
CDC0016	Staphylococcus aureus	+	+	–
CDC0027	Staphylococcus aureus	+	+	–
CDC0029	Staphylococcus aureus	+	+	–

CDC0020	*Staphylococcus aureus*	-	-	-
CDC0024	*Staphylococcus aureus*	+	+	-
CDC0031	*Staphylococcus scleiferi*	-	-	-

Example 15: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for *Staphylococcus aureus*

[433]   To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of eight triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within six different housekeeping genes which are listed in Table 21. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 21.

Table 21: Primer Pairs for Triangulation Genotyping Analysis of *Staphylococcus aureus*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
2146	ARCC_NC003923-2725050-2724595_131_161_F	437	ARCC_NC003923-2725050-2724595_214_245_R	1137	arcC
2149	AROE_NC003923-1674726-1674277_30_62_F	530	AROE_NC003923-1674726-1674277_155_181_R	891	aroE
2150	AROE_NC003923-1674726-1674277_204_232_F	474	AROE_NC003923-1674726-1674277_308_335_R	869	aroE
2156	GMK_NC003923-1190906-1191334_301_329_F	268	GMK_NC003923-1190906-1191334_403_432_R	1284	gmk
2157	PTA_NC003923-628885-629355_237_263_F	418	PTA_NC003923-628885-629355_314_345_R	1301	pta
2161	TPI_NC003923-830671-831072_1_34_F	318	TPI_NC003923-830671-831072_97_129_R	1300	tpi
2163	YQI_NC003923-378916-379431_142_167_F	440	YQI_NC003923-378916-379431_259_284_R	1076	yqi
2166	YQI_NC003923-378916-379431_275_300_F	219	YQI_NC003923-378916-379431_364_396_R	1013	yqi

[434]   The same samples analyzed for drug resistance and virulence in Example 14 were subjected to triangulation genotyping analysis. The primer pairs of Table 21 were used to produce amplification products by PCR, which were subsequently purified and measured by mass spectrometry. Base compositions were calculated from the molecular masses and are shown in Tables 22A and 22B.

Table 22A: Triangulation Genotyping Analysis of Blinded Samples of Various Strains of *Staphylococcus aureus* with Primer Pair Nos. 2146, 2149, 2150 and 2156

Sample Index No.	Strain	Primer Pair No. 2146 (arcC)	Primer Pair No. 2149 (aroE)	Primer Pair No. 2150 (aroE)	Primer Pair No. 2156 (gmk)
CDC0010	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32

CDC0015	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0019	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0026	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0030	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC004	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0014	COL	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC008	????	A44 G24 C18 T29	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC001	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0022	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC006	Mu50	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0011	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0012	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0021	MRSA252	A45 G24 C18 T28	A58 G24 C19 T51	A41 G36 C12 T43	A51 G29 C21 T31
CDC0023	ST:110	A45 G24 C18 T28	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0025	ST:110	A45 G24 C18 T28	A59 G24 C18 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC005	ST:338	A44 G24 C18 T29	A59 G23 C19 T51	A40 G36 C14 T42	A51 G29 C21 T31
CDC0018	ST:338	A44 G24 C18 T29	A59 G23 C19 T51	A40 G36 C14 T42	A51 G29 C21 T31
CDC002	ST:108	A46 G23 C20 T26	A58 G24 C19 T51	A42 G36 C12 T42	A51 G29 C20 T32
CDC0028	ST:108	A46 G23 C20 T26	A58 G24 C19 T51	A42 G36 C12 T42	A51 G29 C20 T32
CDC003	ST:107	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0013	ST:12	ND	A59 G24 C18 T51	A40 G36 C13 T43	A51 G29 C21 T31
CDC0016	ST:120	A45 G23 C18 T29	A58 G24 C19 T51	A40 G37 C13 T42	A51 G29 C21 T31
CDC0027	ST:105	A45 G23 C20 T27	A58 G24 C18 T52	A40 G36 C13 T43	A51 G29 C21 T31
CDC0029	MSSA476	A45 G23 C20 T27	A58 G24 C19 T51	A40 G36 C13 T43	A50 G30 C20 T32
CDC0020	ST:15	A44 G23 C21 T27	A59 G23 C18 T52	A40 G36 C13 T43	A50 G30 C20 T32
CDC0024	ST:137	A45 G23 C20 T27	A57 G25 C19 T51	A40 G36 C13 T43	A51 G29 C22 T30
CDC0031	***	No product	No product	No product	No product

Table 22B: Triangulation Genotyping Analysis of Blinded Samples of Various Strains of
***Staphylococcus aureus* with Primer Pair Nos. 2146, 2149, 2150 and 2156**

Sample Index No.	Strain	Primer Pair No. 2157 (pta)	Primer Pair No. 2161 (tpi)	Primer Pair No. 2163 (yqi)	Primer Pair No. 2166 (yqi)
CDC0010	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0015	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0019	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0026	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37

CDC0030	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC004	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0014	COL	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC008	unknown	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC001	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0022	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC006	Mu50	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0011	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0012	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0021	MRSA252	A32 G25 C23 T29	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0023	ST:110	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0025	ST:110	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC005	ST:338	A32 G25 C24 T28	A51 G27 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC0018	ST:338	A32 G25 C24 T28	A51 G27 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC002	ST:108	A33 G25 C23 T28	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC0028	ST:108	A33 G25 C23 T28	A50 G28 C22 T29	A42 G36 C22 T43	A37 G30 C18 T37
CDC003	ST:107	A32 G25 C23 T29	A51 G28 C22 T28	A41 G37 C22 T43	A37 G30 C18 T37
CDC0013	ST:12	A32 G25 C23 T29	A51 G28 C22 T28	A42 G36 C22 T43	A37 G30 C18 T37
CDC0016	ST:120	A32 G25 C24 T28	A50 G28 C21 T30	A42 G36 C22 T43	A37 G30 C18 T37
CDC0027	ST:105	A33 G25 C22 T29	A50 G28 C22 T29	A43 G36 C21 T43	A36 G31 C19 T36
CDC0029	MSSA476	A33 G25 C22 T29	A50 G28 C22 T29	A42 G36 C22 T43	A36 G31 C19 T36
CDC0020	ST:15	A33 G25 C22 T29	A50 G28 C21 T30	A42 G36 C22 T43	A36 G31 C18 T37
CDC0024	ST:137	A33 G25 C22 T29	A51 G28 C22 T28	A42 G36 C22 T43	A37 G30 C18 T37
CDC0031	***	A34 G25 C25 T25	A51 G27 C24 T27	No product	No product

[435]   Note: *** The sample CDC0031 was identified as *Staphylococcus scleiferi* as indicated in Example 14. Thus, the triangulation genotyping primers designed for *Staphylococcus aureus* would generally not be expected to prime and produce amplification products of this organism. Tables 22A and 22B indicate that amplification products are obtained for this organism only with primer pair numbers 2157 and 2161.

[436]   A total of thirteen different genotypes of *Staphylococcus aureus* were identified according to the unique combinations of base compositions across the eight different bioagent identifying amplicons obtained with the eight primer pairs. These results indicate that this eight primer pair panel is useful for analysis of unknown or newly emerging strains of *Staphylococcus aureus*. It is expected that a kit

comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Example 16: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for Members of the Bacterial Genus *Vibrio*

[437]   To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of eight triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within seven different housekeeping genes which are listed in Table 23. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 23.

Table 23: Primer Pairs for Triangulation Genotyping Analysis of Members of the Bacterial Genus *Vibrio*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
1098	RNASEP_VBC_331_349_F	325	RNASEP_VBC_388_414_R	1163	RNAse P
2000	CTXB_NC002505_46_70_F	278	CTXB_NC002505_132_162_R	1039	ctxB
2001	FUR_NC002505_87_113_F	465	FUR_NC002505_205_228_R	1037	fur
2011	GYRB_NC002505_1161_1190_F	148	GYRB_NC002505_1255_1284_R	1172	gyrB
2012	OMPU_NC002505_85_110_F	190	OMPU_NC002505_154_180_R	1254	ompU
2014	OMPU_NC002505_431_455_F	266	OMPU_NC002505_544_567_R	1094	ompU
2323	CTXA_NC002505-1568114-1567341_122_149_F	508	CTXA_NC002505-1568114-1567341_186_214_R	1297	ctxA
2927	GAPA_NC002505_694_721_F	259	GAPA_NC_002505_29_58_R	1060	gapA

[438]   A group of 50 bacterial isolates containing multiple strains of both environmental and clinical isolates of *Vibrio cholerae*, 9 other *Vibrio* species, and 3 species of Photobacteria were tested using this panel of primer pairs. Base compositions of amplification products obtained with these 8 primer pairs were used to distinguish amongst various species tested, including sub-species differentiation within *Vibrio cholerae* isolates. For instance, the non-O1/non-O139 isolates were clearly resolved from the O1 and the O139 isolates, as were several of the environmental isolates of *Vibrio cholerae* from the clinical isolates.

[439]   It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

Example 17: Selection and Use of Triangulation Genotyping Analysis Primer Pairs for Members of the Bacterial Genus *Pseudomonas*

[440] To combine the power of high-throughput mass spectrometric analysis of bioagent identifying amplicons with the sub-species characteristic resolving power provided by triangulation genotyping analysis, a panel of twelve triangulation genotyping analysis primer pairs was selected. The primer pairs are designed to produce bioagent identifying amplicons within seven different housekeeping genes which are listed in Table 24. The primer sequences are found in Table 2 and are cross-referenced by the primer pair numbers, primer pair names or SEQ ID NOs listed in Table 24.

Table 24: Primer Pairs for Triangulation Genotyping Analysis of Members of the Bacterial Genus *Pseudomonas*

Primer Pair No.	Forward Primer Name	Forward Primer (SEQ ID NO:)	Reverse Primer Name	Reverse Primer (SEQ ID NO:)	Target Gene
2949	ACS_NC002516-970624-971013_299_316_F	376	ACS_NC002516-970624-971013_364_383_R	1265	acsA
2950	ARO_NC002516-26883-27380_4_26_F	267	ARO_NC002516-26883-27380_111_128_R	1341	aroE
2951	ARO_NC002516-26883-27380_356_377_F	705	ARO_NC002516-26883-27380_459_484_R	1056	aroE
2954	GUA_NC002516-4226546-4226174_155_178_F	710	GUA_NC002516-4226546-4226174_265_287_R	1259	guaA
2956	GUA_NC002516-4226546-4226174_242_263_F	374	GUA_NC002516-4226546-4226174_355_371_R	1111	guaA
2957	MUT_NC002516-5551158-5550717_5_26_F	545	MUT_NC002516-5551158-5550717_99_116_R	978	mutL
2959	NUO_NC002516-2984589-2984954_8_26_F	249	NUO_NC002516-2984589-2984954_97_117_R	1095	nuoD
2960	NUO_NC002516-2984589-2984954_218_239_F	195	NUO_NC002516-2984589-2984954_301_326_R	1376	nuoD
2961	PPS_NC002516-1915014-1915383_44_63_F	311	PPS_NC002516-1915014-1915383_140_165_R	1014	pps
2962	PPS_NC002516-1915014-1915383_240_258_F	365	PPS_NC002516-1915014-1915383_341_360_R	1052	pps
2963	TRP_NC002516-671831-672273_24_42_F	527	TRP_NC002516-671831-672273_131_150_R	1071	trpE
2964	TRP_NC002516-671831-672273_261_282_F	490	TRP_NC002516-671831-672273_362_383_R	1182	trpE

[441] It is expected that a kit comprising one or more of the members of this panel will be a useful embodiment of the present invention.

[442] The present invention includes any combination of the various species and subgeneric groupings falling within the generic disclosure. This invention therefore includes the generic description of the invention with a proviso or negative limitation removing any subject matter from the genus, regardless of whether or not the excised material is specifically recited herein.

[443] While in accordance with the patent statutes, description of the various embodiments and examples have been provided, the scope of the invention is not to be limited thereto or thereby.

Modifications and alterations of the present invention will be apparent to those skilled in the art without departing from the scope and spirit of the present invention.

[444]   Therefore, it will be appreciated that the scope of this invention is to be defined by the appended claims, rather than by the specific examples which have been presented by way of example.

[445]   Each reference (including, but not limited to, journal articles, U.S. and non-U.S. patents, patent application publications, international patent application publications, gene bank gi or accession numbers, internet web sites, and the like) cited in the present application is incorporated herein by reference in its entirety.

CLAIMS

What is claimed is:

1.   An oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 456.

2.   An oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 1261.

3.   A composition comprising the primer of claim 1.

4.   The composition of claim 3 further comprising an oligonucleotide primer 14 to 35 nucleobases in length comprising at least 70% sequence identity with SEQ ID NO: 1261.

5.   The composition of claim 4 wherein either or both of said primers comprises at least one modified nucleobase.

6.   The composition of claim 5 wherein said modified nucleobase is 5-propynyluracil or 5-propynylcytosine.

7.   The composition of claim 4 wherein either or both of said primers comprises at least one universal nucleobase.

8.   The composition of claim 7 wherein said universal nucleobase is inosine.

9.   The composition of claim 4 wherein either or both of said primers further comprises a non-templated T residue on the 5'-end.

10.   The composition of claim 4 wherein either or both of said primers comprises at least one non-template tag.

11.   The composition of claim 4 wherein either or both of said primers comprises at least one molecular mass modifying tag.

12.   A kit comprising the composition of claim 4.

172

13.   The kit of claim 12 further comprising one or more primer pairs wherein each member of said one or more primer pairs is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.

14.   The kit of claim 12 further comprising one or more calibration polynucleotides.

15.   The kit of claim 12 further comprising at least one anion exchange functional group linked to a magnetic bead.

16.   A method for identification of a strain of *Staphylococcus aureus* in a sample comprising:
          amplifying nucleic acid from said strain of *Staphylococcus aureus* using the composition of claim 4 to obtain an amplification product;
          determining the molecular mass of said amplification product;
          optionally, determining the base composition of said amplification product from said molecular mass; and
          comparing said molecular mass or said base composition with a plurality of molecular masses or base compositions of known amplification products of strains of *Staphylococcus aureus* defined by the composition of claim 4, wherein a match between said molecular mass or base composition and a member of said plurality of molecular masses or base compositions identifies said strain of *Staphylococcus aureus*.

17.   The method of claim 16 further comprising repeating said amplifying, determining, optionally determining, and comparing steps using at least one additional primer pair, wherein each member of said at least one additional primer pair is of a length of 14 to 35 nucleobases and has 70% to 100% sequence identity with the corresponding member from the group of primer pairs represented by SEQ ID NOs: 288:1269, 698:1420, 217:1167, 399:1041, 430:1321, 174:853, and 172:1360.

18.   The method of claim 16 wherein said strain of *Staphylococcus aureus* is a virulent strain.

19.   The method of claim 18 wherein said strain of *Staphylococcus aureus* is a virulent strain.

20.   A method for determination of the quantity of a strain of *Staphylococcus aureus* in a sample comprising:

contacting said sample with the composition of claim 4 and a known quantity of a calibration polynucleotide comprising a calibration sequence;

concurrently amplifying nucleic acid from said a strain of *Staphylococcus aureus* and nucleic acid from said calibration polynucleotide in said sample with the composition of claim 4 to obtain a first amplification product comprising a bacterial bioagent identifying amplicon and a second amplification product comprising a calibration amplicon;

determining the molecular mass and abundance for said bacterial bioagent identifying amplicon and said calibration amplicon; and

distinguishing said bacterial bioagent identifying amplicon from said calibration amplicon based on molecular mass, wherein comparison of bacterial bioagent identifying amplicon abundance and calibration amplicon abundance indicates the quantity of said strain of *Staphylococcus aureus* in said sample.

Figure 1

Figure 2

Bacteroidetes 354
Bacteroides fragilis
Capnocytophaga canimorsus
Porphyromonas sp.
Bacteroides thetaiotaomicron
Chryseobacterium meningosepticum
Prevotella sp.

Spirochetes 354
Borrelia burgdorferi
Borrelia hermsii
Borrelia turicatae
Leptospira interrogans
Treptonema pallidum

Chlamydia
Chlamydia trachomatis
Chlamydophila psittaci
Chlamydophila pneumoniae
Parachlamydia acanthamoebae

Acinetobacteria
Mycobacterium tuberculosis Corynebacterium serosis
Mycobacterium genavense Corynebacterium amycolatum 354
Mycobacterium avium Corynebacterium bovis
Mycobacterium bovis Corynebacterium jeikeium
Mycobacterium kansasii Corynebacterium sp.
Mycobacterium chelonae Corynebacterium pseudodiptheriticum
Mycobacterium fortuitum Corynebacterium diphtheriae
Mycobacterium leprae
Mycobacterium spp.
Mycobacterium simiae
Mycobacterium szulgai
Mycobacterium ulcerans
Mycobacterium xenopi
Nocardia nova
Nocardia asteroides
Rhodococcus equi Propionibacterium acnes
Rothia dentocariosa Tropheryma whipplei
Actinomyces israelii Actinomyces naeslundii
Clavibacter michiganensis

Fusobacteria 354
Fusobacterium necrophorum
Streptobacillus moniliformis

Bacilli
Streptococcus agalactiae Streptococcus intermedius Listeria monocytogenes
Streptococcus bovis Enterococcus faecium Staphylococcus intermedius
Streptococcus millieri Streptococcus pneumoniae Staphylococcus aureus
Streptococcus equi Streptococcus pyogenes Staphylococcus saprophyticus
Enterococcus faecalis Enterococcus flavescens Staphylococcus coagulase-neg.
Staphylococcus epidermis Staphylococcus haemolyticus Streptococcus viridans 362

Clostridia **Firmicutes**
Eubacterium sp. Clostridium perfringens
Anaerococcus prevotii Clostridium septicum
Clostridium botulinum Clostridium tetani 350, 351, 353
Clostridium difficile Peptococcus niger
Peptostreptococcus anaerobius Veillonella dispar 356, 449

Mollicutes
Mycoplasma mycoides
Erysipelothrix rhusiopathiae
Mycoplasma pneumonia

Proteobacteria-ε 353
Campylobacter fetus 359
Campylobacter jejuni 354
Helicobacter cinaedi 356
Helicobacter fennelliae 449
Helicobacter pylori

Proteobacteria-γ
Acinetobacter baumannii
Acinetobacter lwoffii
Acinetobacter anitratus
Tetlockia micdadei
Legionella longbeachae
Legionella pneumophila
Coxiella burnetii
Acinetobacter calcoaceticus
Acinetobacter radioresistans
Pseudomonas syringae pv. glycinea
Francisella tularensis

Pseudomonas aeruginosa 363
Pseudomonas alcaligenes
Pseudomonas fluorescens
Pseudomonas stutzeri
Pseudomonas putida

Bacillus anthracis 355
Bacillus cereus
Bacillus thuringiensis

Proteobacteria-α
Agrobacterium tumefaciens 358 354
359
Bartonella henselae
Bartonella quintana
Brucella abortus
Brucella melitensis
Brucella suis
Candidatus Liberibacter africanus
Candidatus Liberibacter asiaticus

Rickettsia prowazekii 362
Rickettsia ricketsii
Cowdria ruminatium
Anaplasma phagocytophilum
Orientia tsutsugamushi
Ehrlichia chaffeensis
Ehrlichia equi
Rickettsia conorii
Rickettsia typhi
Rickettsia felis

346-349, 360, 361

Proteobacteria-β
Eikenella corrodens Burkholderia mallei
Neisseria gonorrhoeae Burkholderia psuedomallei
Neisseria meningitidis Ralstonia mannitolilytica 358
Bordetella pertussis Ralstonia picketti 359
Burkholderia cepacia Ralstonia solanacearum
Achromobacter xylosoxidans 363

Proteobacteria-γ
Haemophilus parahaemophilus
Haemophilus ducreyi Vibrio cholerae Xanthomonas oryzae Haemophilus parainfluenzae 354
Haemophilus influenzae Pasteurella multocida Xylella fastidiosa
Aeromonas hydrophila Alteromonas tetraodonis
Vibrio parahaemolyticus Haemophilus parahaemolyticus
Edwarsiella tarda Stenotrophomonas maltophila Haemophilus aegyptius
Enterobacter aerogenes Xanthomonas malvacearum Haemophilus aphrophilus
Klebsiella oxytoca Xanthomonas oryzae pv. Oryzae Vibrio vulnificus
Moraxella catarrhalis Actinobacillus actinomycetemcomitans Aeromonas spp.
Morganella morganii
Plesiomonas shigelloides Serratia marcescens
Proteus mirabilis Shigella dysenteriae
Proteus vulgaris Shigella flexneri
Providencia sp. Shigella sonnei
Providencia stuartii Yersinia enterocolitica
Salmonella choleraesuis Yersinia pestis
Yersinis pseudotuberculosis Enterobacter cloacae
Citrobacter freundii Escherichia coli 358, 359
Klebsiella pneumoniae
Salmonella enteriditis
Salmonella paratyphi
Salmonella typhi
Salmonella typhimurium

Figure 3

Figure 4

Primer Pair 349: 23S rDNA

Amplitude: #charges

Molecular mass: 31329.22654
Base composition:
[A28 G31 C23 T19]
Identified as:
Streptococcus pyogenes

Molecular mass: 31224.20776
Base composition: [A28 G28 C25 T20]
Identified as: *Haemophilus influenzae*

Molecular mass: 28480.75124
Base composition:
[A25 G27 C22 T18]
Identified as: *Neisseria meningitidis*

M/Z

Figure 5

Figure 6

Figure 7

Amplification of nucleic acid in a sample mixture of bacteria with Primer Pair No. 350 (capC gene on Plasmid pX02 of B. anthracis)

CapC Calibration Amplicons

Bacterial Bioagent Identifying Amplicons of B. anthracis

SEQUENCE LISTING

<110> Sampath, Rangarajan
       Hall, Thomas A.
       Eshoo, Mark W.

<120> COMPOSITIONS FOR IDENTIFICATION OF
       BACTERIA

<130> DIBIS-0083WO

<150> 60/674,118
<151> 2005-04-21

<150> 60/705,631
<151> 2005-08-03

<150> 60/732,539
<151> 2005-11-01

<150> 60/773,124
<151> 2006-02-13

<160> 1464

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1
aaactagata acagtagaca tcac   24

<210> 2
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 2
aaccttaatt ggaaagaaac ccaagaagt   29

<210> 3
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 3
aacgcacaat cagaagc   17

```
<210> 4
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 4
aactaccgtc cgcagttcta cttcc                                    25

<210> 5
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 5
aactaccgtc ctcagttcta cttcc                                    25

<210> 6
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 6
aagacgacct gcacgggc                                            18

<210> 7
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 7
aagcggtgga gcatgtgg                                            18

<210> 8
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 8
aaggaaggcg tgatcaccgt tgaaga                                   26

<210> 9
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 9
aaggtactcc ggggataaca ggc   23

<210> 10
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 10
aagtcggaat cgctagtaat cg   22

<210> 11
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 11
aatctgctat ttggtcagg   19

<210> 12
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 12
acaacgaagt acaatacaag ac   22

<210> 13
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 13
acaatacaag acaaaagaag g   21

<210> 14
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 14
accacgccgt aaacgatga   19

<210> 15

```
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 15
accatgacag aaggcatttt gaca                                          24

<210> 16
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 16
acccagtgct gctgaaccgt gc                                            22

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 17
accgagcaag gagaccagc                                                19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 18
acctgcccag tgctggaag                                                19

<210> 19
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 19
acgcgaagaa ccttacc                                                  17

<210> 20
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 20
actcgtttttt aatcagcccg                                        20

<210> 21
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 21
agaacaccga tggcgaaggc                                         20

<210> 22
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 22
agaatcaagt tcccaggggt tac                                     23

<210> 23
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 23
agagtttgat catggctcag                                         20

<210> 24
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 24
agcaggtggt gaaatcggcc acatgatt                                28

<210> 25
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 25
agcgtaaagg tgaacctt                                           18

<210> 26
<211> 26
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 26
agcttttgca tattatatcg agccac                                    26

<210> 27
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 27
aggacagagt gagtactttg accgaggt                                  28

<210> 28
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 28
agtctcaaga gtgaacacgt aa                                        22

<210> 29
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 29
agttataaac acggctttcc tatggcttat cc                             32

<210> 30
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 30
atactcctga ctgaccgata g                                         21

<210> 31
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 31
atatcgacgg cggtgtttgg   20

<210> 32
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 32
atcaatttgg tggccaagaa cctgg   25

<210> 33
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 33
atgattacaa ttcaagaagg tcgtcacgc   29

<210> 34
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 34
atggacaagg ttggcaagga agg   23

<210> 35
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 35
atggccatgg cagaagctca   20

<210> 36
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 36
atgtcgattg caatccgtac ttgtg   25

<210> 37
<211> 19
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 37
atgttgggtt aagtcccgc   19

<210> 38
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 38
atgttgggtt aagtcccgca acgag   25

<210> 39
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 39
caaaacttat taggtaagcg tgttgact   28

<210> 40
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 40
caaaggtaag caaggacgtt tccgtca   27

<210> 41
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 41
caaaggtaag caaggtcgtt tccgtca   27

<210> 42
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 42
caacgagcgc aaccctt                                                    17

<210> 43
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 43
caacggatgc tggcaag                                                    17

<210> 44
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 44
caagaagaaa aagagcttct aaaaagaata c                                   31

<210> 45
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 45
caagcaaacg cacaatcaga agc                                            23

<210> 46

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 46
caagtcatca tggcccttta                                                19

<210> 47
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 47
caataccgca acagcggtgg cttggg                                         26

<210> 48
<211> 19
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 48
cactggaact gagacacgg                                                    19

<210> 49
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 49
cagaatcaag ttcccagggg                                                   20

<210> 50
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 50
cagagaccgt tttatcctat cagc                                              24

<210> 51
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 51
cagcgtttcg gcgaaatgga                                                   20

<210> 52
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 52
caggagtcgt tcaactcgat ctacatgat                                        29

<210> 53
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 53
caggtttagt accagaacat gcag   24

<210> 54
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 54
catccacacg gtggtggtga agg   23

<210> 55
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 55
ccacacgccg ttcttcaaca act   23

<210> 56
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 56
ccacagttct acttccgtac tactgacg   28

<210> 57
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 57
ccagcagccg cggtaatac   19

<210> 58
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 58
ccgtaacttc gggagaagg   19

<210> 59
<211> 20
<212> DNA

```
<213> Artificial Sequence

<220>
<223> Primer

<400> 59
ccgtggtatt ggagttattg                                                      20

<210> 60
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 60
cctatattaa tcgtttacag aaactggct                                            29

<210> 61
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 61
cctgataagg gtgaggtcg                                                       19

<210> 62
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 62
ccttacttcg aactatgaat cttttggaag                                           30

<210> 63
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 63
cgaagaacct tacc                                                            14

<210> 64
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 64

cgaagtacaa tacaagacaa aagaagg   27

<210> 65
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 65
cgacgcgctg cgcttcac   18

<210> 66
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 66
cgagagggaa acaacccaga cc   22

<210> 67
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 67
cgagtatagc taaaaaaata gtttatgaca   30

<210> 68
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 68
cgcaaaaaaa tccagctatt agc   23

<210> 69
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 69
cgccgacttc gacggtgacc   20

<210> 70
<211> 20

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 70
cggaattact gggcgtaaag                                              20

<210> 71
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 71
cggattggag tctgcaactc g                                            21

<210> 72
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 72
cggcgtactt caacgacagc ca                                           22

<210> 73
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 73
cgtaactata acggtcctaa ggta                                         24

<210> 74
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 74
cgtcagggta aattccgtga agttaa                                       26

<210> 75
<211> 26
<212> DNA
<213> Artificial Sequence


<220>
<223> Primer
```

```
<400> 75
cgtcgggtga ttaaccgtaa caaccg                                        26

<210> 76
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 76
cgtcgtgtaa ttaaccgtaa caaccg                                        26

<210> 77
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 77
cgtggcggcg tggttatcga                                               20

<210> 78
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 78
cgtgttgact attcggggcg ttcag                                         25

<210> 79
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 79
ctagtacgag aggaccgg                                                 18


<210> 80
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 80
ctgacacctg cccggtgc                                                 18

<210> 81
```

```
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 81
ctggcaggta tgcgtggtct gatg                                      24

<210> 82
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 82
ctggctaaaa ctttggcaac ggt                                       23

<210> 83
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 83
ctgtccctag tacgagagga ccgg                                      24

<210> 84
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 84
ctgttcttag tacgagagga cc                                        22

<210> 85
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 85
cttctgcaac aagctgtgga acgc                                      24

<210> 86
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 86
cttgctggta tgcgtggtct gatg                                    24

<210> 87
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 87
cttggaggta agtctcattt tggtgggca                               29

<210> 88
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 88
cttgtacaca ccgcccgtc                                          19

<210> 89
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 89
cttgtacttg tggctcacac ggctgtttgg                              30

<210> 90
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 90
cttttgcata ttatatcgag c                                       21

<210> 91
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 91
gaatagcaat taatccaaat                                         20

<210> 92
<211> 18
```

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 92
gaaagagttc ggattggg   18

<210> 93
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 93
gaaggatata cggttgatgt c   21

<210> 94
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 94
gaatagcaat taatccaaat   20

<210> 95
<211> 20
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 95
gacacggtcc agactcctac   20

<210> 96
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 96
gacagttcgg tccctatc   18

<210> 97
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 97
gaccacctcg gcaaccgt                                            18


<210> 98
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer


<400> 98
gacctacagt aagaggttct gtaatgaacc                              30

<210> 99
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 99
gacgcctgcc cggtgc                                             16

<210> 100
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 100
gacttaccaa cccgatgcaa                                         20

<210> 101
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 101
gagagcaagc ggacctcata                                         20

<210> 102
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 102
gagagtttga tcctggctca gaacgaa                                 27

<210> 103
```

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 103
gaggaaagtc catgctcac   19

<210> 104
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 104
gaggaaagtc catgctcgc   19

<210> 105
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 105
gaggaaagtc cgggctc   17

<210> 106
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 106
gataccctgg tagtccacac cg   22

<210> 107
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 107
gatctggagg aataccggtg   20

<210> 108
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 108
gatgactttt tagctaatgg tcaggcagc                              29


<210> 109
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 109
gattattgtt atcctgttat gccatttgag                             30


<210> 110
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 110
gcacaacctg cggctgcg                                          18


<210> 111
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 111
gcactatgca cacgtagatt gtcctgg                                27


<210> 112
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 112
gccttgtaca cacctcccgt c                                      21


<210> 113
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 113
gcgaagaacc ttaccaggtc                                        20


<210> 114
<211> 20
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 114
gctacacacg tgctacaatg                                                  20


<210> 115
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 115
gctggtgaaa ataacccaga tgtcgtcttc                                       30


<210> 116
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 116
gcttcaggaa tcaatgatgg agcag                                            25


<210> 117
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 117
ggacggagaa ggctatgtt                                                   19


<210> 118
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 118
ggattagaga ccctggtagt cc                                               22


<210> 119
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 119
ggattagata ccctggtagt ccacgc                                    26


<210> 120
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 120
ggctcagcca tttagttacc gctat                                     25


<210> 121
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 121
gggaactgaa acatctaagt a                                         21


<210> 122
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer                    .

<400> 122
gggagcaaac aggattagat ac                                        22


<210> 123
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 123
gggcaacagc agcggattgc gattgcgcg                                 29


<210> 124
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 124
gggcagcgtt tcggcgaaat gga                                       23


<210> 125
<211> 26
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 125
ggggagtgaa agagatcctg aaaccg   26

<210> 126
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 126
ggggattcag ccatcaaagc agctattgac   30

<210> 127
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 127
ggggattgat atcaccgata agaagaa   27

<210> 128
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 128
ggtgaaagaa gttgcctcta aagc   24

<210> 129
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 129
ggtggatgcc ttggc   15

<210> 130
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 130
ggtgttaaat agcctggcag                                                    20


<210> 131
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 131
ggtttagtac cagaacatgc                                                    20


<210> 132
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 132
gtcaaagtgg cacgtttact ggc                                                23


<210> 133
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 133
gtcgtgaaaa cgagctggaa ga                                                 22


<210> 134
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 134
gtgagatgtt gggttaagtc ccgtaacgag                                         30


<210> 135
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 135
gtgcatgcgg atacagagca gag                                                23


<210> 136
<211> 26
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 136
gtggcatgcc taatacatgc aagtcg   26

<210> 137
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 137
gtgtagcggt gaaatgcg   18

<210> 138
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 138
gttatcctgt tatgccattt g   21

<210> 139
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 139
gttatttagc actcgttttt aatcagcc   28

<210> 140
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 140
gttgtgaggt taagcgacta ag   22

<210> 141
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 141

gttgtgaggt taagcgacta ag   22

<210> 142
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 142
tctagtaata ataggaccct cagc   24

<210> 143
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 143
tatggctcta ctcaa   15

<210> 144
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 144
taaaacaaac tacggtaaca ttgatcgca   29

<210> 145
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 145
taaaacttt gccgtaatga tgggtgaaga tat   33

<210> 146
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 146
taaacacggc tttcctatgg cttatccaaa t   31

<210> 147
<211> 28
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 147
taaaccccat cgggagcaag accgaata                                 28

<210> 148
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 148
taaagcccgt gaaatgactc gtcgtaaagg                               30

<210> 149
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 149
taaagttggt tttattggtt ggcgcgga                                 28

<210> 150
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 150
taaatctgcc cgtgtcgttg gtgac                                    25

<210> 151
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 151
taacaactcg ccttatgaaa cgggatata                                29

<210> 152
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 152
taacacatgc aagtcgaacg                                          20
```

<210> 153
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 153
taaccattca agaactagat cttcaggca   29

<210> 154
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 154
taaccttaat tggaaagaaa cccaagaagt   30

<210> 155
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 155
taacggttat catggcccag atggg   25

<210> 156
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 156
taactctgat gtttttgatg ggaaggt   27

<210> 157
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 157
taactgcatg gaacccttct ttactag   27

<210> 158
<211> 27
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 158
taagaagccg gaaaccatca actaccg                                    27

<210> 159
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 159
taagagcgca ccggtaagtt gg                                         22

<210> 160
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 160
taagcatgct gtggcttatc gtgaaatg                                   28


<210> 161
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 161
taagctgcca gcggaatgct ttc                                        23

<210> 162
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 162
taaggatagt gcaacagaga tataccgcc                                  29

<210> 163
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 163
taaggtatga caccggataa atcatataaa                                 30
```

```
<210> 164
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 164
taaggtttat tgtctttgtg gagatgggga ttt                          33

<210> 165
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 165
taatcaagca ttggaagatg aaatgcatac c                            31

<210> 166
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 166
taatcggtaa atatcacccg catggtgac                               29

<210> 167
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 167
taatcggtaa gtatcaccct catggtgat                               29

<210> 168
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 168
taatcgtgga atacgggttt gcta                                    24

<210> 169
<211> 30
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Primer

<400> 169
taatgaaccc taatgaccat ccacacggtg   30

<210> 170
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 170
taatgatgaa ttaggtgcgg gttctttt   27

<210> 171
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 171
taatgggtaa atatcaccct catggtgac   29

<210> 172
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 172
taattgggct ctttctcgct taaacacctt a   31

<210> 173
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 173
tacaaagcaa gacactggct cacta   25

<210> 174
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 174
tacaaaggtc aaccaatgac attcagacta   30

```
<210> 175
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 175
tacaacatat tattaaagag acgggtttga atcc                    34

<210> 176
<211> 20                          ,
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 176
tacaagcact cccagctgca                                     20

<210> 177
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 177
tacaatgctt gtttatgctg gtaaagcag                           29

<210> 178
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 178
tacacaacaa tggcggtaaa gatgg                               25

<210> 179
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 179
tacagagttt gcgac                                          15

<210> 180
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 180
tacaggccgt gttgaacgtg g   21

<210> 181
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 181
tacatgctag ccgcgtctta c   21

<210> 182
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 182
taccactatt aatgtcgctg gtgcttc   27

<210> 183
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 183
taccatgaca gaaggcattt tgaca   25

<210> 184
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 184
taccccaaac cgacacagg   19

<210> 185
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 185
taccccaggg aaagtgccac aga   23

<210> 186

```
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 186
taccggcgca aaaagtcgag attgg                                    25

<210> 187
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 187
tacctatatg cgccagaccg c                                        21

<210> 188
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 188
tacgatttca cttccgcagc cagatt                                   26

<210> 189
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 189
tacgcgtctt gaagcgtttc gttatga                                  27

<210> 190
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 190
tacgctgacg gaatcaacca aagcgg                                   26

<210> 191
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 191
tacggtgaat acgttcccgg g                                            21


<210> 192
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 192
tacagagttt gcgac                                                  15


<210> 193
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 193
tactacttca agccgaactt ccg                                         23

<210> 194
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 194
tactagcggt aagcttaaac aagattgc                                    28

<210> 195
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 195
tactctcggt ggagaagctc gc                                          22

<210> 196
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 196
tactggaaca aagtctgcga cc                                          22

<210> 197
```

```
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 197
tacttactac ttcaagccga acttccg                                              27

<210> 198
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 198
tacttacttg agaatccaca agctgcaa                                             28

<210> 199
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 199
tacttggtaa ataccaccca catggtga                                             28

<210> 200
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 200
tactttttta aaactaggga tgcgtttgaa gc                                        32

<210> 201
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 201
tagaaatcaa ggtgatagtg gcaatga                                              27

<210> 202
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 202
tagaacaccg atggcgaagg c

21

<210> 203
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 203
tagaacgtcg cgagacagtt cg

22

<210> 204
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 204
tagactgccc aggacacgct g

21

<210> 205
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 205
tagataattg ggctctttct cgcttaaac

29

<210> 206
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 206
tagataccct ggtagtccac gc

22

<210> 207
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 207
tagatgaaaa aggcgaagtg gctaatgg

28

<210> 208
<211> 28

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 208
tagatgaaaa gggcgaagtg gctaatgg   28

<210> 209
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 209
tagcaacaaa tatatctgaa gcagcgtact   30

<210> 210
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 210
tagcaggtgg tgaaatcggc cacatgatt   29

<210> 211
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 211
tagcatcaga actgttgttc cgctag   26

<210> 212
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 212
tagcccagca caatttgtga ttca   24

<210> 213
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 213
tagcctttaa cgaaaatgta aaaatgcgtt ttga   34

<210> 214
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 214
tagcgaatgt ggctttactt cacaatt   27

<210> 215
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 215
tagcgtaaag gtgaacctt   19

<210> 216
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 216
tagctaatgg tcaggcagcc   20

<210> 217
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 217
tagctatctt atcgttgaga agggatttgc   30

<210> 218
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 218
tagctggcgc gaaattaggt gt   22

<210> 219
<211> 26
<212> DNA

```
<213> Artificial Sequence

<220>
<223> Primer

<400> 219
tagctggcgg tatggagaat atgtct                                26

<210> 220
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 220
tagcttttgc atattatatc gagccac                               27

<210> 221
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 221
taggaattac ggctgataaa gcgtataaa                             29

<210> 222
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 222
taggcgaaga tatacaaaga gtattagaag ctaga                      35

<210> 223
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 223
taggcgtgaa agcaagctac cgttt                                 25

<210> 224
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 224
```

taggtgctgg ttacgcagat caaga   25

<210> 225
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 225
taggtttacg tcagtatggc gtgattatgg   30

<210> 226
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 226
tagtaccgaa gctggtcata cga   23

<210> 227
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 227
tagtacgaga ggaccgg   17

<210> 228
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 228
tagtcccgca acgagcgc   18

<210> 229
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 229
tagtgataga actgtaggca caatcgt   27

<210> 230
<211> 22
<212> DNA

<213> Artificial Sequence

<220>
<223> Primer

<400> 230
tagttgctca aacagctggg ct   22

<210> 231
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 231
tataagtggg taaaccgtga atatcgtgt   29

<210> 232
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 232
tatacttcaa cgcctgctgc tttc   24

<210> 233
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 233
tatcgctcag gcgaactcca ac   22

<210> 234
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 234
tatgaccaaa ctcatcagac gag   23

<210> 235
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 235

```
tatgattaca attcaagaag gtcgtcacgc                              30


<210> 236
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 236
tatgcagtgg aacgatggtt tccaaga                                 27


<210> 237
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 237
tatgctgacc gaccagtggt acgt                                    24


<210> 238
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 238
tatggccatg gcagaagctc a                                       21


<210> 239
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 239
tatggctcta ctcaa                                              15


<210> 240
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 240
tatgtccaag aagcatagca aaaaaagcaa t                            31


<210> 241
<211> 27
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 241
tattcaaggt ggtcctttga tgcatgt                                27

<210> 242
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 242
tattggacaa cggtcgtcgc gg                                     22

<210> 243
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 243
tattgtttca aatgtacaag gtgaagtgcg                             30

<210> 244
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 244
tatttcacat gtaattttga tattcgcact                             30

<210> 245
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 245
tcaaaaagcc ctaggtaaag agattccata tc                          32

<210> 246
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 246
tcaaactggg caatcggaac tggtaaatc                              29
```

<210> 247
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 247
tcaaatgtac aaggtgaagt gcgtga   26

<210> 248
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 248
tcaacaacct cttggaggta aagctcagt   29

<210> 249
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 249
tcaacctcgg cccgaacca   19

<210> 250
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 250
tcaacctgac tgcgtgaatg gttgt   25

<210> 251
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 251
tcaacgaagg taaaaaccat ctcaacg   27

<210> 252
<211> 27
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 252
tcaacggtaa cttctatgtt acttctg                              27

<210> 253
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 253
tcaactcgaa ttttcaacag gtacca                               26

<210> 254
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 254
tcaagaagaa aaagagc                                         17

<210> 255
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 255
tcaagcaaac gcacaatcag aagc                                 24

<210> 256
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 256
tcaagcagaa gctttggaag aagaagg                              27

<210> 257
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 257
tcaagccgta cgtattatta ggtgctg                              27
```

```
<210> 258
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 258
tcaataccgc aacagcggtg gcttggg                                          27

<210> 259
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 259
tcaatgaacg accaacaagt gattgatg                                         28

<210> 260
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 260
tcaatgaacg atcaacaagt gattgatg                                         28

<210> 261
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 261
tcacatatcg tgagcaatga actg                                             24

<210> 262
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 262
tcaccaggtt caactcaaaa aatattaaca                                       30

<210> 263
<211> 25
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 263
tcaccagttt gccacgtatc ttcaa                                    25


<210> 264
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 264
tcaccctcat ggtgactcat ctatttat                                 28


<210> 265
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 265
tcaccctcat ggtgattcag ctgtttat                                 28


<210> 266
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 266
tcaccgatat catggcttac cacgg                                    25


<210> 267
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 267
tcaccgtgcc gttcaaggaa gag                                      23


<210> 268
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 268
tcacctccaa gtttagatca cttgagaga                                29
```

```
<210> 269
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 269
tcacgataag aaaaccggtc aagagg                                    26

<210> 270
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 270
tcactcttac atataaggaa ggcgctc                                   27

<210> 271
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 271
tcagaccatg ctcgcagaga aactt                                     25

<210> 272
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 272
tcagagaccg ttttatccta tcagc                                     25

<210> 273
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 273
tcagcaaatg catcacaaac agataa                                    26

<210> 274
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 274
tcagcatatg cacatggaac acctc   25

<210> 275
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 275
tcagcatatg cacatggaac acctca   26

<210> 276
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 276
tcagccatca aagcagctat tg   22

<210> 277
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 277
tcagcgcgta cagtgggtga t   21

<210> 278
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 278
tcagcgtatg cacatggaac tcctc   25

<210> 279
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 279
tcagctacat cgactatgcg atg   23

<210> 280

```
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 280
tcagctagac cttttaggta aagctaagct                              30

<210> 281
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 281
tcagctattt ttccaggtat ccaaggtgg                               29

<210> 282
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 282
tcagctgtcg cagttcatgg acc                                     23

<210> 283
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 283
tcaggaaaag ggcattttac ccttg                                   25

<210> 284
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 284
tcaggagtcg ttcaactcga tctacatgat                              30

<210> 285
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 285
tcaggagtcg ttcaactcga tctacatgat g                                31

<210> 286
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 286
tcaggatgga ataaccacc aattcactac                                   30

<210> 287
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 287
tcaggcattg cggttgggat ggc                                         23

<210> 288
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 288
tcaggtactg ctatccaccc tcaa                                        24

<210> 289
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 289
tcaggtggct tacacggcgt ag                                          22

<210> 290
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 290
tcagtatgta tccaccgtag ccagtc                                      26

<210> 291
```

```
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 291
tcagttccgt tatcgccatt gca                                    23

<210> 292
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 292
tcagttccgt tatcgccatt gcat                                   24    .

<210> 293
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 293
tcagttccgt tatcgccatt gcatt                                  25

<210> 294
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 294
tcagttcggc ggtcagcgct tcgg                                   24

<210> 295
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 295
tcagttttaa tgtctcgtat gatcgaatca aaag                        34

<210> 296
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 296
tcatccacac ggtggtggtg aagg                                    24

<210> 297
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 297
tcatcctaag ccaagtgtag actctgta                                28

<210> 298
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 298
tcatgataat atctttgaaa tcggctcagg a                            31

<210> 299
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 299
tcatgttgag cttaaaccta tagaagtaaa agc                          33

<210> 300
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 300
tcattatcat gcgccaatga gtgcaga                                 27

<210> 301
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 301
tcattcaaga actagatctt caggcaag                                28

<210> 302
<211> 26
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 302
tccaaaaaaa tcagcgcgta cagtgg                                    26

<210> 303
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 303
tccaaaccag gtgtatcaag aacatcagg                                 29

<210> 304
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 304
tccaaataag tggcgttaca aatactgaa                                 29

<210> 305
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 305
tccaacgaag tacaatacaa gacaaaagaa gg                             32

<210> 306
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 306
tccaaggtac actaaactta cttgagctaa tg                             32

<210> 307
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 307
tccaatgcca caaactcgtg aaca                                          24


<210> 308
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 308
tccacacgcc gttcttcaac aact                                          24


<210> 309
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 309
tccacacggt ggtggtgaag g                                             21


<210> 310
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 310
tccaccaaga gcaagatcaa ataggc                                        26


<210> 311
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 311
tccacggtca tggagcgcta                                               20


<210> 312
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 312
tccacttatc gcaaatggaa aattaagcaa                                    30


<210> 313
<211> 33
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 313
tccagatgga caaattttct tagaaactga ttt   33

<210> 314
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 314
tccagcacga attgctgcta tgaaag   26

<210> 315
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 315
tccaggacaa atgtatgaaa aatgtccaag aag   33

<210> 316
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 316
tccattgttc gtatggctca agact   25

<210> 317
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 317
tcccaattaa ttctgccatt tttccaggta t   31

<210> 318
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 318

```
tcccacgaaa cagatgaaga aattaacaaa aaag                              34
```

```
<210> 319
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 319
tcccagctag accttttagg taaagctaag                                   30
```

```
<210> 320
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 320
tcccaggtga cgatgtacct gtaatc                                       26
```

```
<210> 321
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 321
tccccaggac accctgaaat ttcaac                                       26
```

```
<210> 322
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 322
tcccccacgc tttaattgtt tatgatgatt tgag                              34
```

```
<210> 323
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 323
tcccggactt aatatcaatg aaaattgtgg a                                 31
```

```
<210> 324
<211> 28
<212> DNA
```

```
<213> Artificial Sequence

<220>
<223> Primer

<400> 324
tcccggagct tttatgacta aagcagat                                       28

<210> 325
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 325
tccgcggagt tgactgggt                                                 19

<210> 326
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 326
tccgctgaat ctgtcgccgc                                                20

<210> 327
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 327
tccggctcac gttattatgg tac                                            23

<210> 328
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 328
tccgtacgta ttattaggtg ctggtca                                       27

<210> 329
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 329
```

```
tccgttatcg ccattgcatt atttggaact                                   30
```

```
<210> 330
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 330
tccgttctta caaatagcaa tagaacttga agc                               33

<210> 331
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 331
tccgttgatt attgttatcc tgttatgcca tttgag                            36

<210> 332
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 332
tcctaatgga cttaatatca atgaaaattg tgga                              34

<210> 333
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 333
tcctagagga atggctgcca cg                                           22

<210> 334
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 334
tcctatatta atcgtttaca gaaactggct                                   30

<210> 335
<211> 31
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<400> 335
tcctcaatga acgatcaaca agtgattgat g   31

<210> 336
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 336
tcctcaatga atgatcaaca agtgattgat g   31

<210> 337
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 337
tcctcgatga acgatcaaca agtgattgat g   31

<210> 338
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 338
tcctcgatga atgatcaaca agtgattgat g   31

<210> 339
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

220>
<221> modified_base
<222> (6)...(6)
<223> I

<220>
<221> modified_base
<222> (15)...(15)
<223> I

<400> 339
tcctcgatga acgatcaaca agtgattgat g   31

<210> 340
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (6)...(6)
<223> I

<220>
<221> modified_base
<222> (12)...(12)
<223> I

220>
<221> modified_base
<222> (15)...(15)
<223> I

<220>
<221> modified_base
<222> (24)...(24)
<223> I

<400> 340
tcctcgatga acgatcaaca agtgattgat g   31

<210> 341
<211> 20

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 341
tcctgaaaaa tggagcacgg   20

<210> 342
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 342
tcctgaagca agtgcattta cga   23

<210> 343
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 343
tcctgaccga cccattattc cctttatc   28

<210> 344
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 344
tcctgatgct caaagtgctt ttttagatcc ttt   33

<210> 345
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 345
tcctgttatc cctgaagtag ttaatcaagt ttgt   34

<210> 346
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 346
tcctgttatc cctgaagtag ttaatcaagt ttgtt   35

<210> 347
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 347
tcctgttatt cctgaagtag ttaatcaagt ttgtta   36

<210> 348
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 348
tccttacttc gaactatgaa tcttttggaa g   31

<210> 349
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 349
tccttatagg gatggctatc agtaatgtt   29

<210> 350
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 350
tccttgaccg cctttccgat ac   22

<210> 351
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 351
tccttgcttt agttttaagt gcatgtaatt caa   33

<210> 352
<211> 32
<212> DNA

<210> Artificial Sequence

<220>
<223> Primer

<400> 352
tcctttgata tattatgcga tggaaggttg gt   32

<210> 353
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 353
tcctttgatg catgtaattg ctgcaaaagc   30

<210> 354
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 354
tcgaaagctt ttgcatatta tatcgagcca c   31

<210> 355
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 355
tcgaagtaca atacaagaca aaagaagg   28

<210> 356
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 356
tcgacaacac cattatctat ggtgtgaa   28

<210> 357
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 357

```
tcgacctttg gcaggaacta gac                                         23

<210> 358
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 358
tcgagcaggc gctgccg                                                17

<210> 359
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 359
tcgagtatag ctaaaaaaat agtttatgac a                                31

<210> 360
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 360
tcgatctggt ttcatgctgt ttcagt                                      26

<210> 361
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 361
tcgatgaacg accaacaagt gattgatg                                    28

<210> 362
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 362
tcgattaggc agcaacgaaa gccg                                        24

<210> 363
<211> 24
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 363
tcgcaaaaaa atccagctat tagc                                              24

<210> 364
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 364
tcgccaatca aaactaaggg aatggc                                            26

<210> 365
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 365
tcgccatcgt caccaaccg                                                    19

<210> 366
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 366
tcgcccgcga ggacgt                                                       16

<210> 367
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 367
tcgccgactt cgacggtgac c                                                 21

<210> 368
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 368
tcgccggcaa tgccattgga ta                                                22
```

```
<210> 369
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 369
tcgccgtgga aaatcctac gct                                              23

<210> 370
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 370
tcgcgttgca acaaaacttt ctaaagtatg t                                    31

<210> 371
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 371
tcgctacagg ccctttagga caag                                            24

<210> 372
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 372
tcgctatctt atcgttgaga agggatt                                         27

<210> 373
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 373
tcggaatctg atgttgcagt tgtt                                            24

<210> 374
<211> 22
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 374
tcggccgcac cttcatcgaa gt                                      22

<210> 375
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 375
tcggcgaaat ccgtattcct gaaaatga                                28

<210> 376
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 376
tcggcgcctg cctgatga                                           18

<210> 377
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 377
tcgggtgatg atgcgcgtga agg                                     23

<210> 378
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 378
tcggtttagt aaaagaacgt attgctcaac c                            31

<210> 379
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 379
tcgtacgtat tattaggtgc tggtcact                               28
```

<210> 380
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 380
tcgtatggct caatggtgga g   21

<210> 381
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 381
tcgtcttttt gattctttcc ctgataatgc   30

<210> 382
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 382
tcgtcttttt gattctttcc ctgataatgc tc   32

<210> 383
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 383
tcgtgattat ggatggcaac gtgaa   25

<210> 384
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 384
tcgtgcccgc aatttgcata aagc   24

<210> 385
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

```
<223> Primer

<400> 385
tcgtggcggc gtggttatcg a                                          21

<210> 386
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 386
tcgtgttgaa cgtggtcaaa tcaaagt                                    27

<210> 387
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 387
tcgttcctgg aacacgatga cgc                                        23

<210> 388
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 388
tcgtttggtg gtggtagatg aaaaagg                                    27

<210> 389
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 389
tccaccctca a                                                     11

<210> 390
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 390
tctaaaacac caggtcaccc agaag                                      25

<210> 391
```

```
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 391
tctaaatggt cgtgcagttg cgtg                                            24

<210> 392
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 392
tctactgatt ttggtaatct tgcagcacag                                     30

<210> 393
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 393
tctagtaata ataggaccct cagc                                           24

<210> 394
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 394
tctcaaggtg atattggtgt aggtaactta a                                   31

<210> 395
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 395
tctcattacg ttgcatcgga aaca                                           24

<210> 396
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 396
tctcgatgaa cgaccaacaa gtgattgatg                                      30

<210> 397
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 397
tctcgtggtg cacaagtaac ggatatta                                       28

<210> 398
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 398
tctgaaatga atagtgatag aactgtaggc ac                                  32

<210> 399
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 399
tctgaacatg ataatatctt tgaaatcggc tc                                  32

<210> 400
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 400
tctgaatgtc tatatggagg tacaacacta                                     30

<210> 401
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 401
tctgacacct gcccggtgc                                                 19

<210> 402
<211> 20
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 402
tctgcccgtg tcgttggtga                                                 20

<210> 403
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 403
tctggaggca caccaaataa aaca                                            24

<210> 404
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 404
tctggataac ggtcgtcgcg g                                               21

<210> 405
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 405
tctggcaggt atgcgtggtc tgatg                                           25

<210> 406
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 406
tctggctaaa actttggcaa cggt                                            24

<210> 407
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 407
tctggtccaa caaaaggaac gattacagg                          29

<210> 408
·<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 408
tctgtcccta gtacgagagg accgg                              25

<210> 409
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 409
tctgttctta gtacgagagg acc                               23

<210> 410
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 410
tcttatgcca agaggacaga gtgagt                            26

<210> 411
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 411
tcttatgcca agaggacaga gtgagtact                         29

<210> 412
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 412
tcttattcca acttcaaacc gaactatgac g                      31

<210> 413
<211> 29
<212> DNA
```

<210> 414
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 413
tcttctcatc ctatggctat tatgcttgc   29

<210> 414
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 414
tcttgatact tgtaatgtgg gcgataaata tgt   33

<210> 415
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 415
tcttgcagca gtttatttga tgaacctaaa gt   32

<210> 416
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 416
tcttgctctt tcgtgagttc agtaaatg   28

<210> 417
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 417
tcttgtactt gtggctcaca cggctgtttg g   31

<210> 418
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 418

```
tcttgtttat gctggtaaag cagatgg                                          27


<210> 419
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 419
tctttatggt ggagatgact gaaaccga                                         28


<210> 420
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 420
tctttcttga atgctggtgt acgtatcg                                         28


<210> 421
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 421
tctttgaaat cggctcagga aaagg                                            25


<210> 422
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 422
tctttgccat tgaagatgac ttaagc                                           26


<210> 423
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 423
tcttttacaa aaggggaaaa agttgactt                                        29


<210> 424
<211> 34
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 424
tgaaaaatgt ccaagaagca tagcaaaaaa agca                              34

<210> 425
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 425
tgaaaagggt gaagtagcaa atggagatag                                  30

<210> 426
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 426
tgaaaagtat ggatttgaac aactcgtgaa ta                               32

<210> 427
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 427
tgaaatctca ttacgttgca tcggaaa                                     27

<210> 428
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 428
tgaaattgct acaggccctt taggacaagg                                  30

<210> 429
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 429
tgaacgctgg tggcatgctt aacac                                       25
```

```
<210> 430
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 430
tgaacgtggt caaatcaaag ttggtgaaga                                    30


<210> 431
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 431
tgaacgtggt caaatcaaag ttggtgaaga a                                  31


<210> 432
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 432
tgaagcttgt tctttagcag gacttca                                       27


<210> 433
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 433
tgaaggtgga cgtcacactc cattcttc                                      28


<210> 434
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 434
tgaagtagaa atgactgaac gtccga                                        26


<210> 435
<211> 28
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 435
tgaagtagaa ggtgcaaagc aagttaga                                    28

<210> 436
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 436
tgaagtgcgt gatgatatcg atgcacttga tgta                            34

<210> 437
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 437
tgaatagtga tagaactgta ggcacaatcg t                               31

<210> 438
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 438
tgaatgctta tttacctgca ctcccacaac t                               31

<210> 439
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 439
tgaattagtt caatcatttg ttgaacgacg t                               31

<210> 440
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 440
tgaattgctg ctatgaaagg tggctt                                     26
```

```
<210> 441
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 441
tgacagcgaa gaaggttaga cttgtcc                                    27

<210> 442
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 442
tgacatccgg ctcacgttat tatggt                                     26

<210> 443
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 443
tgacatccgg ctcacgttat tatggta                                    27

<210> 444
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 444
tgacatccgg ctcacgttat tatggtac                                   28

<210> 445
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 445
tgacatgata ataaccgatt gaccgaaga                                  29

<210> 446
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
```

```
<223> Primer

<400> 446
tgacatgctt gtccgttcag gc                                              22


<210> 447
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 447
tgacatggac tccccctata taactcttga g                                   31


<210> 448
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 448
tgaccaggtg atggccatgt tcg                                            23


<210> 449
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 449
tgacctacag taagaggttc tgtaatgaac c                                   31


<210> 450
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 450
tgacgatctt cgcggtgact agt                                            23


<210> 451
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 451
tgacggccta tacggtgttg gtttct                                         26


<210> 452
```

<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 452
tgacgtcatc ggtaagtacc accc   24

<210> 453
<211> 27
<212> DNA
<213> Artificial Sequence

<220>   .
<223> Primer

<400> 453
tgagatggat ttaaacctgt tcaccgc   27

<210> 454
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 454
tgagattgct gaacatttaa tgctgattga   30

<210> 455
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 455
tgagcaatgg ggctttgaaa gaatttttaa at   32

<210> 456
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 456
tgagctgcat caactgtatt ggatag   26

<210> 457
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 457
tgagcttttta gttgactttt tcaacagc   28

<210> 458
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 458
tgaggaccgt gtcgcgctca   20

<210> 459
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 459
tgagggtttt atgcttaaag ttggttttat tggtt   35

<210> 460
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 460
tgaggtggtg gataactcaa ttgatgaagc   30

<210> 461
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 461
tgagtaacat ccatatttct gccatacgt   29

<210> 462
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 462
tgagtaagtt ccacccgcac gg   22

<210> 463
<211> 30

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 463
tgagtcactt gaagttgata caaatcctct   30

<210> 464
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 464
tgagtgatga aggccttagg gttgtaaa   28

<210> 465
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 465
tgagtgccaa catatcagtg ctgaaga   27

<210> 466
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 466
tgagtttaac agttcaccat atgaaacagg   30

<210> 467
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 467
tgatacttca acgcctgctg ctttc   25

<210> 468
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 468
tgatcactgg tgctgctcag atgga                                        25


<210> 469
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 469
tgatcatccg tggtataacg atttattagt                                   30


<210> 470
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 470
tgatcgttga gaagggattt gcgaaaaga                                    29


<210> 471
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 471
tgatctcaga atctaataat tgggacgaa                                    29


<210> 472
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 472
tgatcttaaa aatttccgcc aacttcattc                                   30


<210> 473
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 473
tgatgacttt ttagctaatg gtcaggcagc                                   30


<210> 474
<211> 29
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 474
tgatggcaag tggatagggt ataatacag   29

<210> 475
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 475
tgattaccat gagtggcaag caag   24

<210> 476
<211> 31
<212> DNA
<213> Artificial Sequence

<220>   '
<223> Primer

<400> 476
tgattattgt tatcctgtta tgccatttga g   31

<210> 477
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 477
tgattccggt gcccgtggt   19

<210> 478
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 478
tgattctggt gcccgtggt   19

<210> 479
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 479

```
tgattttgct aaatttagag aaattgcgga tgaa                                       34
```

```
<210> 480
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 480
tgcaaaatct gcaacgagct ttgg                                                  24
```

```
<210> 481
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 481
tgcaaaggag gtactcagac cat                                                   23
```

```
<210> 482
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 482
tgcaagcaaa cgcacaatca gaagc                                                 25
```

```
<210> 483
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 483
tgcaagcgcg accacatacg                                                       20
```

```
<210> 484
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 484
tgcaagcttc tggtgctagc att                                                   23
```

```
<210> 485
<211> 24
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 485
tgcaagtggt acttcaacat gggg                                    24

<210> 486
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 486
tgcaagttaa gaaagctgtt gcaggtttat                              30

<210> 487
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 487
tgcaattgct ttagttttaa gtgcatgtaa ttc                          33

<210> 488
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 488
tgcacaatca gaagctaaga aagcgcaagc t                            31

<210> 489
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 489
tgcacacgcc gttcttcaac aact                                    24

<210> 490
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 490
tgcacatcgt gtccaacgtc ac                                      22
```

```
<210> 491
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 491
tgcaccggct attaagaatt actttgccaa ct                              32


<210> 492
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 492
tgcacgatgc ggaatggttc aca                                        23


<210> 493
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 493
tgcacgccga ctatgttaag aacatgat                                   28


<210> 494
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 494
tgcacttatc gcaaatggaa aattaagcaa                                 30


<210> 495
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 495
tgcagggaac agctttaggc a                                          21


<210> 496
<211> 22
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 496
tgcatacaaa cagtcggagc ct                                              22

<210> 497
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 497
tgcataccgg taagttggca aca                                             23

<210> 498
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 498
tgcatattat atcgagccac agcatcg                                         27

<210> 499
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 499
tgcattattt ggaactattg caactgctaa tgc                .                 33

<210> 500
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 500
tgccaagagg acagagtgag tactttga                                        28

<210> 501
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer                                                          .

<400> 501
tgccggacaa ttacgattca tcgagtatta a                                    31
```

```
<210> 502
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 502
tgccgtaatg ataggtgaag atatacaaag agt                    33

<210> 503
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 503
tgccgtgttg aacgtggtca aat                               23

<210> 504
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 504
tgcctagaag atcttaaaaa tttccgccaa ctt                    33

<210> 505
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 505
tgcctatctt tttgctgata tagcacatat tgc                    33

<210> 506
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 506
tgcctcgaag ctgaatataa ccaagtt                           27

<210> 507
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 507
tgcctgtagg gaatcctgct ga   22

<210> 508
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 508
tgcctgttct tagtacgaga ggacc   25

<210> 509
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 509
tgcgcagctc ttggtatcga gtt   23

<210> 510
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 510
tgcgcggaag atgtaacggg   20

<210> 511
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 511
tgcggatcgt ttggtggttg tagatgaaaa   30

<210> 512
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 512
tgcgggtagg gagcttgagc   20

<210> 513

```
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 513
tgcgtacaat acgctttatg aaattttaac a                    31

<210> 514
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 514
tgcgtataaa aaacacagat ggcagca                         27

<210> 515
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 515
tgcgtttacc gcaatgcgtg c                               21

<210> 516
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 516
tgctacggta ggatctcctt atcctattg                       29

<210> 517
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 517
tgctagtcaa tctatcattc cggttgatac                      30

<210> 518
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 518
tgctagttat ggtacagagt ttgcgac                                27

<210> 519
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 519
tgctatggtg ttaccttccc tatgca                                 26

<210> 520
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 520
tgctcaaccc gatcctaaat tagacga                                27

<210> 521
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 521
tgctcaatct aaacctaaag tcgaaga                                27

<210> 522
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 522
tgctcgagtg attgactttg ctaaatttag aga                         33

<210> 523
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 523
tgctcgtaag ggtctggcgg atac                                   24

<210> 524
<211> 29
```

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 524
tgctcgtggt gcacaagtaa cggatatta   29

<210> 525
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 525
tgctgaggcc tggaccgatt atttac   26

<210> 526
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 526
tgctggtaac agagccttat aggcgca   27

<210> 527
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 527
tgctggtacg ggtcgagga   19

<210> 528
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 528
tgctggtgaa aataacccag atgtcgtctt c   31

<210> 529
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 529
tgctgtagct tatcgcgaaa tgtctttgat tt                              32


<210> 530
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 530
tgcttattta cctgcactcc cacaactg                                   28


<210> 531
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 531
tgcttcagga atcaatgatg gagcag                                     26


<210> 532
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 532
tgcttcggat ccagcagcac ttcaata                                    27


<210> 533
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 533
tgcttctggt gctagcatt                                             19


<210> 534
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 534
tgctttccta tggcttatcc aaatttagat cg                              32


<210> 535
<211> 29
<212> DNA
```

```
<213> Artificial Sequence

<220>
<223> Primer

<400> 535
tgcttttgat ggtgatgcag atcgtttgg                                29

<210> 536
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 536
tggaaagcca tgcgtctgac atct                                     24

<210> 537
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 537
tggaaaggtg ttgcagctac tca          .                           23

<210> 538
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 538
tggaaatggc agctagaata gtagctaaaa t                             31

<210> 539
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 539
tggaacaaaa tagtctctcg gattttgact                               30

<210> 540
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 540
```

tggaacagga attaattctc atcctgatta tcc   33

```
<210> 541
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 541
tggaacgtta tcaggtgccc caaaaattcg                              30

<210> 542
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 542
tggaactatt gcaactgcta atg                                     23

<210> 543
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 543
tggaacttga agctctcgct cttaaagatg                              30

<210> 544
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 544
tggaagatct gggtcaggc                                          19

<210> 545
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 545
tggaagtcat caagcgcctg gc                                      22

<210> 546
<211> 30
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Primer

<400> 546
tggaataaca aaacatgaag gaaaccactt   30

<210> 547
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 547
tggaatgatg ataaagattt cgcagatagc ta   32

<210> 548
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 548
tggacaatag acaatcactt ggatttaca   29

<210> 549
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 549
tggacacata tcgtgagcaa tgaactga   28

<210> 550
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 550
tggacggcat cacgattctc tac   23

<210> 551
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 551
tggactcctc ggtggtcgc   19

```
<210> 552
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 552
tggagcacgg cttctgatc                                          19

<210> 553
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 553
tggagcttga agctatcgct cttaaagatg                              30

<210> 554
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 554
tggaggtgtc actccacacg aa                                      22

<210> 555
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 555
tggaggttgt tgtatgtatg gtggt                                   25

<210> 556
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 556
tggatattca ccgaacacta gggttg                                  26

<210> 557
<211> 27
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 557
tggatggcat ggtgaaatgg atatgtc                                    27

<210> 558
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 558
tggatgggga ttagcggtta caatg                                     25

<210> 559
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 559
tggatgttaa gggtgatttt cccgaa                                    26

<210> 560
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 560
tggattagag accctggtag tcc                                       23

<210> 561
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 561
tggcacggcc atctccgtg                                            19

<210> 562
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 562
tggcactctt gcctttaata ttagtaaact atca                           34
```

```
<210> 563
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 563
tggcagctag aatagtagct aaaatcccta c                              31

<210> 564
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 564
tggcagtttt acaaggtgct gtttcatc                                  28

<210> 565
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 565
tggcatttct tatgaagctt gttctttagc a                              31

<210> 566
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 566
tggccagcgc ttcggtgaaa tgga                                      24

<210> 567
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 567
tggcccgaaa gaagctgagc g                                         21

<210> 568
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 568
tggcctaatg ggcttaatat caatgaaaat tg   32

<210> 569
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 569
tggcgaacct ggtgaacgaa gc   22

<210> 570
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 570
tggcgagtgg atagggtata atacag   26

<210> 571
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 571
tggcgtagta gagctattta cagacac   27

<210> 572
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 572
tggcaagtgg atagggtata atacag   26

<210> 573
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 573
tggctccttg gtatgactct gcttc   25

<210> 574

```
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 574
tggctgacat cctacatgac tgtga                                    25


<210> 575
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 575
tggcttatcc aaatttagat cgtggtttta c                             31


<210> 576
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 576
tgggacttga agctatcgct cttaaagatg                               30


<210> 577
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 577
tgggatgaaa aagcgttctt ttatccatga                               30


<210> 578
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 578
tgggattatt gttatcctgt tatgccattt gaga                          34


<210> 579
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 579
tgggatttta aaaaacattg gtaacatcgc ag                                    32

<210> 580
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 580
tgggcaacag cagcggattg cgattgcgcg                                       30

<210> 581
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 581
tgggcagcgt ttcggcgaaa tgga                                             24

<210> 582
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 582
tgggcctaat gggcttaata tcaatgaaaa ttg                                   33

<210> 583
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 583
tgggcgatgc tgcgaaatgg ttaaaaga                                         28

<210> 584
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 584
tgggcgtgag caatgaactg attatac                                          27

<210> 585
<211> 18
```

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 585
tgggcgtgga acgtccac   18

<210> 586
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 586
tgggctcttt ctcgcttaaa cacc   24

<210> 587
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 587
tgggctcttt ctcgcttaaa cacct   25

<210> 588
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 588
tggggattca gccatcaaag cagctattga c   31

<210> 589
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 589
tggggattga tatcaccgat aagaagaa   28

<210> 590
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 590
tggggcttta aatattccaa ttgaagattt tca                          33

<210> 591
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 591
tggggctttg ctttatagtt ttttacattt aag                         33

<210> 592
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

220>
<221> modified_base
<222> (5)...(5)
<223> I

<220>
<221> modified_base
<222> (14)...(14)
<223> I


<400> 592
tgggtgatgc tgctaaatgg ttaaaaga                               28

<210> 593
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 593
tgggtcgtgg ttttacagaa aatttcttat atatg                       35

<210> 594
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 594
tgggtgacat tcatcaattt catcgttc                               28

<210> 595
<211> 32
<212> DNA
```

<210> Artificial Sequence

<220>
<223> Primer

<400> 595
tgggtttaca catatcgtga gcaatgaact ga   32

<210> 596
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 596
tggtaaatac cacccacatg gtgac   25

<210> 597
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 597
tggtaacaga gccttatagg cgca   24

<210> 598
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 598
tggtaacaga gccttatagg cgcatatg   28

<210> 599
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 599
tggtaagagc gcaccggtaa gttggtaaca   30

<210> 600
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 600

tggtacagag tttgcgac   18

<210> 601
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 601
tggtacatgt gccttcattg atgctg   26

<210> 602
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 602
tggtacagag tttgcgac   18

<210> 603
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 603
tggtactcac ttagcgggtt tccg   24

<210> 604
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 604
tggtatgata tgatgcctgc acca   24

<210> 605
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 605
tggtatgcgt ggtctgatgg c   21

<210> 606
<211> 31
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 606
tggtattcta ttttgctgat aatgacctcg c                                 31

<210> 607
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 607
tggtcaaatc aaagttggtg aagaa                                        25

<210> 608
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 608
tggtcttatg ccaagaggac agagtgagt                                    29

<210> 609
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 609
tggtgactcg gcatgttatg aagc                                         24

<210> 610
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 610
tggtgacttc ataatggatg aagttgaagt                                   30

<210> 611
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 611
tggtgcgagt gcttatgctc gtattat                                      27
```

```
<210> 612
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 612                                                    13
tggtgctagc att

<210> 613
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 613                                                    24
tggtgctttc tggcgcttaa acga

<210> 614
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 614                                                    27
tggtggacat ttaacacatg gtgcaaa

<210> 615
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 615                                                    26
tggtggtgaa atagatagga ctgctt

<210> 616
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 616                                                    13
tggtgctagc att

<210> 617
<211> 26
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 617
tggttatcgc tcaggcgaac tccaac                                      26

<210> 618
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 618
tggttatgta ccaaatactt tgtctgaaga tgg                              33

<210> 619
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 619
tggtttagat aattccttag gatctatgcg t                                31

<210> 620
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (3)...(3)
<223> I

<220>
<221> modified_base
<222> (6)...(6)
<223> I

<220>
<221> modified_base
<222> (9)...(9)
<223> I

<220>
<221> modified_base
<222> (12)...(13)
<223> I

<220>
<221> modified_base
<222> (15)...(15)
<223> I
```

<400> 620
tgtcctactg tttgtggttc tgtaatgaac c   31

<210> 621
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 621
tgtaactatc acccgcacgg tgat   24

<210> 622
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 622
tgtaagctct acaacccaca aaaccttacg   30

<210> 623
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 623
tgtaatgaac cctaatgacc atccacacgg   30

<210> 624
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 624
tgtacccgct gaattaacga atttatacga c   31

<210> 625
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 625
tgtactcggt aagtatcacc cgca   24

<210> 626
<211> 21
<212> DNA

<210> Artificial Sequence

<220>
<223> Primer

<400> 626
tgtactgcta tccaccctca a   21

<210> 627
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 627
tgtagccgct aagcactacc atcc   24

<210> 628
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 628
tgtagcttat cgcgaaatgt ctttgatttt   30

<210> 629
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 629
tgtatggtgg tgtaacgtta catgataata atc   33

<210> 630
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 630
tgtattaggg gcatacagtc ctcatcc   27

<210> 631
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 631

```
tgtcaaagtg gcacgtttac tggc                                    24

<210> 632
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 632
tgtcatgggt aaatatcacc ctca                                    24

<210> 633
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 633
tgtccaagaa gcatagcaaa aaaagcaa                                 28

<210> 634
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 634
tgtcgatgca acgcgaagaa cct                                      23

<210> 635
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 635
tgtcggtaca cgatattctt cacga                                   25

<210> 636
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 636
tgtgaataaa tcacgattga ttgagca                                 27

<210> 637
<211> 26
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 637
tgtggagtaa cactgcatga aaacaa                        26

<210> 638
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 638
tgtggtcaaa tcaaagttgg tgaagaa                       27

<210> 639
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 639
tgttcaagag ctagatcttc aggca                         25

<210> 640
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 640
tgttcaagag ctagatcttc aggcaa                        26

<210> 641
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 641
tgttcgctgt ttcacaaaca acattcca                      28

<210> 642
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 642
tgttctttag caggacttca caaacttgat aa                 32
```

```
<210> 643
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 643
tgttgaacgt ggtcaaatca aagttggtg                                    29

<210> 644
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 644
tgttgggagt attccttacc atttaagcac a                                 31

<210> 645
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 645
tgttggtgct ttctggcgct taa                                          23

<210> 646
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 646
tccttgttgt cctactgttt gtggttctgt aatgaacc                          38

<210> 647
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (7)...(7)
<223> I

<220>
<221> modified_base
<222> (10)...(10)
```

```
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<220>
<221> modified_base
<222> (16)...(16)
<223> I

<220>
<221> modified_base
<222> (19)...(20)
<223> I

<220>
<221> modified_base
<222> (22)...(22)
<223> I

<400> 647
ttaaagttgg ttttattggt tggcgcgga                                    29


<210> 648
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 648
ttaacatgaa ggaaaccact ttgataatgg                                   30


<210> 649
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 649
ttaacggtta tcatggccca gatggg                                       26


<210> 650
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 650
ttaagtcccg caacgagcgc aa                                           22


<210> 651
<211> 22
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 651
ttaagtcccg caacgatcgc aa   22

<210> 652
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 652
ttaatttgcc aaaaatgcaa ccaggtag   28

<210> 653
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 653
ttacacatat cgtgagcaat gaactga   27

<210> 654
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 654
ttacaggaag tttaggtggt aatctaaaag g   31

<210> 655
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 655
ttactccatt attgcttggt tacactttcc   30

<210> 656
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 656

ttataactta ctgcaatcta ttcagttgct tggtg   35

<210> 657
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 657
ttataccgga aacttcccga aaggag   26

<210> 658
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 658
ttatcagcta gacctttag gtaaagctaa gc   32

<210> 659
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 659
ttatcgctca ggcgaactcc aac   23

<210> 660
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 660
ttatcgtttg tggagctagt gcttatgc   28

<210> 661
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 661
ttatgaagcg tgttctttag caggacttca   30

<210> 662
<211> 25
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 662
ttatggatgg caacgtgaaa cgcgt                                    25

<210> 663
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 663
ttattgttat cctgttatgc c                                        21

<210> 664
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 664
ttatttacct gcactcccac aactg                                    25

<210> 665
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 665
ttcaaaaact ccaggccatc ctgaaatttc aac                           33

<210> 666
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 666
ttcaacaggt accaatgatt tgatctca                                 28

<210> 667
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 667
ttcccaccga tatcatggct taccacgg                                 28
```

```
<210> 668
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 668
ttccgtaagt cggctaaaac agtcg                                    25

<210> 669
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 669
ttcctccttt tgaaagcgac ggtt                                     24

<210> 670
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 670
ttcctcggcc gcctggc                                             17

<210> 671
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 671
ttcctgaccg acccattatt ccctttatc                                29

<210> 672
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 672
ttcgatgcaa cgcgaagaac ct                                       22

<210> 673
<211> 27
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 673
ttcgccaatc aaaactaagg gaatggc                                    27

<210> 674
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 674
ttcggcggtc agcgcttcgg                                            20

<210> 675
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 675
ttctaaaaca ccaggtcacc cagaag                                     26

<210> 676
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 676
ttctatctcg ttggtttatt cggagtt                                    27

<210> 677
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 677
ttctgaatgt ctatatggag gtacaacact                                 30

<210> 678
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 678
ttgactgccc aggtcacgct g                                          21
```

```
<210> 679
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 679
ttgactgcgg cacaacacgg at                                        22

<210> 680
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 680
ttgagaagac atccggctca cgttattatg gta                            33

<210> 681
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 681
ttgagggtat gcaccgtctt tttgattctt t                              31

<210> 682
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 682
ttgcaactgc tgatttagct caga                                      24

<210> 683
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 683
ttgcacaagc aaggcgctat tt                                        22

<210> 684
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
```

```
<223> Primer

<400> 684
ttgccaatga tattcgttgg ttagcaag                              28

<210> 685
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 685
ttgcccgcgg tgcggaagta accgatatta c                          31

<210> 686
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 686
ttgcgaatag aacgatggct cgt                                   23

<210> 687
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 687
ttgctcgtgg tgcacaagta acggatatta                            30

<210> 688
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 688
ttgctcgtgg tgcacaagta acggatatta c                          31

<210> 689
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (15)...(15)
<223> I
```

<220>
<221> modified_base
<222> (29)...(29)
<223> I

<400> 689
ttgctcgtgg tgcacaagta acggatatta c   31

<210> 690
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 690
ttgcttaaag ttggttttat tggttggcg   29

<210> 691
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 691
ttggtccttt ttatacgaaa gaagaagttg aa   32

<210> 692
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 692
ttgtaaatgc cggtgcttca gatcc   25

<210> 693
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 693
ttgtacacac cgcccgtcat ac   22

<210> 694
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 694
ttgtagcaca gcaaggcaaa tttcctgaaa c　　　　　　　　31

<210> 695
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 695
ttgtatgtat ggtggtgtaa cgttacatga　　　　　　　　30

<210> 696
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 696
ttgtatgtat ggtggtgtaa ctgagca　　　　　　　　27

<210> 697
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 697
tttaagtccc gcaacgagcg caa　　　　　　　　23

<210> 698
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 698
tttacacata tcgtgagcaa tgaactga　　　　　　　　28

<210> 699
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 699
tttacactac ttttattcat tgccctaacg　　　　　　　　30

<210> 700
<211> 19

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 700
tttacagctt tatgcaccg                                        19

<210> 701
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 701
tttcacacag cgtgtttata gttctacca                            29

<210> 702
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 702
tttcacatgt aattttgata ttcgcactga                          30

<210> 703
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 703
tttcatctta tcgaggaccc gaaatcga                             28

<210> 704
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 704
tttcctcctt ttgaaagcga cggtt                                25

<210> 705
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 705
tttcgaaggg cctttcgacc tg                                          22

<210> 706
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 706
tttcgatgca acgcgaagaa cct                                         23

<210> 707
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 707
tttgatttta cgccgtcctc caggtcg                                     27

<210> 708
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 708
tttgcggatg aagtaggtgc ctatcttttt gc                               32

<210> 709
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 709
ttttatgctt aaagttggtt ttattggttg gc                               32

<210> 710
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 710
ttttgaaggt gatccgtgcc aacg                                        24

<210> 711
<211> 29
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 711
aaactatttt tttagctata ctcgaacac   29

<210> 712
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 712
aacatagcct tctccgtcc   19

<210> 713
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 713
aacttcgcct tcggtcatgt t   21

<210> 714
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 714
aaggaggtga tccagcc   17

<210> 715
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 715
aatcgacgac catcttggaa agatttctc   29

<210> 716
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 716

```
acaaaaggca cgccatcacc c                                                    21
```

```
<210> 717
<211> 21
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer
```

```
<400> 717
acaaaaggta cgccgtcacc c                                                    21
```

```
<210> 718
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer
```

```
<220>
<221> modified_base
<222> (12)...(12)
<223> I
```

```
<400> 718
acaacacgag ctgacgac                                                        18
```

```
<210> 719
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer
```

```
<400> 719
acaacacgag ctgacgac                                                        18
```

```
<210> 720
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer
```

```
<220>
<221> modified_base
<222> (16)...(16)
<223> I
```

```
<400> 720
acaacacgag ctgacgac                                                        18
```

```
<210> 721
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<220>
<221> modified_base
<222> (14)...(14)
<223> I

<400> 721
acaacacgag ctgacgac                                                    18

<210> 722
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (11)...(11)
<223> I

<400> 722
acaacacgag ctgacgac                                                    18

<210> 723
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<400> 723
acaacacgag ctgacgac                                                    18

<210> 724
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (8)...(8)
<223> I
```

```
<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<400> 724
acaacacgag ctgacgac                                                    18

<210> 725
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (8)...(8)
<223> I

<220>
<221> modified_base
<222> (10)...(10)
<223> I

<220>
<221> modified_base
<222> (13)...(13)
<223> I

<220>
<221> modified_base
<222> (16)...(16)
<223> I

<400> 725
acaacacgag ctgacgac                                                    18

<210> 726
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 726
acaaccatgc accacctgtc                                                  20

<210> 727
<211> 12
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 727
acacgagctg ac                                                    12

<210> 728
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 728
accactttta ataaggtttg tagctaac                                   28

<210> 729
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 729
acctgcaata tctaatgcac tcttacg                                    27

<210> 730
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 730
acctgcatcc ctaaacgtac ttgc                                       24

<210> 731
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 731
accttgttac gacttcaccc ca                                         22

<210> 732
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 732
acgaactgga tgtcgccgtt                                            20
```

```
<210> 733
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 733
acgacacgag ctgacgac                                                    18

<210> 734
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 734
acgacacgag ctgacgac                                                    18

<210> 735
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 735
acgagctgac gacagccatg                                                  20

<210> 736
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 736
acgccatcag gccacgcat                                                   19

<210> 737
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 737
acgcgggcat gcagagatgc c                                                21

<210> 738
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
```

```
<223> Primer

<400> 738
acggcacgag gtagtcgc                                              18

<210> 739
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 739
acggttacct tgttacgact                                           20

<210> 740
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 740
acgtccttca tcgcctctga                                           20

<210> 741
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 741
acgtttttcg ttttgaacga taatgct                                   27

<210> 742
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 742
actgctgcct cccgtag                                              17

<210> 743
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 743
acttagatgc tttcagcggt                                           20

<210> 744
```

```
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 744
agacctcctg cgtgcaaagc                                          20

<210> 745
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 745
agataaagaa tcacgaatat caatttgtag c                             31

<210> 746
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 746
agccgacatc gaggtgccaa ac                                       22

<210> 747
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 747
agctgctaga tgagcttctg ccatggcc                                 28

<210> 748
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 748
aggatagatt tatttcttgt tcg                                      23

<210> 749
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 749
agtccatccc ggtcctctcg                                                20

<210> 750
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 750
ataagccatg ttctgttcca tc                                             22

<210> 751
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 751
ataagccggg ttctgtcg                                                  18

<210> 752
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 752
atatgattat cattgaactg cggccg                                         26

<210> 753
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 753
atcccctgct tctgctgcc                                                 19

<210> 754
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 754
attcaagagc catttctttt ggtaaaccac                                     30

<210> 755
<211> 22
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 755
attgcccaga aatcaaatca tc                                                   22

<210> 756
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 756
attgcttctt acttgcttag cataaatttt cca                                       33

<210> 757
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 757
attgtagcac gtgtgtagcc c                                                    21

<210> 758
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 758
caagcggttt gcctcaaata gtca                                                 24

<210> 759
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 759
caatctgctg acggatctga gc                                                   22

<210> 760
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 760
caccgggcag gcgtc                                                15

<210> 761
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 761
cacggctacc ttgttacgac                                           20

<210> 762
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 762
cagataaaga atcgctccag                                           20

<210> 763
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 763
catgacagcc aagacctcac ccacc                                     25

<210> 764
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 764
catgatggtc acaaccgg                                             18

<210> 765
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 765
ccaaacaccg ccgtcgatat                                           20

<210> 766
<211> 26
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 766
ccaacctttt ccacaacaga atcagc   26

<210> 767
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 767
ccaagtgctg gtttacccca tggagta   27

<210> 768
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 768
ccacttttaa taaggtttgt agc   23

<210> 769
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 769
ccagcagtta ctgtcccctc atctttg   27

<210> 770
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 770
ccataaggtc accgtcacca ttcaaagc   28

<210> 771
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 771

ccatgcagca cctgtctc   18

<210> 772
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 772
cccatttttt cacgcatgct gaaaatatc   29

<210> 773
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 773
cccccgtcaa ttcctttgag t   21

<210> 774
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 774
ccctgtagta gaagaggtaa ccac   24

<210> 775
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 775
ccgacaagga atttcgctac c   21

<210> 776
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 776
ccgcggtcga attgcatgcc ttc   23

<210> 777
<211> 17
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 777
ccggtcctct cgtacta                                         17

<210> 778
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 778
ccgtgctcca tttttcag                                        18

<210> 779
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 779
cctacccaac gttcaccaag ggcag                                25

<210> 780
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 780
cctcctgcgt gcaaagc                                         17

<210> 781
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 781
cctgtagtag aagaggtaac                                      20

<210> 782
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 782
ccttctcccg aagttacg                                        18
```

```
<210> 783
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 783
ccttgttacg acttcacccc                                                 20

<210> 784
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 784
cgaacggcca gagtagtcaa cacg                                            24

<210> 785
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 785
cgaacggcct gagtagtcaa cacg                                            24

<210> 786
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 786
cgacttgacg gttaacattt cctg                                            24

<210> 787
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 787
cgagttgcag actgcgatcc g                                               21

<210> 788
<211> 21
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Primer

<400> 788
cgagttgcag actgcgatcc g   21

<210> 789
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 789
cgcaccatgc gtagagatga agtac   25

<210> 790
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 790
cgcaccgtgg gttgagatga agtac   25

<210> 791
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 791
cgcatttcac cgctacac   18

<210> 792
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 792
cgcggtcggc tcgttgatga   20

<210> 793
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 793
cggctgctgg cacgaagtta g   21

```
<210> 794
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 794
cggcttcaag acccc                                                    15

<210> 795
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 795
cggtacgaac tggatgtcgc cgtt                                          24

<210> 796
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 796
cgtactcccc aggcg                                                    15

<210> 797
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 797
cgtataagct gcaccataag cttgtaatgc                                    30

<210> 798
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 798
cgtggactac cagggtatct a                                             21

<210> 799
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 799
ctatcggtca gtcaggagta t   21

<210> 800
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 800
cttctacatt tttagccatc ac   22

<210> 801
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 801
ctttacgccc agtaattccg   20

<210> 802
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 802
ctttcgcttt ctcgaactca accat   25

<210> 803
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 803
gaatatcaat ttgtagc   17

<210> 804
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 804
gaccccaacc tggccttttg tcgttga   27

<210> 805

```
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 805
gaccgttata gttacggcc                                              19

<210> 806
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 806
gacgggcggt gtgtacaag                                              19

<210> 807
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 807
gacgggcggt gtgtacaag                                              19

<210> 808
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 808
gacgggcggt gtgtacaag                                              19

<210> 809
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 809
gacgtcatcc ccaccttcct c                                           21

<210> 810
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 810
gacgtcatcc ccaccttcct cc                                           22

<210> 811
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 811
gagcatcagc gtgcgtgct                                               19

<210> 812
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 812
gagctgcgcc aacgaataaa tcgtc                                        25

<210> 813
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 813
gattggcgat aaagtgatat tttctaaaa                                    29

<210> 814
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 814
gcccaccaga aagactagca ggataa                                       26

<210> 815
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 815
gccgtccatc tgagcagcac c                                            21

<210> 816
<211> 21
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 816
gccgtccatt tgagcagcac c                                          .                21

<210> 817
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 817
gccttgcgac cgtactccc                                                              19

<210> 818
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 818
gcgaccgtac tccccagg                                                               18

<210> 819
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 819
gcgctccacg tcttcacgc                                                              19

<210> 820
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 820
gcgtgacagg caggtattc                                                              19

<210> 821
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 821
gcgtgacgac cttcttgaat tgtaatca                              28

<210> 822
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 822
gcgttccaca gcttgttgca gaag                                  24

<210> 823
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 823
gctgctggca cggagtta                                         18

<210> 824
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 824
gctgctttga tggctgaatc cccttc                                26

<210> 825
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 825
gctggattcg cctttgctac g                                     21

<210> 826
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 826
gcttacacac ccggcctatc                                       20

<210> 827
<211> 23
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 827
ggaatttacc agcgatagac acc   23

<210> 828
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 828
ggataattgg tcgtaacaag ggatagtgag   30

<210> 829
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 829
ggcatcacca tttccttgtc cttcg   25

<210> 830
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 830
ggccgtactc cccaggcg   18

<210> 831
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 831
ggcgcttgta cttaccgcac   20

<210> 832
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 832

gggtctacac ctgcacttgc ataac   25

<210> 833
<211> 16
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 833
gggtttcccc attcgg   16

<210> 834
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 834
ggtaacccctt gtctttgaat   20

<210> 835
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 835
ggtaaggttc ttcgcgttg   19

<210> 836
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 836
ggtataacgc atcgcagcaa aagattta   28

<210> 837
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 837
gtaacccttg tctttgaatt gtatttgc   28

<210> 838
<211> 22
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 838
gtaagccatg ttttgttcca tc                                              22

<210> 839
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 839
gtatctaatc ctgtttgctc cc                                              22

<210> 840
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 840
gtccgacttg acggtcaaca tttcctg                                         27

<210> 841
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 841
gtgcgccctt tctaactt                                                   18

<210> 842
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 842
gtgctggttt accccatgga gt                                              22

<210> 843
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 843
gttcaaatgc ctggataccc a                                               21
```

```
<210> 844
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 844
gttgtcacca ggcattacca tttc                                                    24

<210> 845
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 845
gttgtcgcca ggcataacca tttc                                                    24

<210> 846
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 846
gtttcatgct tagatgcttt cagc                                                    24

<210> 847
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 847
gtttttcgtt gcgtacgatg atgtc                                                   25

<210> 848
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 848
taaacgtccg ataccaatgg ttcgctc                                                 27

<210> 849
<211> 30
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 849
taaactattt ttttagctat actcgaacac                                    30

<210> 850
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 850
taaagacacc gctgggttta aatgtgca                                      28

<210> 851
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 851
taaagagacg tttggtagtt catttgc                                       27

<210> 852
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 852
taaaggatag cggtaactaa atggctgagc cat                                33

<210> 853
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 853
taaatgcact tgcttcaggg ccatat                                        26

<210> 854
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 854
taaattccgc aaagactttg gcattaggtg t                                  31
```

```
<210> 855
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 855
taacaaatcc cgtctgagtt cctcttgca                              29

<210> 856
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 856
taacaacgtt accttcgcga tccactaa                               28

<210> 857
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 857
taaccatttc gcgtaagatt caa                                    23

<210> 858
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 858
taaccacccc aagatttatc tttttgcca                              29

<210> 859
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 859
taaccatttc gcgtaagatt caa                                    23

<210> 860
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 860
taacccttgt ctttgaattg tatttgcaat taatcctgg   39

<210> 861
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 861
taaccgtttc caaaggtact gtattttgt   29

<210> 862
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 862
taaccgtttc caaaggtact gtattttgtt tacc   34

<210> 863
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 863
taactcctct tccttcaaca ggtgga   26

<210> 864
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 864
taactgaccc aaagctgaaa gctttactg   29

<210> 865
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 865
taagacaagg ttttgtggat tttttagctt gtt   33

<210> 866

```
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 866
taagagtgat gcgggctggt tcaaca                                    26

<210> 867
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 867
taagcaatac ctttacttgc accac                                     25

<210> 868
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 868
taagcaatac ctttacttgc accacct                                   27

<210> 869
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 869
taagcaatac ctttacttgc accacctg                                  28

<210> 870
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 870
taagcaccat ataagtctac ttttttccct t                              31

<210> 871
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 871
taagccagca agagctgtat agttcca                                    27

<210> 872
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 872
taagctcccg tatcttgagt cgcctc                                     26

<210> 873
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 873
taagttacct tgcccgtcaa cca                                        23

<210> 874
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 874
taagttcctt cgctagtatg ttggctt                                    27

<210> 875
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 875
taatcgacga ccatcttgga aagatttctc                                 30

<210> 876
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 876
taatctggct gcggaagtga aat                                        23

<210> 877
<211> 25
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 877
taatctggct gcggaagtga aatcg                                    25

<210> 878
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 878
taatgccggg tagtgcaatc cattcttcta g                             31

<210> 879
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 879
taatgcgata ctggcctgca agtc                                     24

<210> 880
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 880
tacaaccttc ggataatcag gatgagaatt aat                           33

<210> 881
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 881
tacaacgtga taaacacgac cagaagc                                  27

<210> 882
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 882
tacaactggt tcaaaaacat taagctgtaa ttgtc                              35

<210> 883
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 883
tacagcttta aagccagcaa aatgaattac ag                                 32

<210> 884
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 884
tacaggagca gcaggcttca ag                                            22

<210> 885
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 885
tacatcgttt cgcccaagat caatca                                        26

<210> 886
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 886
tacatctcct tcgatagaaa tttcattgct atc                               33

<210> 887
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 887
taccaaagcg tgcacgatag ttgag                                         25

<210> 888
<211> 27
<212> DNA
```

<210> 888

<220>
<223> Primer

<400> 888
taccatctac ccaaacatta gcaccaa   27

<210> 889
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 889
taccccagtt cccctgacct tc   22

<210> 890
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 890
taccggaagc accagcgaca ttaatag   27

<210> 891
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 891
tacctgcatt aatcgcttgt tcatcaa   27

<210> 892
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 892
taccttaccg ccaaagctgt ct   22

<210> 893
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 893

```
taccttagga ccgttatagt tacg                                          24

<210> 894
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 894
tacctttttcc acaacagaat cagc                                         24

<210> 895
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 895
tacgagctga cgacagccat g                                             21

<210> 896
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 896
tacgagctga cgacagccat gca                                           23

<210> 897
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 897
tacgcattac tcacccgtcc gc                                            22

<210> 898
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 898
tacgccatca ggccacgcat                                               20

<210> 899
<211> 27
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 899
tacgctaagc cacgtccata tttatca                                    27


<210> 900
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 900
tacgtatgta aattccgcaa agactttggc attag                          35


<210> 901
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 901
tacgtcgcct ttaacttggt tatattcagc                                30


<210> 902
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 902
tacgttctac gatttcttca tcaggtacat c                              31


<210> 903
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 903
tacgtttgta tcttctgcag aacc                                      24


<210> 904
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 904
tacacctggt ttcgttttga tgatttgta                                 29
```

```
<210> 905
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 905
tactagacga cgggtcaggt aacc                                              24

<210> 906
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 906
tacttcagct tcgtccaata aaaaatcaca at                                     32

<210> 907
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 907
tactttaagg ggctatcttt accatgaacc t                                      31

<210> 908
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 908
tagagagtag ccatcttcac cgttgtc                                           27

<210> 909
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 909
tagcaccaat caccctttcc tgt                                               23

<210> 910
<211> 28
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 910
tagcagcaaa agttatcaca cctgcagt                                    28

<210> 911
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 911
tagcagctag ctcgtaacca gtgta                                      25

<210> 912
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 912
tagccatacg taccattgct tcataaatag a                               31

<210> 913
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 913
tagcccagct gtttgagcaa ct                                         22

<210> 914
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 914
tagccgcggt cgaattgcat                                            20

<210> 915
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 915
tagccttggc aacatcagca aaact                                      25
```

<210> 916
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 916
tagcctttc tccggcgtag atct   24

<210> 917
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 917
tagcgatttc tactcctaga gttgaaattt cagg   34

<210> 918
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 918
tagctgctag atgagcttct gccatggcc   29

<210> 919
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 919
taggatgaaa gcattccgct ggc   23

<210> 920
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 920
taggatgagc attatcaggg aaagaatc   28

<210> 921
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 921
taggattttt ccacggcggc atc   23

<210> 922
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 922
taggcataac catttcagta ccttctggta a   31

<210> 923
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 923
tagtatcacc acgtacaccc ggatcagt   28

<210> 924
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (17)...(17)
<223> I

<220>
<221> modified_base
<222> (20)...(20)
<223> I

<400> 924
tagtatcacc acgtacaccc ggatcagt   28

<210> 925
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 925
tagtcctttc tgaattttac catcaaaggt ac   32

<210> 926

```
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 926
tagtcttttg gaacaccgtc tttaattaaa gt                                32

<210> 927
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 927
tagtgttgta cctccatata gacattcaga                                  30

<210> 928
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 928
tagttgaagt tgcactatat actgttgga                                   29

<210> 929
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 929
tataacgcac atcgtcaggg tga                                         23

<210> 930
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 930
tatagcacca tccatctgag cggcac                                      26

<210> 931
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 931
tatatgaaca ataccagttc cttctgagt                                29


<210> 932
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 932
tatatgatta tcattgaact gcggccg                                  27


<210> 933
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 933
tatccattga accaaagtta ccttggcc                                 28


<210> 934
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 934
tatcccctgc ttctgctgcc                                          20


<210> 935
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 935
tatcgacaga tccaaagtta ccatgccc                                 28


<210> 936
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 936
tatggtctat ttcaatggca gttacga                                  27


<210> 937
<211> 24
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 937
tatgtgctca cgagtttgcg gcat                                          24


<210> 938
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 938
tatgtgtagt tgagcttact acatgagc                                      28


<210> 939
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 939
tattcttcgt tactcatgcc ataca                                         25


<210> 940
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 940
tattgcccag aaatcaaatc atc                                           23


<210> 941
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 941
tattgcggat caccatgatg atattcttgc                                    30


<210> 942
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 942
tattgctttt tttgctatgc ttcttggaca t                                      31

<210> 943
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 943
tattggaaat accggcagca tctc                                              24

<210> 944
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 944
tatttgggtt tcattccact cagattctgg                                        30

<210> 945
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 945
tcaaaaacaa agaattcatt ttctggtcca aa                                     32

<210> 946
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 946
tcaaaacgca tttttacatc ttcgttaaag gcta                                   34

<210> 947
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 947
tcaaaacttg ctctagacca tttaactcc                                         29

<210> 948
<211> 30
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 948
tcaaaatctt ttgattcgat catacgagac   30

<210> 949
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 949
tcaaacgatc cgcatcacca tcaaaag   27

<210> 950
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 950
tcaaagaacc agcacctaat tcatcattta   30

<210> 951
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 951
tcaaagaacc cgcacctaat tcatcattta   30

<210> 952
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 952
tcaacaacac ctccttattc ccactc   26

<210> 953
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 953

tcaacaatca gatagatgtc agacgcatg   29

<210> 954
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 954
tcaacaccag cgttacctaa agtacctt   28

<210> 955
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 955
tcaactggtt caaaaacatt aagttgtaat tgtcc   35

<210> 956
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 956
tcaacttctg ccattaaaag taatgcca   28

<210> 957
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 957
tcaagcgatc tacccgcatt acaa   24

<210> 958
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 958
tcaagcgcca tctctttcgg taatccacat   30

<210> 959
<211> 30
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 959
tcaagcgcca tttcttttgg taaaccacat                          30

<210> 960
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 960
tcaagctata tgctacaact ggttcaaaaa c                        31

<210> 961
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 961
tcaagctcta caccataaaa aaagctctca                          30

<210> 962
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 962
tcaaggttct caccgtttac cttaggag                            28

<210> 963
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 963
tcaagtgctt ttacttctat aggtttaagc tc                       32

<210> 964
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 964
tcaatacaga gtctacactt ggcttaggat                          30
```

```
<210> 965
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 965
tcaatctcga ctttttgtgc cggta                                    25

<210> 966
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 966
tcacaaggac cattataatc aatgccaa                                 28

<210> 967
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 967
tcacaccaag tagtgcaagg atc                                      23

<210> 968
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 968
tcacacctgt aagtgagaaa aaggttgat                                29

<210> 969
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 969
tcacaggttc tacttcatca ataatttcca ttgc                          34

<210> 970
<211> 34
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 970
tcaccagctt cagcgtagtc taataattta cgga                        34

<210> 971
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 971
tcaccatgcg cccgttcaca ta                                     22

<210> 972
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 972
tcaccgataa ataaaatacc taaagttaat gccattg                     37

<210> 973
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 973
tcacctacag ctttaaagcc agcaaaatg                              29

<210> 974
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 974
tcacgatacc tgcatcatca aattggtt                               28

<210> 975
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 975
tcacgatcta aatttggata agccatagga aa                          32
```

```
<210> 976
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 976
tcacgcgacg agtgccatcc attg                                    24

<210> 977
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 977
tcacgcgcat catcaccagt ca                                      22

<210> 978
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 978
tcacgggcca gctcgtct                                           18

<210> 979
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 979
tcacgtcgtc cgacttcacg gtcagcat                                28

<210> 980
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 980
tcagaatcga tgccaaatgc gtcatc                                  26

<210> 981
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 981
tcagatataa atggaacaaa tggagccact   30

<210> 982
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 982
tcagcgtagt ctaataattt acggaacatt tc   32

<210> 983
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 983
tcagctgtta acggcttcaa gaccc   25

<210> 984
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 984
tcaggtatga aacacgatta gtcctttct   29

<210> 985
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 985
tcagtttgca cttcaaaaga aattgtgtt   29

<210> 986
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 986
tcataactag catttgtgct ttgaatgct   29

<210> 987

```
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 987
tcataagggt tgcgttgcag attatcttta c                              31

<210> 988
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 988
tcatctggtt taggatctgg ttgact                                   26

<210> 989
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 989
tcatctgtgg tatggcgggt aagtt                                    25

<210> 990
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 990
tcatgacagc caagacctca cccacc                                   26

<210> 991
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 991
tcatgataga actacctggt tgcatttttg g                              31

<210> 992
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 992
tcatgtgcta atgttactgc tggatctg                                    28

<210> 993
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 993
tcattaggta aaatgtctgg acatgatcca a                                31

<210> 994
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 994
tcatttattt cttcgctttt ctcgctac                                    28

<210> 995
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 995
tcatttgtgc tttgaatgct                                             20

<210> 996
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 996
tccaaacgat ctgcatcacc atcaaaag                                    28

<210> 997
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 997
tccaacccag aaccacatac tttattcac                                   29

<210> 998
<211> 27
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 998
tccaacctttt tccacaacag aatcagc                                    27

<210> 999
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 999
tccaagtgct ggtttacccc atgg                                        24

<210> 1000
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1000
tccaagtgct ggtttacccc atggag                                      26

<210> 1001
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1001
tccaagtttg acttaaacgt accatcgc                                    28

<210> 1002
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1002
tccacactgg attgtaattt accttgttct tt                               32

<210> 1003
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1003
tccaccacct caaagaccat gtggtg                                    26

<210> 1004
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1004
tccagcaggt tctgacggaa acg                                       23

<210> 1005
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1005
tccagcagtt actgtcccct catctttg                                  28

<210> 1006
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1006
tccaggcatt accatttcta ctccttctgg                                30

<210> 1007
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1007
tccataaggt caccgtcacc attcaaagc                                 29

<210> 1008
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (21)...(21)
<223> I

<220>
```

```
<221> modified_base
<222> (30)...(30)
<223> I


<400> 1008
tccatacctt tatgcaactt tgtatcaact ggaat                                    35

<210> 1009
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1009
tccatattgt tgcataaaac ctgttggc                                           28

<210> 1010
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1010
tccatccata gaaccaaagt taccttg                                            27

<210> 1011
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1011
tccatcgcag tcacgtttac tgttgg                                             26

<210> 1012
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1012
tccatcgcca gtttttgcat aatcgctaaa aa                                      32

<210> 1013
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1013
```

tccatctgtt aaaccatcat ataccatgct atc   33

<210> 1014
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1014
tccatttccg acacgtcgtt gatcac   26

<210> 1015
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1015
tcccaatcta acttccacat accatct   27

<210> 1016
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1016
tcccaatctt ttgattcgat catacgaga   29

<210> 1017
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1017
tcccatacct atggcgataa ctgtcat   27

<210> 1018
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1018
tcccattttt tcacgcatgc tgaaaatatc   30

<210> 1019
<211> 15
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 1019
tccccacctt cctcc                                                    15

<210> 1020
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1020
tccccatctc cgcaaagaca ataaa                                         25

<210> 1021
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1021
tccccattta ataattccac ctactatcac act                               33

<210> 1022
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1022
tcccctcatg tttaaatgat caggataaaa agc                               33

<210> 1023
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1023
tcccctttaa agcaccatta ctcattatag t                                 31

<210> 1024
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1024
tcccgaacaa tgagttgtat caactatttt tac                               33
```

```
<210> 1025
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1025
tcccgctggc aaataaactc g                                               21

<210> 1026
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1026
tcccggctag agattctgta tacga                                          25

<210> 1027
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1027
tcccgtctga gttcctcttg catgatca                                       28

<210> 1028
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1028
tccctaatag tagaaataac tgcatcagta gc                                  32

<210> 1029
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1029
tcccttattt ttctttctac taccttcgga taat                               34

<210> 1030
<211> 30
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1030
tcccttcctt aatatgagaa ggaaaccact                                    30

<210> 1031
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1031
tccgaaactt gttttgtagc tttaatttga gc                                 32

<210> 1032
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1032
tccgaagttg ccctggccgt c                                             21

<210> 1033
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1033
tccgagacca gcgtaggtgt aacg                                          24

<210> 1034
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1034
tccgataagc cggattctgt gc                                            22

<210> 1035
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1035
tccgcaaaga ctttggcatt aggtgtga                                      28
```

```
<210> 1036
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1036
tccgccaaaa actccccttt tcacagg                                              27

<210> 1037
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1037
tccgccttca aaatggtggc gagt                                                 24

<210> 1038
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1038
tccggctaga gattctgtat acgaaaatat c                                         31

<210> 1039
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1039
tccggctaga gattctgtat acgacaatat c                                         31

<210> 1040
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1040
tccggtaact gggtcagctc gaa                                                  23

<210> 1041
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 1041
tccgtagttt tgcataattt atggtctatt tcaa   34

<210> 1042
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1042
tccgtcatcg ctgacagaaa ctgagtt   27

<210> 1043
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1043
tccgtctatc cacaagttaa ttggtact   28

<210> 1044
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1044
tcctacccaa cgttcaccaa gggcag   26

<210> 1045
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1045
tcctccttgt gcctcaaaac gcattttta   29

<210> 1046
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1046
tcctctatgc aacttagtat caacaggaat   30

<210> 1047

```
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1047
tcctcttggg ccacgcaaag tttt                                        24

<210> 1048
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1048
tcctcttttc acaggctcta cttcatc           .                         27

<210> 1049
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1049
tcctgaagat ctagttcttg aatggttact                                  30

<210> 1050
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1050
tcctgcaata tctaatgcac tcttacg                                     27

<210> 1051
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1051
tcctgcagct ctacctgctc catta                                       25

<210> 1052
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1052
tcctggccat cctgcaggat                                              20

<210> 1053
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1053
tcctgtttta tagccgccaa gagtaag                                      27

<210> 1054
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1054
tccttcacgc gcatcatcac c                                            21

<210> 1055
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1055
tccttctgat gcctgatgga ccaggag                                      27

<210> 1056
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1056
tccttggcat acatcatgtc gtagca                                       26

<210> 1057
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1057
tccttgtgct tcaaaacgca tttttacatt ttc                               33

<210> 1058
<211> 28
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1058
tcctttaaaa taaccgctag tagctcct                                    28

<210> 1059
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1059
tcctttatgc aacttagtat caaccggaat                                  30

<210> 1060
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1060
tcctttatgc aacttggtat caacaggaat                                  30

<210> 1061
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1061
tcctttatgc aacttggtat caaccggaat                                  30

<210> 1062
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1062
tcctttcaat gttacagaaa actctacag                                   29

<210> 1063
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1063
tcgaaccgaa gttaccctga ccat                                                24


<210> 1064
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1064
tcgaattcag ctaaatactt ttcagcatct                                          30


<210> 1065
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1065
tcgacctgga ggacgacgta aaatca                                              26


<210> 1066
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1066
tcgacgacca tcttggaaag atttc                                               25


<210> 1067
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1067
tcgagccgaa gttaccctgt ccgtc                                               25


<210> 1068
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1068
tcgatccgca tcaccatcaa aagcaaa                                             27


<210> 1069
<211> 26
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 1069
tcgatcgaac cgaagttacc ctgacc   26

<210> 1070
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1070
tcgatcgtga ctctctttat tttcagtt   28

<210> 1071
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1071
tcgatctcct tggcgtccga   20

<210> 1072
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1072
tcgcaccgtg ggttgagatg aagtac   26

<210> 1073
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1073
tcgcagcgtg cgtggcac   18

<210> 1074
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1074

```
tcgcaggctt acagaacgct ctccta                                    26


<210> 1075
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1075
tcgcagttca tcagcacgaa gcg                                       23


<210> 1076
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1076
tcgccagcta gcacgatgtc attttc                                    26


<210> 1077
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1077
tcgccatagc taagttgttt attgtttcca t                              31


<210> 1078
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1078
tcgcctggtg caggcatcat at                                        22


<210> 1079
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1079
tcgcgctgta tttttcctcc gaga                                      24


<210> 1080
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1080
tcgctacctt aggaccgt                                                    18

<210> 1081
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1081
tcgctcagca ataattcact ataagccga                                        29

<210> 1082
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1082
tcgctctctc aagtgatcta aacttggag                                        29

<210> 1083
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1083
tcgcttgagt gtagtcatga ttgcg                                            25

<210> 1084
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1084
tcggaaacaa agaattcatt ttctggtcca aa                                    32

<210> 1085
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1085
tcggaaatat tctttcaata cctttatgca act                                   33
```

```
<210> 1086
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1086
tcggaaatat tctttcaata cctttatgca actt                                34

<210> 1087
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (20)...(20)
<223> I

<220>
<221> modified_base
<222> (26)...(26)
<223> I


<400> 1087
tcggaaatat tctttcaata cctttatgca actt                                34

<210> 1088
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1088
tcggactcgc tttcgctacg                                                20

<210> 1089
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1089
tcggataagc tgccacaagg                                                20

<210> 1090
<211> 19
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1090
tcggcatcac gccgtcgtc                                            19

<210> 1091
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1091
tcggcgaaca tggccatcac                                           20

<210> 1092
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1092
tcgggcgtag tttttagtaa ttaaatcaga agt                            33

<210> 1093
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1093
tcggtacgaa ctggatgtcg ccgtt                                     25

<210> 1094
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1094
tcggtcagca aaacggtagc ttgc                                      24

<210> 1095
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1095
tcggtggtgg tagccgatct c                                         21
```

```
<210> 1096
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1096
tcggtttaag ctctacatga tcgtaaggat a                                31

<210> 1097
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1097
tcggtttcag tcatctccac cataaaggt                                   29

<210> 1098
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1098
tcgtatgacc agcttcggta ctacta                                      26

<210> 1099
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1099
tcgtcaacac taccattatt accatgcatc tc                               32

<210> 1100
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1100
tcgtccgact taacggtcag catttc                                      26

<210> 1101
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 1101
tcgtccgact taacggtcag catttcctg   29

<210> 1102
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1102
tcgtccgact taacggtcag catttcctgc a   31

<210> 1103
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1103
tcgtcctctc gaatctccga tatacc   26

<210> 1104
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1104
tcgtcgcgga cttcgaagcc   20

<210> 1105
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1105
tcgtcggact taacggtcag catttc   26

<210> 1106
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1106
tcgtcggact taacggtcag catttcctg   29

<210> 1107

```
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1107
tcgtcggact taacggtcag catttcctgc a                               31

<210> 1108
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1108
tcgtcgtatt tatagtgacc agcaccta                                   28

<210> 1109
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1109
tcgtgcctaa caaatcccgt ctgagttc                                   28

<210> 1110
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1110
tcgtggacta ccagggtatc ta                                         22

<210> 1111
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1111
tcgtgggcct tgccggt                                               17

<210> 1112
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1112
tcgttaatta atctggctgc ggaagtga                                   28

<210> 1113
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1113
tcgttgagat ggtttttacc ttcgttg                                    27

<210> 1114
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1114
tcgtttaagc gccagaaagc accaa                                      25

<210> 1115
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1115
tcgtttcacc ctgtcatgcc g                                          21

<210> 1116
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1116
tctttcgtat aaaaaggacc aattgg                                     26

<210> 1117
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1117
tctacaacac ttgattgtaa tttgccttgt tcttt                           35

<210> 1118
<211> 24
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1118
tctagcggaa caacagttct gatg                                    24

<210> 1119
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1119
tctatagagt ccggactttc ctcgtga                                 27

<210> 1120
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1120
tctataggta ctgtagtttg ttttccgtct                              30

<210> 1121
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1121
tctcacctac agctttaaag ccagcaa                                 27

<210> 1122
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1122
tctcacctac agctttaaag ccagcaaaat g                            31

<210> 1123
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1123
tctcatcccg atattaccgc catga                                      25


<210> 1124
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1124
tctcatgaaa aaggctcagg agatacaag                                  29


<210> 1125
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1125
tctcttaccc caccctttca cccttac                                    27


<210> 1126
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1126
tctctttcaa agcaccattg ctcattatag t                               31


<210> 1127
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1127
tctgcatttt tgcgagcctg tcta                                       24


<210> 1128
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1128
tctgcctgag atgtcgaaaa aaacgttg                                   28


<210> 1129
<211> 26
<212> DNA
```

```
<213> Artificial Sequence

<220>
<223> Primer

<400> 1129
tctggcccct ccatacatgt atttag                                26


<210> 1130
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1130
tctggctgcg gaagtgaaat cgt                                   23


<210> 1131
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1131
tctgggtgac ctggtgtttt aga                                   23


<210> 1132
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1132
tctgtttcag ttgcaaattc                                       20


<210> 1133
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1133
tcttcacact tttagaatca accgttttat tgtc                       34


<210> 1134
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1134
```

```
tcttcagcgt agtctaataa tttacggaac atttc                          35


<210> 1135
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1135
tcttccaagg atagatttat ttcttgttcg                                30


<210> 1136
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1136
tcttctgtaa agggtggttt attattcatc cca                            33


<210> 1137
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1137
tcttcttctt tcgtataaaa aggaccaatt gg                             32


<210> 1138
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1138
tcttcttgaa aaattgttgt cccgaaac                                  28


<210> 1139
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1139
tcttctttcg tataaaaagg accaattggt t                              31


<210> 1140
<211> 18
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1140
tcttgacagc atccgttg                                              18

<210> 1141
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1141
tcttgagcat tggttcttac ttgttttgca ta                             32

<210> 1142
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1142
tcttgagcca tacgtaccat tgc                                       23

<210> 1143
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1143
tcttggctta ggatgaaaat atagtggtgg ta                             32

<210> 1144
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1144
tctttaagtt cttccaagga tagatttatt tcttgttcg                      39

<210> 1145
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1145
tcttttcttt gcttaatttt ccatttgcga t                             31
```

```
<210> 1146
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1146
tgttactgct ggat                                                      14

<210> 1147
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1147
tgaacatttg cgacggtata cccat                                          25

<210> 1148
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1148
tgaatatgta atgcaaacca gtctttgtca t                                   31

<210> 1149
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1149
tgaatcttga aacaccatac g                                              21

<210> 1150
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1150
tgaatcttga aacaccatac gtaacg                                         26

<210> 1151
<211> 34
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1151
tgaattatgc aagaagtgat caattttctc acga                                    34


<210> 1152
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1152
tgaattcttt caaagcacca ttgctcatta tagt                                    34


<210> 1153
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1153
tgacaggaca caatctgcat gaagtctgag                                         30


<210> 1154
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1154
tgacccaaag ctgaaagctt tactg                                              25


<210> 1155
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1155
tgaccccaac ctggcctttt gtcgttga                                           28


<210> 1156
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1156
tgaccgttat agttacggcc                                                    20
```

```
<210> 1157
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1157
tgacggcatc gataccaccg tc                                            22

<210> 1158
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1158
tgacgtcatc cccaccttcc                                               20

<210> 1159
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1159
tgacgtcatc cccaccttcc tc                                            22

<210> 1160
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1160
tgacgtcatg cccaccttcc                                               20

<210> 1161
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1161
tgacgtcatg gccaccttcc                                               20

<210> 1162
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 1162
tgacttaaac gtaccatcgc ttcatataca ga   32

<210> 1163
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1163
tgactttcct cccccttatc agtctcc   27

<210> 1164
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1164
tgagatgtcg aaaaaaacgt tggcaaaata c   31

<210> 1165
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1165
tgagatgttg atgatttacc agttccgatt g   31

<210> 1166
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1166
tgagcatcag cgtgcgtgct   20

<210> 1167
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1167
tgagcatttt tatatccatc tccaccat   28

<210> 1168

```
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1168                                                              32
tgagccatac gaacaatggt ttcataaaca gc

<210> 1169
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1169                                                              32
tgagccatga gtaccatggc ttcataacat gc

<210> 1170
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1170                                                              26
tgagcgtgtg gaaaaggact tggatg

<210> 1171
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1171                                                              29
tgagctggtg ctatatgaac aataccagt

<210> 1172
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1172                                                              30
tgagtcaccc tccacaatgt atagttcaga

<210> 1173
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1173
tgagtcgggt tcactttacc tggca                                    25

<210> 1174
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1174
tgagtctaca cttggcttag gatgaaa                                  27

<210> 1175
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1175
tgagttaaaa tgcgattgat ttcagtttcc aa                           32

<210> 1176
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1176
tgagtttgaa ccatttcaga gcgaatatct ac                           32

<210> 1177
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1177
tgagtttgca cttcaaaaga aattgtgt                                28

<210> 1178
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1178
tgataaaaag cactaagcga tgaaacagc                               29

<210> 1179
<211> 27
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1179
tgataatgaa gggaaacctt tttcacg                                    27


<210> 1180
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1180
tgatattgaa ctggtgtacc ataatagttg cc                             32


<210> 1181
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1181
tgatcctgaa tgtttatatc tttaacgcct                                30


<210> 1182
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1182
tgatctccat ggcgcggatc tt                                        22


<210> 1183
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1183
tgatgcgggc tggttcaac                                            19


<210> 1184
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1184
tgatgcgggc tggttcaaca agag                                            24

<210> 1185
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1185
tgatggtcta tttcaatggc agttacgaaa                                      30

<210> 1186
<211> 19
<212> DNA
<213> Artificial Sequence                        .

<220>
<223> Primer

<400> 1186
tgattatcag cggaagtag                                                  19

<210> 1187
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1187
tgattcaaat gcagaaccat caaactcg                                        28

<210> 1188
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1188
tgattcgatc atacgagaca ttaaaactga g                                    31

<210> 1189
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1189
tgattggcga taaagtgata ttttctaaaa                                      30

<210> 1190
<211> 22
<212> DNA
```

<210> Artificial Sequence

<220>
<223> Primer

<400> 1190   22
tgattgttttt gcagctgatt gt

<210> 1191
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1191   22
tgattgttttt gcagctgatt gt

<210> 1192
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1192   30
tgcaaaagta acggttacat ctgctccaat

<210> 1193
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1193   33
tgcaacaatt aatgctccga caattaaagg att

<210> 1194
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1194   24
tgcaactcat ctggtttagg atct

<210> 1195
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1195

```
tgcaactgaa tagattgcag taagttataa gc                                     32


<210> 1196
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1196
tgcaagagca accctagtgt tcg                                                23


<210> 1197
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1197
tgcaagggaa acctagaatt acaaaccct                                          29


<210> 1198
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1198
tgcaatgtgt gctatgtcag caaaaagat                                          29


<210> 1199
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1199
tgcacctgcg gtcgagcg                                                      18


<210> 1200
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1200
tgcacgcaaa cgctttactt cagc                                               24


<210> 1201
<211> 26
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1201
tgcacgtctg tttcagttgc aaattc                              26

<210> 1202
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1202
tgcagctgat tgt                                            13

<210> 1203
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1203
tgcataggga aggtaacacc atagtt                              26

<210> 1204
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1204
tgcatcacca tttccttgtc cttcg                               25

<210> 1205
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1205
tgcatgaagc ataaaaactg tatcaagtgc tttta                    35

<210> 1206
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1206
tgcatgctta ctcaaatcat cataaacaat taaagc                   36
```

```
<210> 1207
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1207
tgcattgtac cgaagtagtt cacattgtt                                  29

<210> 1208
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1208
tgccaagtgc tggtttaccc catgg                                      25

<210> 1209
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1209
tgccactttg acaactcctg ttgctg                                     26

<210> 1210
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1210
tgccagcgac agaccatcgt a                                          21

<210> 1211
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1211
tgccagctta gtcatacgga cttc                                       24

<210> 1212
<211> 27
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1212
tgccagtttc cacatttcac gttcgtg                                            27


<210> 1213
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1213
tgccatacgt accatcgttt cataaacagc                                        30


<210> 1214
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1214
tgccatagca aagcctacag catt                                              24


<210> 1215
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1215
tgccatccat aatcacgcca tactgacg                                          28


<210> 1216
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1216
tgccatttcc atgtactctt ctctaacatt                                        30


<210> 1217
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1217
tgcccaccag aaagactagc aggataa                                           27
```

```
<210> 1218
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1218                                                                    20
tgcccaggta caacctgcat

<210> 1219
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1219                                                                    27
tgccccattg ctcatgatag tagctac

<210> 1220
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1220                                                                    30
tgccctttct aaaagtcttg agtgaagata

<210> 1221
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1221                                                                    25
tgcccttttg taaaagcagg gctat

<210> 1222
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1222                                                                    23
tgccgataag ccggattctg tgc

<210> 1223
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
```

<223> Primer

<400> 1223   28
tgccgtaaca tagaagttac cgttgatt

<210> 1224
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1224   33
tgccgtaact aacataagag aattatgcaa gaa

<210> 1225
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1225   33
tgccgtatac gaaaatatct tatcatttag cgt

<210> 1226
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1226   25
tgcctaacaa atcccgtctg agttc

<210> 1227
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1227   20
tgcctcgcgc aacctacccg

<210> 1228
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1228   20
tgcctcgtgc aacccacccg

<210> 1229

```
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1229
tgcgaggaac ttcacgtcct gc                                        22

<210> 1230
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1230
tgcgatggta ggtatcttag caatcattct                                30

<210> 1231
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1231
tgcgcgagct tttatttggg tttc                                      24

<210> 1232
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1232
tgcgctaatt cttcaacttc ttctttcgt                                 29

<210> 1233
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1233
tgcgctatca acgattttga caatatatgt ga                             32

<210> 1234
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 1234
tgcggcagca ctatcaccat cca   23

<210> 1235
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1235
tgcgggctgg ttcaacaaga g   21

<210> 1236
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1236
tgcgggtgat acttaccgag tac   23

<210> 1237
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1237
tgcggtctgg cgcatatagg ta   22

<210> 1238
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1238
tgcgtagtct aataatttac ggaacatttc   30

<210> 1239
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1239
tgcgtgacga ccttcttgaa ttgtaatca   29

<210> 1240
<211> 23

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1240                                                      23
tgcgtggact accagggtat cta

<210> 1241
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1241                                                      13
tgcagctgat tgt

<210> 1242
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1242                                                      30
tgctaaagtc ttgagccata cgaacaatgg

<210> 1243
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1243                                                      24
tgctagacct ttacgtgcac cgtg

<210> 1244
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1244                                                      23
tgctaggcca tcaggccacg cat

<210> 1245
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1245
tgctatatgc tacaactggt tcaaaaacat taag                            34

<210> 1246
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1246
tgctcacctg ctacaacaag tccagcaat                                  29

<210> 1247
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1247
tgctcttacc tcaccgttcc acccttacc                                  29

<210> 1248
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1248
tgctgctttc gcatggttaa ttgcttcaa                                  29

<210> 1249
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1249
tgctgctttg atggctgaat ccccttc                                    27

<210> 1250
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1250
tgctggattc gcctttgcta cg                                         22

<210> 1251
<211> 21
<212> DNA
```

<210> 1252
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1251
tgctgtaggg aaatcagggc c   21

<210> 1252
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1252
tgcttagatg ctttcagc   18

<210> 1253
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1253
tgcttcaaaa cgcatttta cattttcgtt aaag   34

<210> 1254
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1254
tgcttcagca cggccaccaa cttctag   27

<210> 1255
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1255
tgcttcagcg tagtctaata atttacggaa c   31

<210> 1256
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1256

20

tgcttctctt ccgggtcggc

<210> 1257
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1257   32
tgcttgctca aatcatcata aacaattaaa gc

<210> 1258
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1258   31
tgcttgctct ttcaagcagt cttgaatgaa g

<210> 1259
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1259   23
tgcttggtgg cttcttcgtc gaa

<210> 1260
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1260   32
tgctttgtaa tctagttcct gaatagtaac ca

<210> 1261
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1261   30
tggaaaactc atgaaattaa agtgaaagga

<210> 1262
<211> 29
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 1262                                                    29
tggaaaccgg ctaagtgagt accaccatc


<210> 1263
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1263                                                    30
tggaacaccg tctttaatta aagtatctcc


<210> 1264
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1264                                                    24
tggaatttac cagcgataga cacc


<210> 1265
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1265                                                    20
tggaccacgc cgaagaacgg


<210> 1266
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1266                                                    30
tggacgatat tcacggttta cccacttata


<210> 1267
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1267                                                    31
tggactaata acaatgagct cattgtactg a
```

```
<210> 1268
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1268
tggataattg gtcgtaacaa gggatagtga g                                    31

<210> 1269
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1269
tggatagacg tcatatgaag gtgtgct                                         27

<210> 1270
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1270
tggatcactg cttacgaact cagcttc                                         27

<210> 1271
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1271
tggatgtgct cacgagtctg tggcat                                          26

<210> 1272
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1272
tggcaacagc tcaacacctt tgg                                             23

<210> 1273
<211> 26
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1273
tggcaccgtg ggttgagatg aagtac                                    26


<210> 1274
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1274
tggcacgagc ctgacctgt                                            19


<210> 1275
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1275
tggcagcaat agtttgacgt acaaatgcac acat                           34


<210> 1276
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1276
tggcatcacc atttccttgt ccttcg                                    26


<210> 1277
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1277
tggccacttt tatcagcaac cttacagtc                                 29


<210> 1278
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1278
tggccgtact ccccaggcg                                            19
```

<210> 1279
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1279   20
tggcgatgca ctggcttgag

<210> 1280
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1280   24
tggctcataa gacgcgcttg taga

<210> 1281
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1281   22
tggctgcgga agtgaaatcg ta

<210> 1282
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1282   19
tggctgcttc taagccaac

<210> 1283
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1283   26
tggcttgaga atttaggatc cggcac

<210> 1284
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

```
<223> Primer

<400> 1284
tgggacgtaa tcgtataaat tcatcatttc                              30

<210> 1285
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1285
tgggataaca ttggttggaa tataagcaga aacatc                       36

<210> 1286
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1286
tgggatggag gtgtagaagg tgttatcatc                              30

<210> 1287
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1287
tgggatggag gtgtagaagg tgttatcatc                              30

<210> 1288
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1288
tgggcaccat ttatccacaa attgattggt at                           32

<210> 1289
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1289
tggggacttc cttaccactt ttagtatcta a                            31

<210> 1290
```

```
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1290
tggggatatg gaggtgtaga aggtgttatc atc                              33

<210> 1291
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1291
tggggtaaga cgcggctagc atgtatt                                     27        .

<210> 1292
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1292
tgggtacgaa ctggatgtcg ccgtt                                       25

<210> 1293
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1293
tgggtaggtt tttatctgtg acgcctt                                     27

<210> 1294
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1294
tgggtctaca cctgcacttg cataac                                      26

<210> 1295
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 1295
tgggtgctgg tttaccccat ggag   24

<210> 1296
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1296
tgggttgcgt tgcagattat ctttaccaa   29

<210> 1297
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1297
tgggtttcgc gcttagatgc tttca   25

<210> 1298
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1298
tggtaaccct tgtctttg   18

<210> 1299
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1299
tggtaaccct tgtctttgaa ttgtatttgc a   31

<210> 1300
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1300
tggtacaaca tcgttagctt taccactttc acg   33

<210> 1301
<211> 32

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1301                                                                    32
tggtacacct ggtttcgttt tgatgatttg ta

<210> 1302
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1302                                                                    30
tggtacttca acttcatcca ttatgaagtc

<210> 1303
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1303                                                                    31
tggtatattc gttaattaat ctggctgcgg a

<210> 1304
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1304                                                                    21
tggtctgagt acctcctttg c

<210> 1305
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1305                                                                    31
tggtgggtat cttagcaatc attctaatag c

<210> 1306
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

<400> 1306
tggtgttcta gtatagattg aggtagtggt ga   32

<210> 1307
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1307
tggttagaag tcgtaacgtg gacc   24

<210> 1308
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1308
tggttcaaca agagttgccg ttgca   25

<210> 1309
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1309
tggttcttac ttgctttgca taaactttcc a   31

<210> 1310
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1310
tggttgtagt tcctgtagtt gttgcattaa c   31

<210> 1311
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1311
tggtttgtca gaatcacgtt ctggagttgg   30

<210> 1312
<211> 28
<212> DNA

<210> Artificial Sequence

<220>
<223> Primer

<400> 1312
tgtaaaagca gggctataat aaggactc   28

<210> 1313
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1313
tgtaaattcc gcaaagactt tggcattag   29

<210> 1314
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1314
tgtaacccctt gtctttgaat tgtatttgc   29

<210> 1315
<211> 31
<212> DNA
<213> Artificial Sequence   .

<220>
<223> Primer

<400> 1315
tgtaattaac cgaaggttct gtagaagtat g   31

<210> 1316
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1316
tgtacaagga ccattataat caatgcca   28

<210> 1317
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1317

tgtacaataa ggagtcacct tatgtccctt a   31

<210> 1318
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1318
tgtacaccat ttatccacaa attgattggt   30

<210> 1319
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1319
tgtaggcaag tgcataagaa attgataca   29

<210> 1320
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1320
tgtcaatatg aaggtgctct gtggata   27

<210> 1321
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1321
tgtcaccagc ttcagcgtag tctaataa   28

<210> 1322
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1322
tgtcactccc gacacgcca   19

<210> 1323
<211> 29
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 1323
tgtcagctaa gctaataacg tttgtagag                               29


<210> 1324
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1324
tgtcatcaag caccccaaaa tgaact                                  26


<210> 1325
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1325
tgtccgactt gacggtcaac atttcctg                                28


<210> 1326
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1326
tgtccgactt gacggtcagc atttcctg                                28


<210> 1327
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1327
tgtccgactt gacggttagc atttcctg                                28


<210> 1328
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1328
tgtcgcagca tctgttcctg c                                       21
```

```
<210> 1329
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1329
tgtctattgt cgattgttac ctgtacagt                                    29

<210> 1330
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1330
tgtgaacatt tgcgacggta tacccat                                      27

<210> 1331
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1331
tgtgaagaac tttcaaatct gtgaatcca                                    29

<210> 1332
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1332
tgtgatatgg aggtgtagaa ggtg                                         24

<210> 1333
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1333
tgtgatatgg aggtgtagaa ggtgtta                                      27

<210> 1334
<211> 24
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1334
tgtgcaggca tcatgtcata ccaa                                    24

<210> 1335
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1335
tgtgctgctt tcgcatggtt aattgcttca a                            31

<210> 1336
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1336
tgtgctggtt taccccatgg ag                                      22

<210> 1337
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1337
tgtgctggtt taccccatgg agt                                     23

<210> 1338
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1338
tgtgctttga atgct                                              15

<210> 1339
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1339
tgtgcttttt ttgctgccat agcaaagc                                28
```

<210> 1340
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1340
tgtggccgat ttcaccacct gctcct   26

<210> 1341
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1341
tgtgttgtcg ccgcgcag   18

<210> 1342
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1342
tgttaacggc ttcaagaccc   20

<210> 1343
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1343
tgttaagtgt gttgcggctg tctttatt   28

<210> 1344
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1344
tgttaatggt aacccttgtc tttgaattgt atttgc   36

<210> 1345
<211> 22
<212> DNA
<213> Artificial Sequence

<220>

```
<223> Primer

<400> 1345
tgttactcac ccgtctgcca ct                                    22

<210> 1346
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1346
tgttactgct ggat                                             14

<210> 1347
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1347
tgttcatgtt taaatgatca ggataaaaag cact                       34

<210> 1348
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1348
tgttccaata gcagttccgc ccaaattgat                            30

<210> 1349
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1349
tgttctggat tgattgcaca atcaccaaag                            30

<210> 1350
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1350
tgttcttgat acacctggtt tcgttttgat                            30

<210> 1351
```

```
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1351
tgttgaagct gtacttgacc tgattttacg                    30


<210> 1352
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1352
tgttgaccat gcttcttag                                19


<210> 1353
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1353
tgttgtgccg cagtcaaata tctaaata                      28


<210> 1354
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1354
tgtttgtgat gcatttgctg agcta                         25


<210> 1355
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1355
tgttttatgt gtagttgagc ttactacatg agc                33


<210> 1356
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1356
tgttttgtat ccaagtgctg gtttaccccc                                    29

<210> 1357
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1357
tactcatgcc a                                                        11

<210> 1358
<211> 11
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1358
tattcttcgt t                                                        11

<210> 1359
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1359
ttacttctaa cccactc                                                  17

<210> 1360
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1360
ttaatctggc tgcggaagtg aaatcgt                                       27

<210> 1361
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1361
ttaccatctt caaatacccg aacagtaa                                      28

<210> 1362
<211> 26
```

<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1362
ttaccgagca ggttctgacg gaaacg   26

<210> 1363
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1363
ttacgccatc aggccacgca   20

<210> 1364
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1364
ttactcaccc gtccgcc   17

<210> 1365
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1365
ttactcaccc gtccgccgct   20

<210> 1366
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1366
ttacttcctt accactttta gtatctaaag cata   34

<210> 1367
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

```
<400> 1367
ttacttctaa cccactc                                                17

<210> 1368
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1368
ttagaagtcg taacgtggac c                                           21

<210> 1369
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1369
ttagatgctt tcagcactta tc                                          22

<210> 1370
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1370
ttcaaaacct tgctctcgcc aaacaa                                      26

<210> 1371
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1371
ttcaaaagtt gctcgagacc attg                                        24

<210> 1372
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1372
ttcaaaatgc ggaggcgtat gtg                                         23

<210> 1373
<211> 22
<212> DNA
```

<213> Artificial Sequence

<220>
<223> Primer

<400> 1373
ttcaacaaga gttgccgttg ca   22

<210> 1374
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1374
ttcaacactc tcacctacag ctttaaag   28

<210> 1375
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1375
ttcaagtgct tgctcaccat tgtc   24

<210> 1376
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1376
ttcaggtaca gcaggtggtt caggat   26

<210> 1377
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1377
ttcaggtcca tcgggttcat gcc   23

<210> 1378
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1378

ttcataagca atacctttac ttgcaccac   29

<210> 1379
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1379
ttcattttct ggtccaaagt aagcagtatc   30

<210> 1380
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1380
ttccaagtgc tggtttaccc catgg   25

<210> 1381
<211> 33
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1381
ttccaccttg gatacctgga aaaatagctg aat   33

<210> 1382
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1382
ttccatttca actaattcta ataattcttc atcgtc   36

<210> 1383
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1383
ttcccctgac cttcgattaa aggatagc   28

<210> 1384
<211> 27
<212> DNA
<213> Artificial Sequence

```
<220>
<223> Primer

<400> 1384
ttcgcgcatc caggagaagt acatgtt                                        27

<210> 1385
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1385
ttcgctcgcc gctac                                                     15

<210> 1386
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1386
ttcgctctcg gcctggcc                                                  18

<210> 1387
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1387
ttcggtataa cgcatcgcag ca                                             22

<210> 1388
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1388
ttcgtgctgg attttgtcct tgtcct                                         26

<210> 1389
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1389
ttcgtgctta gatgctttca g                                              21
```

```
<210> 1390
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1390
ttctgagcta aatcagcagt tgca                              24


<210> 1391
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1391
ttctgcgaat caatcgcacg ctg                               23


<210> 1392
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1392
ttctgcttga ggaatagtgc gtgg                              24


<210> 1393
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1393
ttctgggtga cctggtgttt taga                              24


<210> 1394
<211> 31
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1394
ttcttccaag gatagattta tttcttgttc g                      31


<210> 1395
<211> 24
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Primer

<400> 1395
ttcttgaacg cgaggtttcg attg                                      24


<210> 1396
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1396
ttgacatcgt ccctcttcac ag                                        22


<210> 1397
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1397
ttgacatttg catgcttcaa agcctg                                    26


<210> 1398
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1398
ttgacgtcat ccccaccttc ctc                                       23


<210> 1399
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1399
ttgacgttgc atgttcgagc ccat                                      24


<210> 1400
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1400
ttgcaatcga catatccatt tcaccatgcc                                30
```

<210> 1401
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1401
ttgcacgtct gtttcagttg caaattc   27

<210> 1402
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1402
ttgcacgtct gtttcagttg caaattc   27

<210> 1403
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1403
ttgcatcggg ttggtaagtc   20

<210> 1404
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1404
ttgccacttt gacaactcct gttgctg   27

<210> 1405
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1405
ttgccatagc aaagcctaca gcatt   25

<210> 1406
<211> 30
<212> DNA
<213> Artificial Sequence

<220>

<223> Primer

<400> 1406
ttgccattca tggtatttaa gtgtagcaga   30

<210> 1407
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1407
ttgcgccata cgtaccatcg t   21

<210> 1408
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1408
ttgcgttgca gattatcttt accaa   25

<210> 1409
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1409
ttgctgccat agcaaagcct acagc   25

<210> 1410
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1410
ttgctgcttt cgcatggtta atcgcttcaa   30

<210> 1411
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1411
ttgctgcttt cgcatggtta attgcttcaa   30

<210> 1412

```
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1412
ttggacctgt aatcagctga atactgg                                     27

<210> 1413
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1413
ttggccatca gaccacgcat ac                                          22

<210> 1414
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1414
ttggccatca ggccacgcat ac                                          22

<210> 1415
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1415
ttggcgacgg tatacccata gctttata                                    28

<210> 1416
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1416
ttggtgcgct tggcgta                                                17

<210> 1417
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1417
ttggttctta cttgttttgc ataaactttc ca                                  32


<210> 1418
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1418
ttgtacattt gaaacaatat gcatgacatg tgaat                               35


<210> 1419
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1419
ttgtcagact catcgcgaac atc                                            23


<210> 1420
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1420
ttgtgatatg gaggtgtaga aggtgtta                                       28


<210> 1421
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1421
ttgtgattgt tttgcagctg attgtg                                         26


<210> 1422
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1422
ttgtggccga tttcaccacc tgctcct                                        27


<210> 1423
<211> 21
```

```
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1423
ttgttaacgg cttcaagacc c                                          21

<210> 1424
<211> 32
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1424
ttgtttattg tttccatatg ctacacactt tc                             32

<210> 1425
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1425
tttaagcgcc agaaagcacc aac                                        23

<210> 1426
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1426
tttacctcgc ctttccaccc ttacc                                      25

<210> 1427
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1427
tttagctact attctagctg ccatttcca                                  29

<210> 1428
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer
```

```
<400> 1428
tttatgacca gcttcggtac tactaaa                                          27


<210> 1429
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1429
tttatggtct atttcaatgg cagttacgaa                                       30


<210> 1430
<211> 37
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (23)...(23)
<223> I

<220>
<221> modified_base
<222> (32)...(32)
<223> I


<400> 1430
tttcaatacc tttatgcaac tttgtatcaa ctggaat                               37


<210> 1431
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1431
tttcacagca tgcacgtctg tttcagttgc                                       30


<210> 1432
<211> 35
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1432
tttccccgat ctaaatttgg ataagccata ggaaa                                 35


<210> 1433
<211> 27
<212> DNA
```

<210> Artificial Sequence

<220>
<223> Primer

<400> 1433
tttccgatgc aacgtaatga gatttca   27

<210> 1434
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1434
tttcgtgctt agatgctttc ag   22

<210> 1435
<211> 30
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1435
tttcttgaag agtatgagct gctccgtaag   30

<210> 1436
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1436
tttgcacctt accgccaaag ct   22

<210> 1437
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1437
tttgctcatg atctgcatga agcataaa   28

<210> 1438
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1438

                                                                    24
tttgctctcc gccaaagttt ccac

<210> 1439
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1439   28
tttggacctg taatcagctg aatactgg

<210> 1440
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1440   29
tttgtgaaac agcgaacatt ttcttggta

<210> 1441
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1441   20
ttttccagcc atgcagcgac

<210> 1442
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<220>
<221> modified_base
<222> (29)...(29)
<223> I

<400> 1442   34
ttttcccttt atgcaactta gtatcaactg gaat

<210> 1443
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Primer

<400> 1443   29
ttttgctcat gatctgcatg aagcataaa

```
<210> 1444
<211> 2118
<212> DNA
<213> Artificial Sequence

<220>
<223> Concatenation of A. baumannii genes

<220>
<221> misc_feature
<222> 447-486, 778-817, 1162-1201, 1495-1534, 1928-1967, 2115-2118
<223> n = A,T,C or G

<400> 1444
cgcgcggtaa aactaaagaa gaagatatag cattagaaaa agatttgctg tctgatgaaa 60
aagagattgc tgaacattta atgctgattg atcttgggcg aaacgatgta gggcgtgtat 120
cgaaaatagg taaagtccaa gtcacggatc aaatggtgat cgagcgttat tcacatgtca 180
tgcatattgt ttcaaatgta caaggtgaag tgcgtgatga tatcgatgca cttgatgtat 240
ttaaagccac ctttccagca ggaacgttat caggtgcccc aaaaattcgt gcaatggaaa 300
ttattgatga agtagaacct gtgaaaaggg gagtttttgg cggggctgtt ggttatttgg 360
gatggcatgg tgaaatggat atgtcgattg caatccgtac ttgtgttatc cgtgataaaa 420
aggtgtatgt acaggctggt gcagggnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 480
nnnnnnggaa tctggcggtt tagtttcaga tgaactcatt atcggtttag taaaagaacg 540
tattgctcaa cctgactgcg tgaatggttg tattttcgac ggcttcccac gcactattcc 600
tcaagcagaa gctttggaaa aagaagggat cagcattgat catgtaattg aaattgatgt 660
acctgatgaa gaaatcgtaa aacgtctttc tggtcgtcgt cagcatcctg cttctggtcg 720
tgtttatcac gttgtataca atccacctaa agtggaaggt aaagatgatg tcacaggnnn 780
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnncgt tcaaccgtgt aaaattacgt 840
aaccttaaaa ctggtaaagt tttagaaaaa acttttaaat ctggtgatac tttagaagct 900
gctgacatcg tagaagtaga aatgaactac ctatacaacg atggcgaaat gtggcacttc 960
atggacccag aaagcttcga acaaattgca gctgacaaaa ctgcaatggg tgatgctgct 1020
aaatggttaa aagacgactc aaatgaaaca tgtacaatca tgttattcaa cggcgttcct 1080
ttaaacgtaa atgcacctaa cttcgttgta ttgaaagttg ttgaaactga tccgggcgta 1140
cgtggtgata cttctggtgg tnnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 1200
ntcgtgcccg yaatttgcat aaagctgccg gccttgtagc acagcaaggc aaatttcctg 1260
aaactctaga agaatggatt gcactacccg gcattggtcg ctcgaccgca ggtgcactca 1320
tgtctttagg tttacgtcag tatggcgtga ttatggatgg caacgtgaaa cgcgtttttag 1380
cccgtttctt tgccattgaa gatgacttaa gcaaaccaca gcacgaacgt gaaatgtgga 1440
aactggctga gagctttgt cccacccaac gcaatcatga ctacactcaa gcgannnnnn 1500
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnttaaaa acactagcgg taagcttaaa 1560
caagattgcc aatgatattc gttggttagc aagtggtcca cgttgcggct tcggcgaaat 1620
ccgtattcct gaaaatgaac ctggttcaag tatcatgcca ggtaaagtga acccgactca 1680
aagtgaagcc atgaccatgg ttgttgctca agtacttggc aacgatacca ctattaatgt 1740
cgctggtgct tctggtaact tcgagctcaa tgtatttatg ccagtgattg cttataactt 1800
actgcaatct attcagttgc ttggtgatgc atgtaatagt tttaatgatc actgtgcagt 1860
agggatcgag ccaaatcgtg agaaaattga tcatttcttg cataattctc ttatgttagt 1920
tacggcannn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnncccc ggttatgtac 1980
caaatacttt gtctgaagat ggtgacccat tagacgtact tgttgtaact ccacatcctg 2040
ttgctgccgg ttctgtaatt cgttgccgcc cagtgggcaa attaaacatg gaagacgacg 2100
gtggtatcga tgccnnnnn                                                 2118
                                                                     2118
```

```
<210> 1445
<211> 102
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide
```

<400> 1445
tttaagtccc gcaacgagcg caacccttga tcttagttgt ttagttgggc actctaaggt 60
gactgccggt gacaaaccgg aggaaggtgg ggatgacgtc aa   102

<210> 1446
<211> 94
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1446
tagaacaccg atggcgaagg cgactttctg gtctgtaact gacactgaga aagcgtgggg 60
agcaaacagg attagatacc ctggtagtcc acga   94

<210> 1447
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1447
tggattagag accctggtag tccacgccgt aaacgatgag tgctaagtgt tagaggcctt 60
tagtgctgaa gttaacgcat taagcactcc gcctggggag tacggcca   108

<210> 1448
<211> 108
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide   .

<400> 1448
tttcgatgca acgcgaagaa ccttaccagg tcttgacatc ctctgacaac cctagcttct 60
ccttcgggag cagagtgaca ggtggtgcat ggctgtcgtc agctcgta   108

<210> 1449
<211> 95
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1449
tctgacacct gcccggtgct ggaaggttaa ggagaggggt tagcgtaact ctgaactgaa 60
gccccagtaa acggcggccg taactataac ggtca   95

<210> 1450
<211> 117
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1450

```
tctgttctta gtacgagagg accgggatgg acgcaccggt accagttgtt ctgccaaggg 60
catagctggg tagctatgtg cggaagggat aagtgctgaa agcatctaag cacgaaa     117


<210> 1451
<211> 100
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1451
tgattattgt tatcctgtta tgccatttga gatttttgag tggtattgga gttattgttc 60
caggattaat tgcaaataca attcaaagac aagggttaca                        100


<210> 1452
<211> 112
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1452
tcgaagtaca atacaagaca aaagaaggta aaattactgt tttaggggaa aaattcaaga 60
aatatagaag tgatggctaa aaatgtagaa ggggtcttga agccgttaac aa           112


<210> 1453
<211> 100
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1453
ttgctcgtgg tgcacaagta acggatatta caatcattgt tgttgcagct gatgacggcg 60
taataaacag ttgaagcaat taaccatgcg aaagcagcaa                        100


<210> 1454
<211> 114
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1454
tagcttttgc atattatatc gagccacagc atcgtgatgt tttacagctt tatgcaccgg 60
aagcttttaa tggataaatt taacgaacaa gaaataaatc tatccttgga agaa        114


<210> 1455
<211> 116
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1455
tgacctacag taagaggttc tgtaatgaac cctaatgacc atccacacgg tggtggtgaa 60
```

ggtagatctc ctatcggaaa gtccacgtac tccatggggt aaaccagcac ttggaa   116

<210> 1456
<211> 70
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1456
tccacacggt ggtggtgaag gtagatctcc tatcggaaag tccacgtact ccatggggta 60
aaccagcaca   70

<210> 1457
<211> 82
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1457
ttatcgctca ggcgaactcc aacctggatg atgaaggccg ctttttagaa ggtgacttgt 60
cgtagcaaag gcgaatccag ca   82

<210> 1458
<211> 87
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1458
tgggcagcgt ttcggcgaaa tggaagtggc tcgaagcgta tggcgcttcg tacgtgctgc 60
aggaaatgtt gaccgtcaag tcggaca   87

<210> 1459
<211> 97
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1459
tcaggagtcg ttcaactcga tctacatgat ggccgaccgc ccggggttcg gcggtgcaga 60
ttcgtcagct ggccggcatg cgtggcctga tggcgta   97

<210> 1460
<211> 117
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1460
tctggcaggt atgcgtggtc tgatggccaa tccatctggt cgtatcatcg aacttccaat 60
caagtttccg tgaaggttta acagtacttg agtacttcat ctcaacccac ggtgcga   117

```
<210> 1461
<211> 98
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1461
tcaagcaaac gcacaatcag aagctaagaa agcgcaagct tctggaaagc acaaatgcta 60
gttatggtac agaatttgca actgaaacag acgtgcaa                           98


<210> 1462
<211> 99
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Polynucleotide

<400> 1462
tccacacgcc gttcttcaac aactaccgtg ttctacttcc gtacgacgga cgtgacgggc 60
tcgatcgagc tgccgaagga caaggaaatg gtgatgcca                          99


<210> 1463
<211> 111
<212> DNA
<213> Artificial Sequence

<220>
<223> Calibration Sequence

<400> 1463
tcgtggcggc gtggttatcg aacccatgct gaccgatcaa tggtacgtgc acaccgcccc 60
ccaaagtcgc gattgaagcc gtagagaacg gcgacatcca gttcgtaccg a           111


<210> 1464
<211> 2100
<212> DNA
<213> Artificial Sequence

<220>
<223> Combination Calibration Polynucleotide


<400> 1464
gaagtagaga tatggaggaa caccagtggc gaaggcgact ttctggtctg taactgacac 60
tgagaaagcg tggggagcaa acaggattag ataccctggt agtccacgcc gtaaacgatg 120
agtgctaagt gttagaggcc tttagtgctg aagttaacgc attaagcact ccgcctgggg 180
agtacggccg caaggctgaa actcaaagga attgacgggg cacaagcggt ggagcatgtg 240
gtttaattcg aagcaacgcg aagaacctta ccaggtcttg acatcctctg acaaccctag 300
cttctccttc gggagcagag tgacaggtgg tgcatggttg tcgtcagctc gtgtcgtgag 360
atgttgggtt aagtcccgca acgagcgcaa cccttgatct tagttgttta gttgggcact 420
ctaaggtgac tgccggtgac aaaccggagg aaggtgggga tgacgtcaaa tcatcatgcc 480
ccagtaccgt gagggaaagg tgaaaagcac cccggaaggg gagtgaaaga gatcctgaaa 540
ccgtgtgcca tagtcagagc ccgttaacgg gtgatggcgt gccttttgta gaatgaaccg 600
gcgagttata agatccgtag tcaaaaggga aacagcccag accgccagct aaggtcccaa 660
agtgtgtatt gaaaaggatg tggagttgct tagacaacta ggatgttggc ttagaagcag 720
ccaccattta aagagtatag ggggtgacac ctgcccggtg ctggaaggtt aaggagaggg 780
gttagcgtaa ctctgaactg aagccccagt aaacggcggc cgtaactata acggtcctaa 840
```

```
ggtagcgaaa gaaatttgag aggagctgtc cttagtacga gaggaccggg atggacgcac 900
cggtaccagt tgttctgcca agggcatagc tgggtagcta tgtgcggaag ggataagtgc 960
tgaaagcatc taagcatgaa gccccctca agatgagagc agtaaaacaa gcaaacgcac 1020
aatcagaagc taagaaagcg caagcttctg gaaagcacaa atgctagtta tggtacagaa 1080
tttgcaactg aaacagacgt gcatgctgtg aaatttgcga aagcttttgc atattatatc 1140
gagccacagc atcgtgatgt tttacagctt tatgcaccgg aagcttttaa tggataaatt 1200
taacgaacaa gaaataaatc tatccttgga agaacttaaa gatcaacgga tgctggcaag 1260
atatgaaaaa taagataaaa cagcactatc aacactggag cgattcttta tctgaagaag 1320
gaagagcgat gaaaacaacg aagtacaata caagacaaaa gaaggtaaaa ttactgtttt 1380
agggaaaaa ttcaagaaat atagaagtga tggctaaaaa tgtagaaggg gtcttgaagc 1440
cgttaacagc tgttatggcg accgtggcgg cgtggttatc gaacccatgc tgaccgatca 1500
atggtacgtg cacaccgccc cccaaagtcg cgattgaagc cgtagagaac ggcgagatcc 1560
agttcgtccc taaacagtac ggcaacttcg ttatcgctca ggcgaactcc aacctggatg 1620
atgaaggccg ctttttagaa ggtgacttgt cgtagcaaag gcgaatcaag cctgtttagc 1680
cacaactatg cgtgctcgtg gtgcacaagt aacggatatt acaatcattg ttgttgcagc 1740
tgatgacggc gtaataaaca gttgaagcga ttaaccatgc gaaagcagca ggagtaccaa 1800
ctttactcag cttgctggta tgcgtggtct gatggccaat ccatctggtc gtatcatcga 1860
acttccaatc aagtttccgt gaaggtttaa cagtacttga gtacttcatc tctacgcatg 1920
gtgcgcgtaa aggtcatggg agtaagacct acagtaagag gttctgtaat gaaccctaat 1980
gaccatccac acggtggtgg tgaaggtaga tctcctatcg gaaagtccac gtactccatg 2040
gggtaaacca gcacttggat acaaaacaag cgcagttcgg cggccagcgc ttcggtgaaa 2100
```